

# GIMAP4 (K-15): sc-103517

## BACKGROUND

The GTPase of the immunity-associated protein (GIMAP) family of proteins include seven members that are expressed by genes residing on human chromosome 7. GIMAP proteins have been implicated in the regulation of lymphomyeloid cell survival. GIMAP4 (GTPase IMAP family member 4), also known as IMAP4 (immunity-associated protein 4) and IAN1 (immunity-associated nucleotide 1 protein), is a 329 amino acid protein that contains 5 motifs that are conserved in GTP-binding proteins and a C-terminal coiled-coiled region that may be responsible for protein-protein interactions. GIMAP4 exhibits intrinsic GTPase activity that is highly dependent on magnesium concentration to bind GDP. Showing differential regulation during T-helper cell differentiation, GIMAP4 appears to regulate the apoptosis of T cells. GIMAP4 is specifically expressed in resting T and B lymphocytes and its protein expression is appreciably decreased upon T or B lymphocyte activation.

## REFERENCES

1. Cambot, M., et al. 2002. Human immune associated nucleotide 1: a member of a new guanosine triphosphatase family expressed in resting T and B cells. *Blood* 99: 3293-3301.
2. Online Mendelian Inheritance in Man, OMIM™. 2003. Johns Hopkins University, Baltimore, MD. MIM Number: 608087. World Wide Web URL: <http://www.ncbi.nlm.nih.gov/omim/>
3. Schnell, S., et al. 2006. GIMAP4 accelerates T cell death. *Blood* 108: 591-599.
4. Taniwaki, M., et al. 2006. Gene expression profiles of small-cell lung cancers: molecular signatures of lung cancer. *Int. J. Oncol.* 29: 567-575.
5. Nitta, T., et al. 2006. IAN family critically regulates survival and development of T lymphocytes. *PLoS Biol.* 4: e103.
6. Carter, C., et al. 2007. A natural hypomorphic variant of the apoptosis regulator GIMAP4/IAN1. *J. Immunol.* 179: 1784-1795.
7. Shiao, Y.M., et al. 2008. Dysregulation of GIMAP genes in non-small cell lung cancer. *Lung Cancer* 62: 287-294.

## CHROMOSOMAL LOCATION

Genetic locus: GIMAP4 (human) mapping to 7q36.1.

## SOURCE

GIMAP4 (K-15) is an affinity purified goat polyclonal antibody raised against a peptide mapping within an internal region of GIMAP4 of human origin.

## PRODUCT

Each vial contains 200 µg IgG in 1.0 ml of PBS with < 0.1% sodium azide and 0.1% gelatin.

Blocking peptide available for competition studies, sc-103517 P, (100 µg peptide in 0.5 ml PBS containing < 0.1% sodium azide and 0.2% BSA).

## RESEARCH USE

For research use only, not for use in diagnostic procedures.

## APPLICATIONS

GIMAP4 (K-15) is recommended for detection of GIMAP4 of human origin by Western Blotting (starting dilution 1:200, dilution range 1:100-1:1000), immunoprecipitation [1-2 µg per 100-500 µg of total protein (1 ml of cell lysate)], immunofluorescence (starting dilution 1:50, dilution range 1:50-1:500) and solid phase ELISA (starting dilution 1:30, dilution range 1:30-1:3000).

Suitable for use as control antibody for GIMAP4 siRNA (h): sc-89794, GIMAP4 shRNA Plasmid (h): sc-89794-SH and GIMAP4 shRNA (h) Lentiviral Particles: sc-89794-V.


Molecular Weight of GIMAP4: 38 kDa.

Positive Controls: Jurkat whole cell lysate: sc-2204, HT-29 whole cell lysate: sc-364232 or human PBL whole cell lysate.


## RECOMMENDED SECONDARY REAGENTS

To ensure optimal results, the following support (secondary) reagents are recommended: 1) Western Blotting: use donkey anti-goat IgG-HRP: sc-2020 (dilution range: 1:2000-1:100,000) or Cruz Marker™ compatible donkey anti-goat IgG-HRP: sc-2033 (dilution range: 1:2000-1:5000), Cruz Marker™ Molecular Weight Standards: sc-2035, TBS Blotting A Blocking Reagent: sc-2333 and Western Blotting Luminol Reagent: sc-2048. 2) Immunoprecipitation: use Protein A/G PLUS-Agarose: sc-2003 (0.5 ml agarose/2.0 ml). 3) Immunofluorescence: use donkey anti-goat IgG-FITC: sc-2024 (dilution range: 1:100-1:400) or donkey anti-goat IgG-TR: sc-2783 (dilution range: 1:100-1:400) with UltraCruz™ Mounting Medium: sc-24941.

## DATA



GIMAP4 (K-15): sc-103517. Western blot analysis of GIMAP4 expression in OVCAR-3 (A), HT-29 (B) and human PBL (C) whole cell lysates.



GIMAP4 (K-15): sc-103517. Western blot analysis of GIMAP4 expression in Jurkat whole cell lysate.

## STORAGE

Store at 4° C, \*\*DO NOT FREEZE\*\*. Stable for one year from the date of shipment. Non-hazardous. No MSDS required.

**MONOS**  
Satisfaction  
Guaranteed

Try **GIMAP4 (C-4): sc-515595** or **GIMAP4 (H-8): sc-515241**, our highly recommended monoclonal alternatives to GIMAP4 (K-15).