# SANTA CRUZ BIOTECHNOLOGY, INC.

# GIMAP4 (T-14): sc-103519



BACKGROUND

The GTPase of the immunity-associated protein (GIMAP) family of proteins include seven members that are expressed by genes residing on human chromosome 7. GIMAP proteins have been implicated in the regulation of lymphomyeloid cell survival. GIMAP4 (GTPase IMAP family member 4), also known as IMAP4 (immunity-associated protein 4) and IAN1 (immunity-associated nucleotide 1 protein), is a 329 amino acid protein that contains 5 motifs that are conserved in GTP-binding proteins and a C-terminal coiled-coiled region that may be responsible for protein-protein interactions. GIMAP4 exhibits intrinsic GTPase activity that is highly dependent on magnesium concentration to bind GDP. Showing differential regulation during T-helper cell differentiation, GIMAP4 appears to regulate the apoptosis of T cells. GIMAP4 is specifically expressed in resting T and B lymphocytes and its protein expression is appreciably decreased upon T or B lymphocyte activation.

#### REFERENCES

- 1. Cambot, M., et al. 2002. Human immune associated nucleotide 1: a member of a new guanosine triphosphatase family expressed in resting T and B cells. Blood 99: 3293-3301.
- 2. Online Mendelian Inheritance in Man, OMIM<sup>™</sup>. 2003. Johns Hopkins University, Baltimore, MD. MIM Number: 608087. World Wide Web URL: http://www.ncbi.nlm.nih.gov/omim/
- 3. Schnell, S., et al. 2006. GIMAP4 accelerates T cell death. Blood 108: 591-599.
- Taniwaki, M., et al. 2006. Gene expression profiles of small-cell lung cancers: molecular signatures of lung cancer. Int. J. Oncol. 29: 567-575.
- 5. Nitta, T., et al. 2006. IAN family critically regulates survival and development of T lymphocytes. PLoS Biol. 4: e103.
- Carter, C., et al. 2007. A natural hypomorphic variant of the apoptosis regulator GIMAP4/IAN1. J. Immunol. 179: 1784-1795.

#### CHROMOSOMAL LOCATION

Genetic locus: GIMAP4 (human) mapping to 7q36.1; Gimap4 (mouse) mapping to 6 B2.3.

#### SOURCE

GIMAP4 (T-14) is an affinity purified goat polyclonal antibody raised against a peptide mapping within an internal region of GIMAP4 of human origin.

#### PRODUCT

Each vial contains 200  $\mu g$  lgG in 1.0 ml of PBS with < 0.1% sodium azide and 0.1% gelatin.

Blocking peptide available for competition studies, sc-103519 P, (100  $\mu$ g peptide in 0.5 ml PBS containing < 0.1% sodium azide and 0.2% BSA).

#### **STORAGE**

Store at 4° C, \*\*D0 NOT FREEZE\*\*. Stable for one year from the date of shipment. Non-hazardous. No MSDS required.

## APPLICATIONS

GIMAP4 (T-14) is recommended for detection of GIMAP4 of mouse, rat and human origin by Western Blotting (starting dilution 1:200, dilution range 1:100-1:1000), immunoprecipitation [1-2  $\mu$ g per 100-500  $\mu$ g of total protein (1 ml of cell lysate)], immunofluorescence (starting dilution 1:50, dilution range 1:50-1:500) and solid phase ELISA (starting dilution 1:30, dilution range 1:30-1:3000). GIMAP4 (T-14) is also recommended for detection of GIMAP4 in additional species, including bovine.

Suitable for use as control antibody for GIMAP4 siRNA (h): sc-89794, GIMAP4 siRNA (m): sc-145400, GIMAP4 shRNA Plasmid (h): sc-89794-SH, GIMAP4 shRNA Plasmid (m): sc-145400-SH, GIMAP4 shRNA (h) Lentiviral Particles: sc-89794-V and GIMAP4 shRNA (m) Lentiviral Particles: sc-145400-V.


Molecular Weight of GIMAP4: 38 kDa.


Positive Controls: Jurkat whole cell lysate: sc-2204.

#### **RECOMMENDED SECONDARY REAGENTS**

To ensure optimal results, the following support (secondary) reagents are recommended: 1) Western Blotting: use donkey anti-goat IgG-HRP: sc-2020 (dilution range: 1:2000-1:100,000) or Cruz Marker<sup>™</sup> compatible donkey anti-goat IgG-HRP: sc-2033 (dilution range: 1:2000-1:5000), Cruz Marker<sup>™</sup> Molecular Weight Standards: sc-2035, TBS Blotto A Blocking Reagent: sc-2333 and Western Blotting Luminol Reagent: sc-2048. 2) Immunoprecipitation: use Protein A/G PLUS-Agarose: sc-2003 (0.5 ml agarose/2.0 ml). 3) Immunofluorescence: use donkey anti-goat IgG-FITC: sc-2024 (dilution range: 1:100-1:400) or donkey anti-goat IgG-TR: sc-2783 (dilution range: 1:100-1:400) with UltraCruz<sup>™</sup> Mounting Medium: sc-24941.

### DATA





GIMAP4 (T-14): sc-103517. Western blot analysis of GIMAP4 expression in Jurkat whole cell lysate. GIMAP4 (T-14): sc-103519. Immunofluorescence staining of methanol-fixed HeLa cells showing cytoplasmic localization.

#### **RESEARCH USE**

For research use only, not for use in diagnostic procedures.

# MONOS Satisfation Guaranteed

Try GIMAP4 (C-4): sc-515595 or GIMAP4 (H-8): sc-515241, our highly recommended monoclonal alternatives to GIMAP4 (T-14).