# OXA1L (P-16): sc-107912



The Power to Question

### **BACKGROUND**

OXA1L (oxidase (cytochrome c) assembly 1-like), also known as OXA1, is a 435 mitochondrial inner membrane protein belonging to the evolutionarily conserved Oxa1/Alb3/YidC protein family. Members of the Oxa1/Alb3/YidC protein family are involved in the biogenesis of membrane proteins in mitochondria, chloroplasts and bacteria. Existing as three isoforms produced by alternative splicing events, OXA1L is required for the insertion of integral membrane proteins into the mitochondrial inner membrane. OXA1L is essential for the activity and assembly of cytochrome oxidase and for the correct biogenesis of  $F_1F_0\text{-}ATP$  synthase and NADH:ubiquinone oxidoreductase. Mutations in the gene encoding OXA1L might be involved in the pathology of combined enzymatic deficiencies of the oxidative phosphorylation (OXPHOS) system.

## **REFERENCES**

- Molina-Gomes, D., et al. 1995. The OXA1L gene that controls cytochrome oxidase assembly maps to the 14q11.2 region of the human genome. Genomics 30: 396-398.
- Online Mendelian Inheritance in Man, OMIM™. 1996. Johns Hopkins University, Baltimore, MD. MIM Number: 601066. World Wide Web URL: http://www.ncbi.nlm.nih.gov/omim/
- 3. Rötig, A., et al. 1997. Sequence and structure of the human OXA1L gene and its upstream elements. Biochim. Biophys. Acta 1361: 6-10.
- Coenen, M.J., et al. 2005. Mutation detection in four candidate genes (OXA1L, MRS2L, YME1L and MIPEP) for combined deficiencies in the oxidative phosphorylation system. J. Inherit. Metab. Dis. 28: 1091-1097.
- Jia, L., et al. 2007. OXA1 directly interacts with ATP9 and mediates its assembly into the mitochondrial F1Fo-ATP synthase complex. Mol. Biol. Cell 18: 1897-1908.
- Stiburek, L., et al. 2007. Knockdown of human OXA1L impairs the biogenesis of F<sub>1</sub>Fo-ATP synthase and NADH:ubiquinone oxidoreductase. J. Mol. Biol. 374: 506-516.
- Bonnefoy, N., et al. 2009. Roles of OXA1-related inner-membrane translocases in assembly of respiratory chain complexes. Biochim. Biophys. Acta 1793: 60-70.

## **CHROMOSOMAL LOCATION**

Genetic locus: Oxa11 (mouse) mapping to 14 C2.

#### SOURCE

OXA1L (P-16) is an affinity purified goat polyclonal antibody raised against a peptide mapping within an internal region of OXA1L of mouse origin.

## **STORAGE**

Store at  $4^{\circ}$  C, \*\*D0 NOT FREEZE\*\*. Stable for one year from the date of shipment. Non-hazardous. No MSDS required.

### **RESEARCH USE**

For research use only, not for use in diagnostic procedures.

#### **PRODUCT**

Each vial contains 200  $\mu g$  IgG in 1.0 ml of PBS with <0.1% sodium azide and 0.1% gelatin.

Blocking peptide available for competition studies, sc-107912 P, (100  $\mu$ g peptide in 0.5 ml PBS containing < 0.1% sodium azide and 0.2% BSA).

### **APPLICATIONS**

OXA1L (P-16) is recommended for detection of OXA1L of mouse and rat origin by Western Blotting (starting dilution 1:200, dilution range 1:100-1:1000), immunofluorescence (starting dilution 1:50, dilution range 1:50-1:500) and solid phase ELISA (starting dilution 1:30, dilution range 1:30-1:3000).

OXA1L (P-16) is also recommended for detection of OXA1L in additional species, including bovine.

Suitable for use as control antibody for OXA1L siRNA (m): sc-151950, OXA1L shRNA Plasmid (m): sc-151950-SH and OXA1L shRNA (m) Lentiviral Particles: sc-151950-V.

Molecular Weight of OXA1L: 42 kDa.

Positive Controls: NIH/3T3 whole cell lysate: sc-2210.

### **RECOMMENDED SECONDARY REAGENTS**

To ensure optimal results, the following support (secondary) reagents are recommended: 1) Western Blotting: use donkey anti-goat IgG-HRP: sc-2020 (dilution range: 1:2000-1:100,000) or Cruz Marker™ compatible donkey anti-goat IgG-HRP: sc-2033 (dilution range: 1:2000-1:5000), Cruz Marker™ Molecular Weight Standards: sc-2035, TBS Blotto A Blocking Reagent: sc-2333 and Western Blotting Luminol Reagent: sc-2048. 2) Immunofluorescence: use donkey anti-goat IgG-FITC: sc-2024 (dilution range: 1:100-1:400) or donkey anti-goat IgG-TR: sc-2783 (dilution range: 1:100-1:400) with UltraCruz™ Mounting Medium: sc-24941.

## **PROTOCOLS**

See our web site at www.scbt.com or our catalog for detailed protocols and support products.

**Santa Cruz Biotechnology, Inc.** 1.800.457.3801 831.457.3800 fax 831.457.3801 **Europe** +00800 4573 8000 49 6221 4503 0 **www.scbt.com**