# IP3KB (T-20): sc-11212



The Power to Question

## **BACKGROUND**

Inositol 1,4,5-trisphosphate (Ins(1,4,5)P3) regulates the level of calcium within the cell by releasing calcium from intracellular stores (1–3). Ins(1,4,5)P3 is phosphorylated by inositol 1,4,5-trisphosphate 3-kinase (IP3K) to form inositol 1,3,4,5-tetrakisphosphate (Ins(1,4,5)P4), which is is thought to regulate the influx of calcium across the plasma membrane (2,3). IP3K exists as three isoforms, IP3KA, B, and C (3,4). IP3KA, the most highly characterized isoform, is expressed in rat brain and testis (3-5). IP3KB is expressed in various rat tissues such as lung, thymus, testis, brain, and heart (3,4). IP3K activity is stimulated in the presence of calmodulin via phosphorylation by cAMP-dependent protein kinase, protein kinase C, or calcium/calmodulin dependent protein kinase II and, subsequently, mediates the inositol phosphate signaling pathways.

# **REFERENCES**

- Johanson, R.A., Hansen, C.A. and Williamson, J.R. 1988. Purification of Dmyo-inositol 1,4,5-trisphosphate 3-kinase from rat brain. J. Biol. Chem. 263: 7465-7471.
- Berridge, M.J. and Irvine, R.F. 1989. Inositol phosphates and cell signaling. Nature 341: 197-205.
- Sim, S.S., Kim, J.W. and Rhee, S.G. 1990. Regulation of D-myo-inositol 1,4,5-trisphosphate 3-kinase by cAMP-dependent protein kinase and protein kinase C. J. Biol. Chem. 265: 10367-10372.
- Takazawa, K., Vandekerckhove, J., Dumont, J.E. and Erneux, C. 1990.
  Cloning and expression in *Escherichia coli* of a rat brain cDNA encoding a Ca<sup>2+</sup>/calmodulin-sensitive inositol 1,4,5-trisphosphate 3-kinase. Biochem. J. 272: 107-112.
- Irvine, R.F. 1991. Inositol tetrakisphosphate as a second messenger: confusions, contradictions, and a potential resolution. Bioessays 13: 419-427.
- Vanweyenberg, V., Communi, D., D'Santos, C.S. and Erneux, C. 1995.
  Tissue and cell-specific expression of Ins(1,4,5)P3 3-kinase isoenzymes.
  Biochem. J. 306: 429-435.
- Woodring, P.J. and Garrison, J.C. 1997. Expression, purification, and regulation of two isoforms of the inositol 1,4,5-trisphosphate 3-kinase. J. Biol. Chem. 272: 30447-30454.

# **CHROMOSOMAL LOCATION**

Genetic locus: ITPKB (human) mapping to 1q42.12.

### SOURCE

IP3KB (T-20) is an affinity purified goat polyclonal antibody raised against a peptide mapping within an internal region of IP3KB of human origin.

# **PRODUCT**

Each vial contains 200  $\mu g$  lgG in 1.0 ml of PBS with < 0.1% sodium azide and 0.1% gelatin.

Blocking peptide available for competition studies, sc-11212 P, (100  $\mu$ g peptide in 0.5 ml PBS containing < 0.1% sodium azide and 0.2% BSA).

#### **APPLICATIONS**

IP3KB (T-20) is recommended for detection of IP3KB of human origin by Western Blotting (starting dilution 1:200, dilution range 1:100-1:1000), immunofluorescence (starting dilution 1:50, dilution range 1:50-1:500) and solid phase ELISA (starting dilution 1:30, dilution range 1:30-1:3000).

Suitable for use as control antibody for IP3KB siRNA (h): sc-39066, IP3KB shRNA Plasmid (h): sc-39066-SH and IP3KB shRNA (h) Lentiviral Particles: sc-39066-V.

Molecular Weight of IP3K: 92 kDa.

Positive Controls: Jurkat whole cell lysate: sc-2204.

## **RECOMMENDED SECONDARY REAGENTS**

To ensure optimal results, the following support (secondary) reagents are recommended: 1) Western Blotting: use donkey anti-goat IgG-HRP: sc-2020 (dilution range: 1:2000-1:100,000) or Cruz Marker™ compatible donkey anti-goat IgG-HRP: sc-2033 (dilution range: 1:2000-1:5000), Cruz Marker™ Molecular Weight Standards: sc-2035, TBS Blotto A Blocking Reagent: sc-2333 and Western Blotting Luminol Reagent: sc-2048. 2) Immunofluorescence: use donkey anti-goat IgG-FITC: sc-2024 (dilution range: 1:100-1:400) or donkey anti-goat IgG-TR: sc-2783 (dilution range: 1:100-1:400) with UltraCruz™ Mounting Medium: sc-24941.

#### **STORAGE**

Store at 4° C, \*\*DO NOT FREEZE\*\*. Stable for one year from the date of shipment. Non-hazardous. No MSDS required.

## **RESEARCH USE**

For research use only, not for use in diagnostic procedures.

#### **PROTOCOLS**

See our web site at www.scbt.com or our catalog for detailed protocols and support products.



Try **IP3KB (J-15):** sc-100385, our highly recommended monoclonal alternative to IP3KB (T-20).

**Santa Cruz Biotechnology, Inc.** 1.800.457.3801 831.457.3801 **Europe** +00800 4573 8000 49 6221 4503 0 **www.scbt.com**