

# OSR1 (h): 293T Lysate: sc-114234

## BACKGROUND

OSR (odd-skipped related) proteins belong to the Odd C<sub>2</sub>H<sub>2</sub>-type zinc-finger protein family and are involved in embryonic development and bone formation. OSR1 (odd-skipped-related 1), also designated ODD, is a 266 amino acid protein that is expressed in the colon, small intestine, prostate, testis and fetal lung. OSR1 is upregulated in several pancreatic and esophageal cancer cell lines and downregulated in some primary gastric cancers. OSR1 contains three C<sub>2</sub>H<sub>2</sub>-type zinc fingers, a tyrosine phosphorylation site and several putative PXXP SH3 binding motifs. OSR1 may play a critical role in metanephric kidney formation. Absence of OSR1 in mice causes lack of formation of the meta-nephric mesenchyme and null expression of EYA1, Six2, Pax, Sall1 and GDNF, which are proteins involved in normal kidney development.

## REFERENCES

- Balakrishnan, M.S., Villafranca, J.J. and Brenchley, J.E. 1977. Glutamine synthetase from *Salmonella typhimurium*: manganese(II), substrate, and inhibitor interaction with the unadenylylated enzyme. Arch. Biochem. Biophys. 181: 603-615.
- Hart, M.C., Wang, L. and Coulter, D.E. 1996. Comparison of the structure and expression of odd-skipped and two related genes that encode a new family of zinc finger proteins in *Drosophila*. Genetics 144: 171-182.
- So, P.L. and Danielian, P.S. 1999. Cloning and expression analysis of a mouse gene related to *Drosophila* odd-skipped. Mech. Dev. 84: 157-160.
- Katoh, M. 2002. Molecular cloning and characterization of OSR1 on human chromosome 2p24. Int. J. Mol. Med. 10: 221-225.
- Online Mendelian Inheritance in Man, OMIM™. 2004. Johns Hopkins University, Baltimore, MD. MIM Number: 608891. World Wide Web URL: <http://www.ncbi.nlm.nih.gov/omim/>
- Wang, Q., Lan, Y., Cho, E.S., Maltby, K.M. and Jiang, R. 2005. Odd-skipped related 1 (Odd 1) is an essential regulator of heart and urogenital development. Dev. Biol. 288: 582-594.
- James, R.G., Kamei, C.N., Wang, Q., Jiang, R. and Schultheiss, T.M. 2006. Odd-skipped related 1 is required for development of the metanephric kidney and regulates formation and differentiation of kidney precursor cells. Development 133: 2995-3004.
- Kawai, S., Yamauchi, M., Wakisaka, S., Ooshima, T. and Amano, A. 2007. Zinc-finger transcription factor odd-skipped related 2 is one of the regulators in osteoblast proliferation and bone formation. J. Bone Miner. Res. 22: 1362-1372.
- SWISS-PROT/TrEMBL (Q8TAX0). World Wide Web URL: <http://www.expasy.ch/sprot/sprot-top.html>

## CHROMOSOMAL LOCATION

Genetic locus: OSR1 (human) mapping to 2p24.1.

## PRODUCT

OSR1 (h): 293T Lysate represents a lysate of human OSR1 transfected 293T cells and is provided as 100 µg protein in 200 µl SDS-PAGE buffer.

## APPLICATIONS

OSR1 (h): 293T Lysate is suitable as a Western Blotting positive control for human reactive OSR1 antibodies. Recommended use: 10-20 µl per lane.

Control 293T Lysate: sc-117752 is available as a Western Blotting negative control lysate derived from non-transfected 293T cells.

## STORAGE

Store at -20° C. Repeated freezing and thawing should be minimized. Sample vial should be boiled once prior to use. Non-hazardous. No MSDS required.

## RESEARCH USE

For research use only, not for use in diagnostic procedures.

## PROTOCOLS

See our web site at [www.scbt.com](http://www.scbt.com) for detailed protocols and support products.