ACOX1 (A-23): sc-130678



The Power to Question

BACKGROUND

ACOX1 (acyl-coenzyme A oxidase 1), also known as SCOX or PALMCOX, is a 660 amino acid protein that localizes to the peroxisome and belongs to the acyl-CoA oxidase family. Existing as two alternatively spliced isoforms, ACOX1 uses FAD as a cofactor to catalyze the desaturation of very long chain acyl-CoA proteins to 2-trans-enoyl-CoA proteins, a reaction that utilizes oxygen and produces hydrogen peroxide. Defects in the gene encoding ACOX1 are the cause of pseudoneonatal adrenoleukodystrophy (pseudo-NALD), which is a single-enzyme disorder that is characterized by seizures, mental retardation, leukodystrophy, mild hepatomegaly and hearing deficits.

REFERENCES

- Pacot, C. and Latruffe, N. 1993. Biochemical properties of liver peroxisomes from rat, guinea pig and human species and the influence of hormonal status on rat liver acyl-CoA oxidase mRNA content. Biochimie 75: 235-242.
- Aoyama, T., et al. 1994. Molecular cloning and functional expression of a human peroxisomal acyl-coenzyme A oxidase. Biochem. Biophys. Res. Commun. 198: 1113-1118.
- Varanasi, U., et al. 1994. Isolation of the human peroxisomal acyl-CoA oxidase gene: organization, promoter analysis, and chromosomal localization. Proc. Natl. Acad. Sci. USA 91: 3107-3111.
- Fan, C.Y., et al. 1996. Hepatocellular and hepatic peroxisomal alterations in mice with a disrupted peroxisomal fatty acyl-coenzyme A oxidase gene. J. Biol. Chem. 271: 24698-24710.
- Fujiwara, C., et al. 2000. Catalase-less peroxisomes. Implication in the milder forms of peroxisome biogenesis disorder. J. Biol. Chem. 275: 37271-37277.
- Suzuki, Y., et al. 2002. Peroxisomal acyl CoA oxidase deficiency. J. Pediatr. 140: 128-130.
- 7. Online Mendelian Inheritance in Man, OMIM™. 2002. Johns Hopkins University, Baltimore, MD. MIM Number: 609751. World Wide Web URL: http://www.ncbi.nlm.nih.gov/omim/
- 8. Ferdinandusse, S., et al. 2007. Clin-ical, biochemical, and mutational spectrum of peroxisomal acyl-coenzyme A oxidase deficiency. Hum. Mutat. 28: 904-912.
- Carrozzo, R., et al. 2008. Peroxiso-mal acyl-CoA-oxidase deficiency: two new cases. Am. J. Med. Genet. A 146A: 1676-1681.

CHROMOSOMAL LOCATION

Genetic locus: ACOX1 (human) mapping to 17q25.1.

SOURCE

ACOX1 (A-23) is a purified rabbit polyclonal antibody raised against a peptide mapping near the C-terminus of ACOX1 of human origin.

PRODUCT

Each vial contains 100 μg lgG in 1.0 ml PBS with < 0.1% sodium azide and 0.1% gelatin.

APPLICATIONS

ACOX1 (A-23) is recommended for detection of ACOX1 of human origin by Western Blotting (starting dilution 1:200, dilution range 1:100-1:1000), immunoprecipitation [1-2 μ g per 100-500 μ g of total protein (1 ml of cell lysate)] and solid phase ELISA (starting dilution 1:30, dilution range 1:30-1:3000).


Suitable for use as control antibody for ACOX1 siRNA (h): sc-94104, ACOX1 shRNA Plasmid (h): sc-94104-SH and ACOX1 shRNA (h) Lentiviral Particles: sc-94104-V.

Molecular Weight of ACOX1: 74 kDa.

RECOMMENDED SECONDARY REAGENTS

To ensure optimal results, the following support (secondary) reagents are recommended: 1) Western Blotting: use goat anti-rabbit IgG-HRP: sc-2004 (dilution range: 1:2000-1:100,000) or Cruz Marker™ compatible goat anti-rabbit IgG-HRP: sc-2030 (dilution range: 1:2000-1:5000), Cruz Marker™ Molecular Weight Standards: sc-2035, TBS Blotto A Blocking Reagent: sc-2333 and Western Blotting Luminol Reagent: sc-2048. 2) Immunoprecipitation: use Protein A/G PLUS-Agarose: sc-2003 (0.5 ml agarose/2.0 ml).

DATA



ACOX1 (A-23): sc-130678. Western blot analysis of ACOX1 expression in non-transfected (**A**) and human ACOX1 transfected (**B**) 293 whole cell lysates.

STORAGE

Store at 4° C, **DO NOT FREEZE**. Stable for one year from the date of shipment. Non-hazardous. No MSDS required.

RESEARCH USE

For research use only, not for use in diagnostic procedures.

PROTOCOLS

See our web site at www.scbt.com or our catalog for detailed protocols and support products.

Santa Cruz Biotechnology, Inc. 1.800.457.3801 831.457.3801 Fax 831.457.3801 Europe +00800 4573 8000 49 6221 4503 0 www.scbt.com