# ARHGAP36 (E-12): sc-138597



The Power to Question

#### **BACKGROUND**

GTPase-activating proteins (GAPs) accelerate the intrinsic rate of GTP hydrolysis of Ras-related proteins, resulting in downregulation of their active form. ARHGAP36 (Rho GTPase activating protein 36) is a 547 amino acid protein that contains one Rho-GAP domain. Conserved in chimpanzee, dog, cow, mouse and rat, ARHGAP36 exists as five alternatively spliced isoforms and is encoded by a gene that maps to human chromosome Xq26.1. Chromosome X consists of nearly 153 million base pairs encoding approximately 1,000 genes. More than one copy of the X chromosome with a Y chromosome causes Klinefelter's syndrome. A single copy of X alone leads to Turner's syndrome. More than 2 copies of the X chromosome, in the absence of a Y chromosome, is known as Triple X syndrome. Color blindness, hemophilia, and Duchenne muscular dystrophy are X chromosome-linked conditions that affect males more frequently because males carry a single X chromosome.

# **REFERENCES**

- Givens, J.R., et al. 1975. Features of Turner's syndrome in women with polycystic ovaries. Obstet. Gynecol. 45: 619-624.
- Bernardino-Sgherri, J., et al. 2002. Overall DNA methylation and chromatin structure of normal and abnormal X chromosomes. Cytogenet. Genome Res. 99: 85-91.
- 3. Muntoni, F., et al. 2003. Dystrophin and mutations: one gene, several proteins, multiple phenotypes. Lancet Neurol. 2: 731-740.
- Deeb, S.S. 2005. The molecular basis of variation in human color vision. Clin. Genet. 67: 369-377.
- Bojesen, A., et al. 2006. The metabolic syndrome is frequent in Klinefelter's syndrome and is associated with abdominal obesity and hypogonadism. Diabetes Care 29: 1591-1598.
- 6. Hayashi, T., et al. 2006. Novel form of a single X-linked visual pigment gene in a unique dichromatic color-vision defect. Vis. Neurosci. 23: 411-417.
- Rolle, U., et al. 2007. Duodenal atresia in an infant with triple-X syndrome: a new associated malformation in 47,XXX. Birth Defects Res. Part A Clin. Mol. Teratol. 79: 612-613.
- 8. Augui, S., et al. 2007. Sensing X chromosome pairs before X inactivation via a novel X-pairing region of the Xic. Science 318: 1632-1636.

# CHROMOSOMAL LOCATION

Genetic locus: ARHGAP36 (human) mapping to Xq26.1.

# **SOURCE**

ARHGAP36 (E-12) is an affinity purified goat polyclonal antibody raised against a peptide mapping within an internal region of ARHGAP36 of human origin.

# **STORAGE**

Store at 4° C, \*\*DO NOT FREEZE\*\*. Stable for one year from the date of shipment. Non-hazardous. No MSDS required.

#### **PRODUCT**

Each vial contains 200  $\mu g$  lgG in 1.0 ml of PBS with < 0.1% sodium azide and 0.1% gelatin.

Blocking peptide available for competition studies, sc-138597 P, (100  $\mu$ g peptide in 0.5 ml PBS containing < 0.1% sodium azide and 0.2% BSA).

# **APPLICATIONS**

ARHGAP36 (E-12) is recommended for detection of ARHGAP36 of human origin by Western Blotting (starting dilution 1:200, dilution range 1:100-1:1000), immunofluorescence (starting dilution 1:50, dilution range 1:50-1:500) and solid phase ELISA (starting dilution 1:30, dilution range 1:30-1:3000).

Suitable for use as control antibody for ARHGAP36 siRNA (h): sc-90962, ARHGAP36 shRNA Plasmid (h): sc-90962-SH and ARHGAP36 shRNA (h) Lentiviral Particles: sc-90962-V.

Molecular Weight of ARHGAP36: 62 kDa.

# **RECOMMENDED SECONDARY REAGENTS**

To ensure optimal results, the following support (secondary) reagents are recommended: 1) Western Blotting: use donkey anti-goat lgG-HRP: sc-2020 (dilution range: 1:2000-1:100,000) or Cruz Marker™ compatible donkey anti-goat lgG-HRP: sc-2033 (dilution range: 1:2000-1:5000), Cruz Marker™ Molecular Weight Standards: sc-2035, TBS Blotto A Blocking Reagent: sc-2333 and Western Blotting Luminol Reagent: sc-2048. 2) Immunofluorescence: use donkey anti-goat lgG-FITC: sc-2024 (dilution range: 1:100-1:400) with UltraCruz™ Mounting Medium: sc-24941.

### **RESEARCH USE**

For research use only, not for use in diagnostic procedures.

# **PROTOCOLS**

See our web site at www.scbt.com or our catalog for detailed protocols and support products.

**Santa Cruz Biotechnology, Inc.** 1.800.457.3801 831.457.3800 fax 831.457.3801 **Europe** +00800 4573 8000 49 6221 4503 0 **www.scbt.com**