

GBP5 (E-14): sc-160354

BACKGROUND

GBP5 (guanylate binding protein 5), also known as GBP-TA antigen, is a 586 amino acid protein that localizes to the cytoplasmic side of the cell membrane. Belonging to the interferon (IFN)-inducible guanylate-binding protein (GBP) family, GBP5 may be involved in the inflammatory response or with cell proliferation and is suggested to have possible cancer-related functions. The gene encoding GBP5 maps to human chromosome 1, which spans 260 million base pairs, contains over 3,000 genes and comprises nearly 8% of the human genome. Chromosome 1 houses a large number of disease-associated genes, including those that are involved in familial adenomatous polyposis, Stickler syndrome, Parkinson's disease, Gaucher disease, schizophrenia and Usher syndrome. Aberrations in chromosome 1 are found in a variety of cancers, including head and neck cancer, malignant melanoma and multiple myeloma.

REFERENCES

1. Strehlow, I., et al. 1994. The interferon-inducible GBP1 gene: structure and mapping to human chromosome 1. *Gene* 144: 295-299.
2. Han, B.H., et al. 1998. Cloning, expression, and characterization of a novel guanylate-binding protein, GBP3 in murine erythroid progenitor cells. *Biochim. Biophys. Acta* 1384: 373-386.
3. Nguyen, T.T., et al. 2002. Murine GBP5, a new member of the murine guanylate-binding protein family, is coordinately regulated with other GBPs *in vivo* and *in vitro*. *J. Interferon Cytokine Res.* 22: 899-909.
4. Fellenberg, F., et al. 2004. GBP5 splicing variants: New guanylate-binding proteins with tumor-associated expression and antigenicity. *J. Invest. Dermatol.* 122: 1510-1517.
5. Olszewski, M.A., et al. 2006. In silico genomic analysis of the human and murine guanylate-binding protein (GBP) gene clusters. *J. Interferon Cytokine Res.* 26: 328-352.
6. Saban, M.R., et al. 2007. Repeated BCG treatment of mouse bladder selectively stimulates small GTPases and HLA antigens and inhibits single-spanning uroplakins. *BMC Cancer* 7: 204.
7. Kitaya, K., et al. 2007. Genes regulated by interferon- γ in human uterine microvascular endothelial cells. *Int. J. Mol. Med.* 20: 689-697.

CHROMOSOMAL LOCATION

Genetic locus: GBP5 (human) mapping to 1p22.2; Gbp5 (mouse) mapping to 3 H1.

SOURCE

GBP5 (E-14) is an affinity purified goat polyclonal antibody raised against a peptide mapping within an internal region of GBP5 of human origin.

PRODUCT

Each vial contains 200 μ g IgG in 1.0 ml of PBS with < 0.1% sodium azide and 0.1% gelatin.

Blocking peptide available for competition studies, sc-160354 P, (100 μ g peptide in 0.5 ml PBS containing < 0.1% sodium azide and 0.2% BSA).

APPLICATIONS

GBP5 (E-14) is recommended for detection of GBP5 of mouse and human origin by Western Blotting (starting dilution 1:200, dilution range 1:100-1:1000), immunoprecipitation [1-2 μ g per 100-500 μ g of total protein (1 ml of cell lysate)], immunofluorescence (starting dilution 1:50, dilution range 1:50-1:500) and solid phase ELISA (starting dilution 1:30, dilution range 1:30-1:3000); non cross-reactive with other GBP family members.


GBP5 (E-14) is also recommended for detection of GBP5 in additional species, including equine, bovine and porcine.

Suitable for use as control antibody for GBP5 siRNA (h): sc-88824, GBP5 siRNA (m): sc-145352, GBP5 shRNA Plasmid (h): sc-88824-SH, GBP5 shRNA Plasmid (m): sc-145352-SH, GBP5 shRNA (h) Lentiviral Particles: sc-88824-V and GBP5 shRNA (m) Lentiviral Particles: sc-145352-V.


Molecular Weight of GBP5: 67 kDa.

Positive Controls: GBP5 (h): 293 Lysate: sc-114472 or mouse lung extract: sc-2390.

DATA



GBP5 (E-14): sc-160354. Western blot analysis of GBP5 expression in non-transfected: sc-110760 (A) and human GBP5 transfected: sc-114472 (B) 293 whole cell lysates.



GBP5 (E-14): sc-160354. Western blot analysis of GBP5 expression in mouse lung tissue extract.

STORAGE

Store at 4° C, ****DO NOT FREEZE****. Stable for one year from the date of shipment. Non-hazardous. No MSDS required.

RESEARCH USE

For research use only, not for use in diagnostic procedures.

PROTOCOLS

See our web site at www.scbt.com or our catalog for detailed protocols and support products.


 MONOS
Satisfaction
Guaranteed

Try **GBP1-5 (G-12): sc-166960**, our highly recommended monoclonal alternative to GBP5 (E-14).