## SANTA CRUZ BIOTECHNOLOGY, INC.

# MAdCAM-1 (MECA-367): sc-19604



## BACKGROUND

The recirculation of lymphocytes through different organs is thought to be regulated by adhesion molecules ("homing receptors") recognizing tissue-specific vascular addressins on the endothelium. The mucosal vascular addressin, MadCAM-1 (mucosal addressin cell adhesion molecule 1), is an immuno-globulin superfamily adhesion molecule for lymphocytes that is expressed by mucosal venules and helps direct lymphocyte traffic into Peyer's patches and the intestinal lamina propria. MadCAM-1 acts as an endothelial cell ligand for leukocyte homing receptors L-Selectin and Integrin  $\alpha 4/\beta 7$ . MadCAM-1 is strongly expressed on inflamed portal vein/sinusoidal endothelium in autoimmune-mediated liver disease and plays a major contributory role in the progression of chronic experimental autoimmune encephalomyelitis.

#### REFERENCES

- 1. Berlin, C., et al. 1993.  $\alpha 4\beta 7$  integrin mediates lymphocyte binding to the mucosal vascular addressin MAdCAM-1. Cell 74: 185-185.
- Hamann, A., et al. 1994. Role of α4 Integrins in lymphocyte homing to mucosal tissues *in vivo*. J. Immunol. 152: 3282-3293.
- Wang, C.C., et al. 2000. Homeodomain factor Nkx2-3 controls regional expression of leukocyte homing coreceptor MAdCAM-1 in specialized endothelial cells of the viscera. Dev. Biol. 224: 152-167.
- Kanwar, J.R., et al. 2000. Prevention of a chronic progressive form of experimental autoimmune encephalomyelitis by an antibody against mucosal addressin cell adhesion molecule-1, given early in the course of disease progression. Immunol. Cell Biol. 78: 641-645.
- 5. Guilliano, M.J., et al. 2001. The micro-environment of human Peyer's patches inhibits the increase in CD38 expression associated with the germinal center reaction. J. Immunol. 166: 2179-2185.
- Grant, A.J., et al. 2001. MAdCAM-1 expressed in chronic inflammatory liver disease supports mucosal lymphocyte adhesion to hepatic endothelium (MAdCAM-1 in chronic inflammatory liver disease). Hepatology 33: 1065-1072.

#### CHROMOSOMAL LOCATION

Genetic locus: MADCAM1 (human) mapping to 19p13.3; Madcam1 (mouse) mapping to 10 C1.

#### SOURCE

MAdCAM-1 (MECA-367) is a rat monoclonal antibody raised against endothelial cells from BALB/c mouse mesenteric and peripheral lymph nodes.

#### PRODUCT

Each vial contains 200  $\mu g~lgG_{2a}$  in 1.0 ml of PBS with < 0.1% sodium azide and 0.1% gelatin. Also available azide-free for blocking, sc-19604 L, 200  $\mu g/0.1$  ml.

MAdCAM-1 (MECA-367) is available conjugated to either phycoerythrin (sc-19604 PE) or fluorescein (sc-19604 FITC), 200 µg/ml, for IF, IHC(P) and FCM.

### APPLICATIONS

MAdCAM-1 (MECA-367) is recommended for detection of MadCAM-1 of mouse, rat and human origin by Western Blotting (starting dilution 1:200, dilution range 1:100-1:1000), immunoprecipitation [1-2 µg per 100-500 µg of total protein (1 ml of cell lysate)], immunofluorescence (starting dilution 1:50, dilution range 1:50-1:500) and flow cytometry (1 µg per 1 x 10<sup>6</sup> cells).


Suitable for use as control antibody for MAdCAM-1 siRNA (h): sc-43037, MAdCAM-1 siRNA (m): sc-43038, MAdCAM-1 shRNA Plasmid (h): sc-43037-SH, MAdCAM-1 shRNA Plasmid (m): sc-43038-SH, MAdCAM-1 shRNA (h) Lentiviral Particles: sc-43037-V and MAdCAM-1 shRNA (m) Lentiviral Particles: sc-43038-V.


Molecular Weight (predicted) of MAdCAM-1 isoforms: 40/29 kDa.

Molecular Weight (observed) of MAdCAM-1: 29/40/55-60 kDa.

Positive Controls: MAdCAM-1 (m): 293T Lysate: sc-121483, ECV304 cell lysate: sc-2269 or rat spleen extract: sc-2397.

#### DATA





MAdCAM-1 (MECA-367): sc-19604. Western blot analysis of MAdCAM-1 expression in non-transfected: sc-117752 (**A**) and truncated mouse MAdCAM-1 transfected: sc-121483 (**B**) 2931 whole cell lysates. MAdCAM-1 (MECA-367): sc-19604. Western blot analysis of MAdCAM-1 expression in ECV304 whole cell lysate.

#### **STORAGE**

Store at 4° C, \*\*DO NOT FREEZE\*\*. Stable for one year from the date of shipment. Non-hazardous. No MSDS required.

#### **RESEARCH USE**

For research use only, not for use in diagnostic procedures.

#### PROTOCOLS

See our web site at www.scbt.com for detailed protocols and support products.