ADAMTS-13 (F-16): sc-21510



The Power to Question

BACKGROUND

ADAMTS (a disintegrin and metalloproteinase domain with Thrombospondin 1 modules) is a family of zinc-dependent proteases that are implicated in a variety of normal and pathological conditions, including arthritis and cancer. ADAMTS protein family members contain an amino-terminal propeptide domain, a metalloproteinase domain, a disintegrin-like domain and a carboxy-terminus that contains a varying number of Thrombospondin 1 (TSP-1) motifs. ADAMTS genes are primarily expressed in fetal tissues, including the lung, kidney and liver. The human ADAMTS13 gene maps to chromosome 9q34.2 and encodes a 1,427-amino acid protein, known as von Willebrand factor-cleaving protease, that is expressed in the liver and placenta. ADAMTS-13 cleaves the peptide bond between Tyr 842 and Met 843 in monomeric subunits of von Willebrand factor. Human ADAMTS-13 protein can be expressed as multiple variants that share a common amino-terminal sequence.

REFERENCES

- Tang, B.L. and Hong, W. 1999. ADAMTS: a novel family of proteases with an ADAM protease domain and thrombospondin 1 repeats. FEBS Letts. 445: 223-225.
- Tang, B.L. 2001. ADAMTS: a novel family of extracellular matrix proteases. Int. J. Biochem. Cell Biol. 33: 33-44.
- Online Mendelian Inheritance in Man, OMIM™. 2001. Johns Hopkins University, Baltimore, MD. MIM Number: 605421. World Wide Web URL: http://www.ncbi.nlm.nih.gov/omim/
- Gerritsen, H.E., Robles, R., Lammle, B. and Furlan, M. 2001. Partial amino acid sequence of purified von Willebrand factor-cleaving protease. Blood 98: 1654-1661.
- Cal, S., Obaya, A.J., Llamazares, M., Garabaya, C., Quesada, V. and Lopez-Otin, C. 2002. Cloning, expression analysis, and structural characterization of seven novel human ADAMTSs, a family of metalloproteinases with disintegrin and thrombospondin-1 domains. Gene 283: 49-62.

CHROMOSOMAL LOCATION

Genetic locus: ADAMTS13 (human) mapping to 9q34.2.

SOURCE

ADAMTS-13 (F-16) is an affinity purified goat polyclonal antibody raised against a peptide mapping near the C-terminus of ADAMTS-13 of human origin.

PRODUCT

Each vial contains 200 μg lgG in 1.0 ml of PBS with < 0.1% sodium azide and 0.1% gelatin.

Blocking peptide available for competition studies, sc-21510 P, (100 μ g peptide in 0.5 ml PBS containing < 0.1% sodium azide and 0.2% BSA).

STORAGE

Store at 4° C, **DO NOT FREEZE**. Stable for one year from the date of shipment. Non-hazardous. No MSDS required.

APPLICATIONS

ADAMTS-13 (F-16) is recommended for detection of precursor and mature forms of ADAMTS-13 of human origin by Western Blotting (starting dilution 1:200, dilution range 1:100-1:1000), immunofluorescence (starting dilution 1:50, dilution range 1:50-1:500) and solid phase ELISA (starting dilution 1:30, dilution range 1:30-1:3000).


Suitable for use as control antibody for ADAMTS-13 siRNA (h): sc-37058, ADAMTS-13 shRNA Plasmid (h): sc-37058-SH and ADAMTS-13 shRNA (h) Lentiviral Particles: sc-37058-V.

Molecular Weight of ADAMTS-13: 176 kDa.

RECOMMENDED SECONDARY REAGENTS

To ensure optimal results, the following support (secondary) reagents are recommended: 1) Western Blotting: use donkey anti-goat IgG-HRP: sc-2020 (dilution range: 1:2000-1:100,000) or Cruz Marker™ compatible donkey anti-goat IgG-HRP: sc-2033 (dilution range: 1:2000-1:5000), Cruz Marker™ Molecular Weight Standards: sc-2035, TBS Blotto A Blocking Reagent: sc-2333 and Western Blotting Luminol Reagent: sc-2048. 2) Immunofluorescence: use donkey anti-goat IgG-FITC: sc-2024 (dilution range: 1:100-1:400) with UltraCruz™ Mounting Medium: sc-24941.

DATA



ADAMTS-13 (F-16): sc-21510. Immunofluorescence staining of methanol-fixed TT cells showing cell surface localization.

RESEARCH USE

For research use only, not for use in diagnostic procedures.

PROTOCOLS

See our web site at www.scbt.com or our catalog for detailed protocols and support products.

Santa Cruz Biotechnology, Inc. 1.800.457.3801 831.457.3800 fax 831.457.3801 **Europe** +00800 4573 8000 49 6221 4503 0 **www.scht.co**