

HEB (D-13): sc-23128

BACKGROUND

Differentiation of myogenic cells is regulated by multiple positively and negatively acting factors. One well characterized family of helix-loop-helix (HLH) proteins known to play an important role in the regulation of muscle cell development includes Myo D, myogenin, Myf-5 and Myf-6 (also designated MRF-4 or herculin). Myo D transcription factors form heterodimers with products of a more widely expressed family of bHLH genes, the E family, which consists of at least three distinct genes: E2A, IF2 and HEB. Myo D-E heterodimers bind avidly to consensus (CANNTG) E box target sites that are functionally important elements in the upstream regulatory sequences of many muscle-specific terminal differentiation genes. Both homo- and hetero-oligomers of these proteins are able to distinguish very closely related E box proteins and are believed to play important roles in lineage specific gene expression.

REFERENCES

1. Wright, W.E., et al. 1989. Myogenin, a factor regulating myogenesis, has a domain homologous to Myo D. *Cell* 56: 607-617.
2. Braun, T., et al. 1989. A novel human muscle factor related to but distinct from Myo D1 induces myogenic conversion in 10T1/2 fibroblasts. *EMBO J.* 8: 701-709.
3. Rhodes, S.J. and Konieczny, S.F. 1989. Identification of MRF4: a new member of the muscle regulatory factor gene family. *Genes Dev.* 3: 2050-2061.
4. Murre, C., et al. 1989. Interactions between heterologous helix-loop-helix proteins generate complexes that bind specifically to a common DNA sequence. *Cell* 58: 537-544.

CHROMOSOMAL LOCATION

Genetic locus: TCF12 (human) mapping to 15q21.3; Tcf12 (mouse) mapping to 9 D.

SOURCE

HEB (D-13) is an affinity purified goat polyclonal antibody raised against a peptide mapping near the N-terminus of HEB of human origin.

PRODUCT

Each vial contains 200 µg IgG in 1.0 ml of PBS with < 0.1% sodium azide and 0.1% gelatin.

Blocking peptide available for competition studies, sc-23128 P, (100 µg peptide in 0.5 ml PBS containing < 0.1% sodium azide and 0.2% BSA).

STORAGE

Store at 4° C, ****DO NOT FREEZE****. Stable for one year from the date of shipment. Non-hazardous. No MSDS required.

RESEARCH USE

For research use only, not for use in diagnostic procedures.

APPLICATIONS


HEB (D-13) is recommended for detection of HEB of mouse, rat and human origin by Western Blotting (starting dilution 1:200, dilution range 1:100-1:1000), immunoprecipitation [1-2 µg per 100-500 µg of total protein (1 ml of cell lysate)], immunofluorescence (starting dilution 1:50, dilution range 1:50-1:500), immunohistochemistry (including paraffin-embedded sections) (starting dilution 1:50, dilution range 1:50-1:500) and solid phase ELISA (starting dilution 1:30, dilution range 1:30-1:3000).

Suitable for use as control antibody for HEB siRNA (h): sc-35552, HEB siRNA (m): sc-35553, HEB shRNA Plasmid (h): sc-35552-SH, HEB shRNA Plasmid (m): sc-35553-SH, HEB shRNA (h) Lentiviral Particles: sc-35552-V and HEB shRNA (m) Lentiviral Particles: sc-35553-V.


Molecular Weight of HEB: 85 kDa.

Positive Controls: Jurkat nuclear extract: sc-2132, human skeletal muscle extract: sc-363776 or HEB (h): 293T Lysate: sc-116193.

DATA



HEB (D-13): sc-23128. Western blot analysis of HEB expression in non-transfected: sc-117750 (A) and human HEB transfected: sc-116193 (B) whole cell lysates and human skeletal muscle tissue extract (C).



HEB (D-13): sc-23128. Immunoperoxidase staining of formalin fixed, paraffin-embedded human nasopharynx tissue showing nuclear staining of respiratory epithelial cells.

SELECT PRODUCT CITATIONS

1. Wu, K., et al. 2012. Enhanced expression of Pctk1, Tcf12 and Ccnd1 in hippocampus of rats: impact on cognitive function, synaptic plasticity and pathology. *Neurobiol. Learn. Mem.* 97: 69-80.

PROTOCOLS

See our web site at www.scbt.com or our catalog for detailed protocols and support products.


 MONOS
Satisfaction
Guaranteed

Try **HEB (D-3): sc-28364** or **HEB (A-6): sc-365980**, our highly recommended monoclonal alternatives to HEB (D-13).