

2-Methyl-1-propanol: sc-238128



The Power to Question

MATERIAL SAFETY DATA SHEET

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name: 2-Methyl-1-propanol

Product Number: sc-238128

Supplier: Santa Cruz Biotechnology, Inc.
2145 Delaware Avenue
Santa Cruz, CA 95060
800.457.3801 or 831.457.3800

Emergency: ChemWatch
Within the US & Canada: 877-715-9305
Outside the US & Canada: +800 2436 2255 (1-800-CHEMCALL) or call +613 9573 3112

2. HAZARDS IDENTIFICATION

Emergency Overview

OSHA Hazards

Flammable liquid, target organ effect, irritant

Target Organs

Central nervous system, liver, kidney

GHS Classification

Flammable liquids (Category 3)
Acute toxicity, Oral (Category 5)
Acute toxicity, Inhalation (Category 5)
Acute toxicity, Dermal (Category 5)
Skin irritation (Category 2)
Serious eye damage (Category 1)
Specific target organ toxicity – single exposure (Category 3)
Acute aquatic toxicity (Category 2)

GHS Label elements, including precautionary statements

Pictogram



Signal word

Danger

Hazard statement(s)

H226	Flammable liquid and vapor.
H303 + H313	May be harmful if swallowed or in contact with skin.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H333	May be harmful if inhaled.
H335 + H336	May cause respiratory irritation, and drowsiness or dizziness.
H401	Toxic to aquatic life.

Precautionary statement(s)

P261	Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.
P280	Wear protective gloves/ eye protection/ face protection.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

HMIS Classification

Health hazard: 2
Chronic Health Hazard: *
Flammability: 3
Physical hazards: 0

NFPA Rating

Health hazard: 2
Fire: 3
Reactivity Hazard: 0

Potential Health Effects

Inhalation May be harmful if inhaled. Causes respiratory tract irritation. Vapors may cause drowsiness and dizziness.
Skin May be harmful if absorbed through skin. Causes skin irritation.
Eyes Causes eye irritation.
Ingestion May be harmful if swallowed.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Synonyms: Isobutanol, Isobutyl alcohol
Formula: C₄H₁₀O
Molecular Weight: 74.12

<i>CAS-No.</i>	<i>EC-No.</i>	<i>Index-No.</i>	<i>Concentration</i>
2-Methyl-1-propanol 78-83-1	201-148-0	603-108-00-1	-

4. FIRST AID MEASURES**General advice**

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

5. FIREFIGHTING MEASURES**Conditions of flammability**

Flammable in the presence of a source of ignition when the temperature is above the flash point. Keep away from heat/sparks/open flame/hot surface. No smoking.

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Special protective equipment for firefighters

Wear self contained breathing apparatus for fire fighting if necessary.

Hazardous combustion products

Hazardous decomposition products formed under fire conditions – carbon oxides.

Further information

Use water spray to cool unopened containers.

6. ACCIDENTAL RELEASE MEASURES**Personal precautions**

Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.

Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

7. HANDLING AND STORAGE**Precautions for safe handling**

Avoid contact with skin and eyes. Avoid inhalation of vapor or mist. Keep away from sources of ignition – no smoking. Take measures to prevent the build up of electrostatic charge.

Conditions for safe storage

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION**Components with workplace control parameters**

Components	CAS-No.	Value	Control parameters	Basis
iso-Butanol	78-83-1	TWA	50 ppm	USA. ACGIH Threshold Limit Values (TLV)
Remarks	Skin & eye irritation			
		TWA	50 ppm 150 mg/m ³	USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000
		TWA	100 ppm 300 mg/m ³	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
The value in mg/m ³ is approximate.				
		TWA	50 ppm 150 mg/m ³	USA. NIOSH Recommended Exposure Limits

Personal protective equipment**Respiratory protection**

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Hand protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Eye protection

Tightly fitting safety goggles. Face shield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin and body protection

Complete suit protecting against chemicals. Flame retardant antistatic protective clothing. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Hygiene measures

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

9. PHYSICAL AND CHEMICAL PROPERTIES

Form	liquid	pH	no data available
Freezing point	-108 °C (-162 °F) – lit.	Evaporation rate	0.6
Ignition temperature	no data available	Autoignition temperature	427 °C (801 °F)
Lower explosion limit	1.7 %(V)	Upper explosion limit	10.6 %(V)
Water solubility	no data available	Relative vapor density	2.55
Odor	no data available	Odor Threshold	no data available
Density	0.803 g/cm ³ at 25 °C (77 °F)	Partition coefficient: n-octanol/water	no data available
Viscosity, kinematic	4.00 mm ² /s at 20 °C (68 °F)	Flash point	28 °C (82 °F) - closed cup
Boiling point 1	08 °C (226 °F) – lit.		

Vapor pressure: 8 hPa (6 mmHg) at 20 °C (68 °F) 10 hPa (8 mmHg) at 22 °C (72 °F)

10. STABILITY AND REACTIVITY

Chemical stability

Stable Stable under recommended storage conditions.

Possibility of hazardous reactions

Vapors may form explosive mixture with air.

Conditions to avoid

Heat, flames and sparks.

Materials to avoid

Strong oxidizing agents, acid chlorides, acid anhydrides strong oxidizing agents, acid chlorides, acid anhydrides.

Hazardous decomposition products

Hazardous decomposition products formed under fire conditions – carbon oxides.

Other decomposition products

no data available

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Oral LD50 LD50 Oral – rat – 2,460 mg/kg. LD50 Oral – rat – 2,500 – 6,400 mg/kg

Inhalation LC50 LC50 Inhalation – rat – 4 h – 8000 ppm

Dermal LD50 LD50 Dermal – rabbit – 3,400 mg/kg. LD50 Dermal – rabbit – 4,240 mg/kg

Other information on acute toxicity LD50 Intraperitoneal – mouse – 544 mg/kg. LD50 Intravenous – mouse – 417 mg/kg. LD50 Intraperitoneal – rabbit – 323 mg/kg. LD50 Intraperitoneal – guinea pig – 1,201 mg/kg. LD50 Intraperitoneal – Hamster – 1,401 mg/kg

Skin corrosion/irritation

Skin – guinea pig – Mild skin irritation

Serious eye damage/eye irritation

Eyes – rabbit -

Remarks: Moderate eye irritation

Eyes – rabbit – Moderate eye irritation

Respiratory or skin sensitization

Dermatitis

Germ cell mutagenicity

no data available

Carcinogenicity

Carcinogenicity – rat – Oral

Tumorigenic: Equivocal tumorigenic agent by RTECS criteria. Skin and Appendages: Other: Tumors. Leukemia

Carcinogenicity – rat – Subcutaneous

Tumorigenic: Carcinogenic by RTECS criteria. Gastrointestinal: Tumors. Liver: Tumors.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

no data available

Teratogenicity

no data available

Specific target organ toxicity – single exposure (Globally Harmonized System)

May cause respiratory irritation. May cause drowsiness or dizziness.

Specific target organ toxicity – repeated exposure (Globally Harmonized System)

no data available

Aspiration hazard

no data available

Potential health effects

Inhalation May be harmful if inhaled. Causes respiratory tract irritation. Vapors may cause drowsiness and dizziness.

Ingestion May be harmful if swallowed.

Skin May be harmful if absorbed through skin. Causes skin irritation.

Eyes Causes eye irritation.

Signs and Symptoms of Exposure

Cough, shortness of breath, headache, nausea, vomiting, central nervous system depression. To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Synergistic effects

no data available

Additional Information

RTECS: NP9625000

12. ECOLOGICAL INFORMATION

Toxicity

Toxicity to fish LC50 – Pimephales promelas (fathead minnow) – 1.220 mg/l – 96 h

Persistence and degradability

no data available

Bioaccumulative potential

no data available

Mobility in soil

no data available

PBT and vPvB assessment

no data available

Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Toxic to aquatic life.

13. DISPOSAL CONSIDERATIONS

Product

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

Contaminated packaging

Dispose of as unused product.

