ECM29 (C-16): sc-242606



The Power to Question

BACKGROUND

HEAT repeats are tandemly repeated, 37-47 amino acid long modules that occur in a variety of cytoplasmic proteins. HEAT repeats form a rod-like helical structure and likely operate as protein-protein interaction surfaces. ECM29 (proteasome-associated protein ECM29 homolog), also known as KIAA0368, is a 1,845 amino acid protein containing twenty-seven HEAT repeats. Localizing primarily to endoplasmic reticulum, ECM29 acts as an adapter or scaffolding protein, binding to the 26S proteasome, motor proteins, and other compartment specific proteins. The N-terminus of ECM29 binds endocytic proteins, including rabaptin, Rab11-FIP4, and VPS11, while the C-terminus binds myosins and kinesins. ECM29 may also play a role in endoplasmic reticulum (ER)-associated protein degradation (ERAD) in addition to other enhanced proteolysis.

REFERENCES

- 1. Leggett, D.S., et al. 2002. Multiple associated proteins regulate proteasome structure and function. Mol. Cell 10: 495-507.
- Gorbea, C., et al. 2004. Characterization of mammalian Ecm29, a 26 S
 proteasome-associated protein that localizes to the nucleus and membrane
 vesicles. J. Biol. Chem. 279: 54849-54861.
- 3. Kajava, A.V., et al. 2004. New HEAT-like repeat motifs in proteins regulating proteasome structure and function. J. Struct. Biol. 146: 425-430.
- Humphray, S.J., et al. 2004. DNA sequence and analysis of human chromosome 9. Nature 429: 369-374.
- Gorbea, C., et al. 2010. A protein interaction network for Ecm29 links the 26 S proteasome to molecular motors and endosomal components. J. Biol. Chem. 285: 31616-31633.
- 6. Lehmann, A., et al. 2010. Ecm29 fulfils quality control functions in proteasome assembly. Mol. Cell 38: 879-888.
- Wang, X., et al. 2010. Regulation of the 26S proteasome complex during oxidative stress. Sci. Signal. 3: ra88.
- Panasenko, O.O., et al. 2011. Not4 E3 ligase contributes to proteasome assembly and functional integrity in part through Ecm29. Mol. Cell. Biol. 31: 1610-1623.

CHROMOSOMAL LOCATION

Genetic locus: KIAA0368 (human) mapping to 9q31.3; Al314180 (mouse) mapping to 4 B3.

SOURCE

ECM29 (C-16) is an affinity purified goat polyclonal antibody raised against a peptide mapping at the C-terminus of ECM29 of human origin.

PRODUCT

Each vial contains 200 μg IgG in 1.0 ml of PBS with < 0.1% sodium azide and 0.1% gelatin.

Blocking peptide available for competition studies, sc-242606 P, (100 μ g peptide in 0.5 ml PBS containing < 0.1% sodium azide and 0.2% BSA).

APPLICATIONS

ECM29 (C-16) is recommended for detection of ECM29 of mouse, rat and human origin by Western Blotting (starting dilution 1:200, dilution range 1:100-1:1000), immunofluorescence (starting dilution 1:50, dilution range 1:50-1:500) and solid phase ELISA (starting dilution 1:30, dilution range 1:30-1:3000).

ECM29 (C-16) is also recommended for detection of ECM29 in additional species, including equine, canine and porcine.

Suitable for use as control antibody for ECM29 siRNA (h): sc-92599, ECM29 shRNA Plasmid (h): sc-92599-SH and ECM29 shRNA (h) Lentiviral Particles: sc-92599-V.

Molecular Weight of ECM29: 200 kDa.

RECOMMENDED SECONDARY REAGENTS

To ensure optimal results, the following support (secondary) reagents are recommended: 1) Western Blotting: use donkey anti-goat IgG-HRP: sc-2020 (dilution range: 1:2000-1:100,000) or Cruz Marker™ compatible donkey anti-goat IgG-HRP: sc-2033 (dilution range: 1:2000-1:5000), Cruz Marker™ Molecular Weight Standards: sc-2035, TBS Blotto A Blocking Reagent: sc-2333 and Western Blotting Luminol Reagent: sc-2048. 2) Immunofluorescence: use donkey anti-goat IgG-FITC: sc-2024 (dilution range: 1:100-1:400) or donkey anti-goat IgG-TR: sc-2783 (dilution range: 1:100-1:400) with UltraCruz™ Mounting Medium: sc-24941.

STORAGE

Store at 4° C, **DO NOT FREEZE**. Stable for one year from the date of shipment. Non-hazardous. No MSDS required.

RESEARCH USE

For research use only, not for use in diagnostic procedures.

PROTOCOLS

See our web site at www.scbt.com or our catalog for detailed protocols and support products.

Santa Cruz Biotechnology, Inc. 1.800.457.3801 831.457.3801 **Europe** +00800 4573 8000 49 6221 4503 0 **www.scbt.com**