# KRTAP25-1 (P-15): sc-247391



The Power to Question

#### **BACKGROUND**

Hair is a structure that is unique to mammals. It plays an important role in the retention of heat, as well as sexual dimorphism, attraction of mates and protection of skin. The major components of hair are  $\alpha$ -keratins and keratinassociated proteins (KRTAPs or KAPs), each of which are encoded by multigene families. Hair keratins form an intermediate filament (IF) network, which is embedded in an interfilamentous matrix consisting of KRTAPs. KRTAPs comprise three major groups, which are essential for the formation of rigid and resistant hair shafts through disulfide bond cross-linking or hydrophobic interactions with keratins. These groups are designated high cysteine (HS), which includes subfamilies 1, 2, 3, 10, 12, 16, 29 and 31, ultrahigh cysteine, including subfamilies 4, 5, 9, 17, 28, 30, 32 and 33, and high glycine-tyrosine (HGT), which includes subfamilies 6, 7, 8, 19, 20 and 21. In addition, subfamilies 11, 13, 24-27, 29, 34 and 35 have high serine content but relative low cysteine content. After further phylogenetic studies, subfamilies 14 and 15 have been grouped with subfamily 13, and subfamily 22 was combined with subfamily 19.

## **REFERENCES**

- Powell, B.C., et al. 1991. Regulation of keratin gene expression in hair follicle differentiation. Ann. N.Y. Acad. Sci. 642: 1-20.
- Emonet, N., et al. 1997. Isolation and characterization of genomic clones of human sequences presumably coding for hair cysteine-rich proteins. J. Dermatol. Sci. 14: 1-11.
- Langbein, L., et al. 1999. The catalog of human hair keratins. I. Expression of the nine type I members in the hair follicle. J. Biol. Chem. 274: 19874-19884.
- Langbein, L., et al. 2001. The catalog of human hair keratins. II. Expression
  of the six type II members in the hair follicle and the combined catalog of
  human type I and II keratins. J. Biol. Chem. 276: 35123-35132.
- Maderson, P.F. 2003. Mammalian skin evolution: a reevaluation. Exp. Dermatol. 12: 233-236.
- Shimomura, Y. and Ito, M. 2005. Human hair keratin-associated proteins.
   J. Investig. Dermatol. Symp. Proc. 10: 230-233.
- Rogers, M.A., et al. 2006. Human hair keratin-associated proteins (KAPs). Int. Rev. Cytol. 251: 209-263.
- Wu, D.D., et al. 2008. Molecular evolution of the keratin associated protein gene family in mammals, role in the evolution of mammalian hair. BMC Evol. Biol. 8: 241.

# **CHROMOSOMAL LOCATION**

Genetic locus: KRTAP25-1 (human) mapping to 21q22.11.

# SOURCE

KRTAP25-1 (P-15) is an affinity purified goat polyclonal antibody raised against a peptide mapping within an internal region of KRTAP25-1 of human origin.

## **RESEARCH USE**

For research use only, not for use in diagnostic procedures.

#### **PRODUCT**

Each vial contains 200  $\mu g$  IgG in 1.0 ml of PBS with <0.1% sodium azide and 0.1% gelatin.

Blocking peptide available for competition studies, sc-247391 P, ( $100 \mu g$  peptide in 0.5 ml PBS containing < 0.1% sodium azide and 0.2% BSA).

## **APPLICATIONS**

KRTAP25-1 (P-15) is recommended for detection of KRTAP25-1 of human origin by Western Blotting (starting dilution 1:200, dilution range 1:100-1:1000), immunofluorescence (starting dilution 1:50, dilution range 1:50-1:500) and solid phase ELISA (starting dilution 1:30, dilution range 1:30-1:3000).

Molecular Weight of KRTAP25-1: 12 kDa.

#### **RECOMMENDED SECONDARY REAGENTS**

To ensure optimal results, the following support (secondary) reagents are recommended: 1) Western Blotting: use donkey anti-goat IgG-HRP: sc-2020 (dilution range: 1:2000-1:100,000) or Cruz Marker™ compatible donkey anti-goat IgG-HRP: sc-2033 (dilution range: 1:2000-1:5000), Cruz Marker™ Molecular Weight Standards: sc-2035, TBS Blotto A Blocking Reagent: sc-2333 and Western Blotting Luminol Reagent: sc-2048. 2) Immunofluorescence: use donkey anti-goat IgG-FITC: sc-2024 (dilution range: 1:100-1:400) or donkey anti-goat IgG-TR: sc-2783 (dilution range: 1:100-1:400) with UltraCruz™ Mounting Medium: sc-24941.

## **STORAGE**

Store at 4° C, \*\*DO NOT FREEZE\*\*. Stable for one year from the date of shipment. Non-hazardous. No MSDS required.

## **PROTOCOLS**

See our web site at www.scbt.com or our catalog for detailed protocols and support products.

**Santa Cruz Biotechnology, Inc.** 1.800.457.3801 831.457.3801 **Europe** +00800 4573 8000 49 6221 4503 0 **www.scbt.com**