# SANTA CRUZ BIOTECHNOLOGY, INC.

# HSP 70 (dN-12): sc-27028



The Power to Question

## BACKGROUND

*Drosophila melanogaster* is a proven and effective model for studying developmental and cellular processes common to higher eukaryotes. Approximately 13,600 genes have been elucidated from more than 120 megabases of euchromatin, and they are organized amongst the chromosomes 2, 3, 4, X and Y, with the Y chromosome being predominately heterochromatic. *Drosophila* genes can be categorized based on the type of protein for which they encode and are represented by six major classifications, which include intracellular signaling proteins, transmembrane proteins, RNA binding proteins, secreted factors, transcription regulators (basic helix-loop-helix, homeodomain containing, zinc finger containing and chromatin associated) or other functional proteins. HSP 70 produces a high level of transcript in response to temperature elevation. The *Drosophila* HSP 70 gene contains three domains to which a heat shock gene specific transcription factor (HSTF) binds.

## REFERENCES

- Ingolia, T.D., Craig, E.A. and McCarthy, B.J. 1980. Sequence of three copies of the gene for the major *Drosophila* heat shock induced protein and their flanking regions. Cell 21: 669-679.
- Topol, J., Ruden, D.M. and Parker, C.S. 1985. Sequences required for in vitro transcriptional activation of a *Drosophila* HSP 70 gene. Cell 42: 527-537.
- Berger, S.L. and Meselson, M. 1994. Production and cleavage of *Drosophila* HSP 70 transcripts extending beyond the polyadenylation site. Nucleic Acids Res. 22: 3218-3225.
- Adams, M.D., Celniker, S.E., Holt, R.A., Evans, C.A., Gocayne, J.D., Amanatides, P., Scherer, S.E., Li, P.W., Hoskins, R.A., Galle, R.F., George, R.A., Lewis, S.E., Richards, S., Ashburner, M., Henderson, S.N., Sutton, G.G., Wortman, J.R., Yandell, M.D., Zhang, Q., Chen, L.X., Brandon, R.C., et al. 2000. The genome sequence of *Drosophila melanogaster*. Science 287: 2185-2195.
- 5. The Interactive Fly. http://www.sdbonline.org/fly/aimain/1aahome.htm and http://www.sdbonline.org/fly/aimain/6biochem.htm

#### SOURCE

HSP 70 (dN-12) is an affinity purified goat polyclonal antibody raised against a peptide mapping near the N-terminus of HSP 70 of *Drosophila melanogaster* origin.

# PRODUCT

Each vial contains 200  $\mu g$  IgG in 1.0 ml of PBS with < 0.1% sodium azide and 0.1% gelatin.

Blocking peptide available for competition studies, sc-27028 P, (100  $\mu$ g peptide in 0.5 ml PBS containing < 0.1% sodium azide and 0.2% BSA).

# **STORAGE**

Store at 4° C, \*\*DO NOT FREEZE\*\*. Stable for one year from the date of shipment. Non-hazardous. No MSDS required.

### APPLICATIONS

HSP 70 (dN-12) is recommended for detection of HSP 70 of *Drosophila melanogaster* origin by Western Blotting (starting dilution 1:200, dilution range 1:100-1:1000), immunoprecipitation [1-2 µg per 100-500 µg of total protein (1 ml of cell lysate)], immunofluorescence (starting dilution 1:50, dilution range 1:50-1:500) and solid phase ELISA (starting dilution 1:30, dilution range 1:30-1:3000).

Molecular Weight of HSP 70: 70 kDa.

Positive Controls: *Drosophila* whole cell lysate or Schneider's *Drosophila* line 2.

## **RECOMMENDED SECONDARY REAGENTS**

To ensure optimal results, the following support (secondary) reagents are recommended: 1) Western Blotting: use donkey anti-goat IgG-HRP: sc-2020 (dilution range: 1:2000-1:100,000) or Cruz Marker™ compatible donkey anti-goat IgG-HRP: sc-2033 (dilution range: 1:2000-1:5000), Cruz Marker™ Molecular Weight Standards: sc-2035, TBS Blotto A Blocking Reagent: sc-2333 and Western Blotting Luminol Reagent: sc-2048. 2) Immunoprecipitation: use Protein A/G PLUS-Agarose: sc-2003 (0.5 ml agarose/2.0 ml). 3) Immunofluorescence: use donkey anti-goat IgG-FITC: sc-2024 (dilution range: 1:100-1:400) or donkey anti-goat IgG-TR: sc-2783 (dilution range: 1:100-1:400) with UltraCruz™ Mounting Medium: sc-24941.

#### DATA





HSP 70 (dN-12): sc-27028. Western blot analysis of HSP 70 expression in Schneider's *Drosophila* line 2 whole cell lysate.

HSP 70 (dN-12): sc-27028. Western blot analysis of HSP 70 expression in Schneider's *Drosophila* whole cell lysate.

#### **RESEARCH USE**

For research use only, not for use in diagnostic procedures.

#### PROTOCOLS

See our web site at www.scbt.com or our catalog for detailed protocols and support products.