SANTA CRUZ BIOTECHNOLOGY, INC.

PIAS 1 (F-1): sc-365127



BACKGROUND

The IL-6-type family of cytokines, which includes IL-6 as well as a number of similar cytokines and growth factors, plays a significant role in regulating gene activation, proliferation and differentiation. Transcription factors of the Stat family are known to be involved in this signal transduction pathway, undergoing phosphorylation, dimerization and translocation to the nucleus upon activation. PIAS 1, for protein inhibitor of activated Stat1 (also designated Gu/RNA helicase II binding protein), binds specifically to Stat1, blocking Stat1 DNA-binding activity and inhibiting Stat1-mediated gene activation. PIAS 1 also binds to the Gu/RNA helicase II enzyme, leading to the proteo-lytic cleavage of Gu/RH-II. PIAS 3 similarly binds specifically to Stat3, blocking Stat3 DNA-binding activity and inhibiting Stat3-mediated gene activation.

CHROMOSOMAL LOCATION

Genetic locus: PIAS1 (human) mapping to 15q23; Pias1 (mouse) mapping to 9 B.

SOURCE

PIAS 1 (F-1) is a mouse monoclonal antibody specific for an epitope mapping between amino acids 627-651 at the C-terminus of PIAS 1 of human origin.

PRODUCT

Each vial contains 200 μ g IgG₃ kappa light chain in 1.0 ml of PBS with < 0.1% sodium azide and 0.1% gelatin.

Blocking peptide available for competition studies, sc-365127 P, (100 μ g peptide in 0.5 ml PBS containing < 0.1% sodium azide and 0.2% stabilizer protein).

STORAGE

Store at 4° C, **DO NOT FREEZE**. Stable for one year from the date of shipment. Non-hazardous. No MSDS required.

APPLICATIONS

PIAS 1 (F-1) is recommended for detection of PIAS 1 of mouse, rat and human origin by Western Blotting (starting dilution 1:100, dilution range 1:100-1:1000), immunoprecipitation [1-2 μ g per 100-500 μ g of total protein (1 ml of cell lysate)], immunofluorescence (starting dilution 1:50, dilution range 1:50-1:500) and solid phase ELISA (starting dilution 1:30, dilution range 1:30-1:3000).

PIAS 1 (F-1) is also recommended for detection of PIAS 1 in additional species, including canine and porcine.

Suitable for use as control antibody for PIAS 1 siRNA (h): sc-36219, PIAS 1 siRNA (m): sc-36220, PIAS 1 shRNA Plasmid (h): sc-36219-SH, PIAS 1 shRNA Plasmid (m): sc-36220-SH, PIAS 1 shRNA (h) Lentiviral Particles: sc-36219-V and PIAS 1 shRNA (m) Lentiviral Particles: sc-36220-V.

Molecular Weight of PIAS 1: 78 kDa.

Positive Controls: PIAS 1 (m): 293T Lysate: sc-122561 or Daudi cell lysate: sc-2415.

RECOMMENDED SUPPORT REAGENTS

To ensure optimal results, the following support reagents are recommended: 1) Western Blotting: use m-IgGκ BP-HRP: sc-516102 or m-IgGκ BP-HRP (Cruz Marker): sc-516102-CM (dilution range: 1:1000-1:10000), Cruz Marker[™] Molecular Weight Standards: sc-2035, UltraCruz[®] Blocking Reagent: sc-516214 and Western Blotting Luminol Reagent: sc-2048. 2) Immunoprecipitation: use Protein A/G PLUS-Agarose: sc-2003 (0.5 ml agarose/2.0 ml). 3) Immunofluorescence: use m-IgGκ BP-FITC: sc-516140 or m-IgGκ BP-PE: sc-516141 (dilution range: 1:50-1:200) with UltraCruz[®] Mounting Medium: sc-24941 or UltraCruz[®] Hard-set Mounting Medium: sc-359850.

DATA





PIAS 1 (F-1): sc-365127. Western blot analysis of PIAS 1 expression in non-transfected: sc-117752 (A) and mouse PIAS 1 transfected: sc-122561 (B) 293T whole cell lysates.

PIAS 1 (F-1): sc-365127. Immunofluorescence staining of formalin-fixed HeLa cells showing nuclear localization. Kindly provided by Yang Xiang, Ph.D., Division of Newborn Medicine, Boston Children's Hospital, Cell Biology Department, Harvard Medical School.

SELECT PRODUCT CITATIONS

- Ke, H., et al. 2019. Interaction of PIAS 1 with PRRS virus nucleocapsid protein mediates NFκB activation and triggers proinflammatory mediators during viral infection. Sci. Rep. 9: 11042.
- Ho, P.J., et al. 2024. Multi-omics integration identifies cell-state-specific repression by PBRM1-PIAS1 cooperation. Cell Genom. 4: 100471.

RESEARCH USE

For research use only, not for use in diagnostic procedures.

PROTOCOLS

See our web site at www.scbt.com for detailed protocols and support products.