SANTA CRUZ BIOTECHNOLOGY, INC.

MYL7 (B-10): sc-365255



BACKGROUND

Encoded by the MYL7 gene, Myosin regulatory light chain 7, also designated Myosin regulatory light chain 2, atrial isoform (MLC-2a), is part of a hexameric complex of two heavy chains and four light chains predominantly expressed in adult atrial muscle. Myosin regulatory light chain 7 binds calcium and has been shown to be a useful molecular marker for cardiac chamber specification. The co-expression of Myosin regulatory light chain 7 and Myosin light chain 2 (MLC2v) in the outflow tract and atrioventricular canal, together with the single expression in the atrial (MYL7) and ventricular (MYL2) myocardium, permits the delineation of their boundaries. At the amino acid level there is 95% homology between the human and mouse Myosin regulatory light chain 7 sequences.

CHROMOSOMAL LOCATION

Genetic locus: MYL7 (human) mapping to 7p13; Myl7 (mouse) mapping to 11 A1.

SOURCE

MYL7 (B-10) is a mouse monoclonal antibody raised against amino acids 101-160 mapping near the C-terminus of MYL7 of human origin.

PRODUCT

Each vial contains 200 μg IgG_{2b} kappa light chain in 1.0 ml of PBS with < 0.1% sodium azide and 0.1% gelatin.

MYL7 (B-10) is available conjugated to agarose (sc-365255 AC), 500 μ g/ 0.25 ml agarose in 1 ml, for IP; to HRP (sc-365255 HRP), 200 μ g/ml, for WB, IHC(P) and ELISA; to either phycoerythrin (sc-365255 PE), fluorescein (sc-365255 FITC), Alexa Fluor[®] 488 (sc-365255 AF488), Alexa Fluor[®] 546 (sc-365255 AF546), Alexa Fluor[®] 594 (sc-365255 AF594) or Alexa Fluor[®] 647 (sc-365255 AF647), 200 μ g/ml, for WB (RGB), IF, IHC(P) and FCM; and to either Alexa Fluor[®] 680 (sc-365255 AF680) or Alexa Fluor[®] 790 (sc-365255 AF790), 200 μ g/ml, for Near-Infrared (NIR) WB, IF and FCM.

RESEARCH USE

For research use only, not for use in diagnostic procedures.

APPLICATIONS

MYL7 (B-10) is recommended for detection of MYL7 of mouse, rat and human origin by Western Blotting (starting dilution 1:100, dilution range 1:100-1:1000), immunoprecipitation [1-2 μ g per 100-500 μ g of total protein (1 ml of cell lysate)], immunofluorescence (starting dilution 1:50, dilution range 1:50-1:500) and solid phase ELISA (starting dilution 1:30, dilution range 1:30-1:3000).

Suitable for use as control antibody for MYL7 siRNA (h): sc-45410, MYL7 siRNA (m): sc-45411, MYL7 shRNA Plasmid (h): sc-45410-SH, MYL7 shRNA Plasmid (m): sc-45411-SH, MYL7 shRNA (h) Lentiviral Particles: sc-45410-V and MYL7 shRNA (m) Lentiviral Particles: sc-45411-V.

Molecular Weight of MYL7: 19 kDa.

Positive Controls: MYL7 (h): 293T Lysate: sc-114113, mouse heart extract: sc-2254 or rat heart extract: sc-2393.

RECOMMENDED SUPPORT REAGENTS

To ensure optimal results, the following support reagents are recommended: 1) Western Blotting: use m-IgG K BP-HRP: sc-516102 or m-IgG K BP-HRP (Cruz Marker): sc-516102-CM (dilution range: 1:1000-1:10000), Cruz Marker™ Molecular Weight Standards: sc-2035, UltraCruz® Blocking Reagent: sc-516214 and Western Blotting Luminol Reagent: sc-2048. 2) Immunoprecipitation: use Protein A/G PLUS-Agarose: sc-2003 (0.5 ml agarose/2.0 ml). 3) Immunofluorescence: use m-IgG K BP-FITC: sc-516140 or m-IgG K BP-PE: sc-516141 (dilution range: 1:50-1:200) with UltraCruz® Mounting Medium: sc-24941 or UltraCruz® Hard-set Mounting Medium: sc-359850.

DATA





MYL7 (B-10): sc-365255. Western blot analysis of MYL7 expression in mouse heart $({\rm A})$ and rat heart $({\rm B})$ tissue extracts.

MYL7 (B-10): sc-365255. Western blot analysis of MYL7 expression in non-transfected: sc-117752 (A) and human MYL7 transfected: sc-114113 (B) 293T whole cell lysates.

SELECT PRODUCT CITATIONS

- Ao, A., et al. 2012. DMH1, a novel BMP small molecule inhibitor, increases cardiomyocyte progenitors and promotes cardiac differentiation in mouse embryonic stem cells. PLoS ONE 7: e41627.
- Tsai, S.Y., et al. 2020. A human embryonic stem cell reporter line for monitoring chemical-induced cardiotoxicity. Cardiovasc. Res. 116: 658-670.
- 3. Kong, W., et al. 2022. Capybara: a computational tool to measure cell identity and fate transitions. Cell Stem Cell 29: 635-649.e11.

STORAGE

Store at 4° C, **DO NOT FREEZE**. Stable for one year from the date of shipment. Non-hazardous. No MSDS required.

PROTOCOLS

See our web site at www.scbt.com for detailed protocols and support products.

Alexa Fluor® is a trademark of Molecular Probes, Inc., Oregon, USA