# goat anti-mouse IgA-AP: sc-3792



The Power to Question

## **BACKGROUND**

Santa Cruz Biotechnology's secondary antibodies are available conjugated to either an enzyme, biotin or fluorophore for use in a variety of antibody-based applications including Western Blot, immunostaining, flow cytometry and ELISA. We offer horseradish peroxidase (HRP) and alkaline phosphatase (AP) conjugated isotype-specific secondary antibodies for detection of mouse  $IgG_1,IgG_{2a},IgG_{2b},IgG_3,IgM$  and IgA in Western Blot and ELISA. Pre-adsorbed HRP and AP conjugated isotype-specific secondary antibodies are also available and are recommended for use with immunoglobulin-rich samples.

## **SOURCE**

goat anti-mouse IgA-AP is an affinity purified secondary antibody raised in goat against mouse IgA and conjugated to AP (alkaline phosphatase).

## **PRODUCT**

Each vial contains 200 µg IgA in 0.5 ml of PBS containing 50% glycerol, 1 mM zinc chloride, 0.02% sodium azide and 1 mM magnesium chloride.

## **APPLICATIONS**

goat anti-mouse IgA-AP is recommended for detection of mouse IgA by Western Blotting (starting dilution: 1:1000, dilution range 1:1,000-1:10,000; optimal dilution to be determined by titration) and immunohistochemical staining (starting dilution: 1:100, dilution range: 1:100-1:400).

## **RECOMMENDED SUPPORT PRODUCTS**

- <sup>n</sup> UltraCruz<sup>™</sup> Tissue Culture Dish, 100 mm polystyrene dish: sc-200286
- <sup>n</sup> UltraCruz™ Cell Scrapers, 25 cm, sterile, 100 per case: sc-213229
- <sup>n</sup> RIPA Lysis Buffer, 50 ml, cell lysis buffer with protease inhibitors: sc-24948
- Complete™ Protease Inhibitor Cocktail Tablet, 20 tablets: sc-291300
- Electrophoresis Sample Buffer, 2X, 25 ml, reducing buffer: sc-24945
- <sup>n</sup> UltraCruz™ PVDF Transfer membrane, 0.45 μm, 30 cm x 3 m roll: sc-3723
- UltraCruz™ Nitrocellulose Pure Transfer Membrane, 0.22 μm, 30 cm x 3 m roll: sc-3718
- Cruz Blot-A: sc-3901 (Western Blotting membrane with human cell line extracts from 10 different cell types)
- Running Buffer, 10X, 1 L, TRIS-Glycine WB running buffer, pH 8.3: sc-24949
- <sup>n</sup> Towbin, with SDS, 10X, 1 L, WB transfer buffer pH 8.3: sc-24954
- Bovine Serum Albumin (BSA), 100 g, blocking/incubation agent: sc-2323
- <sup>n</sup> TBS Blotto A, lyophilized powder in single-use bottle: sc-2333
- <sup>n</sup> Western Blotting Luminol Reagent, for 2,000 cm<sup>2</sup> membrane area: sc-2048
- □ UltraCruz™ Electrophoresis Cell: sc-201625: runs up to 10 or 15 sample by SDS – PAGE protein electrophoresis
- □ UltraCruz<sup>TM</sup> Autoradiography Film, Blue, 8 x 1, 100 sheets: sc-201697
- <sup>n</sup> PBS (Phosphate Buffered Saline), powder, 1 packet: sc-24947
- <sup>n</sup> Formaldehyde, 37% formaldehyde solution, 25 ml: sc-203049
- Hydrogen Peroxide, 30% solution, 100 ml: sc-203336
- Hematoxylin, Gill's Formulation #2; nuclear counter stain, 100 ml: sc-24973

## **SELECT PRODUCT CITATIONS**

 Meng, H., et al. 2012. Biochemical characterization and cellular effects of CADASIL mutants of NOTCH3. PLoS ONE 7: e44964.

## **STORAGE**

Store at 4° C, \*\*DO NOT FREEZE\*\*. Stable for one year from the date of shipment. Non-hazardous. No MSDS required.

## **RESEARCH USE**

For research use only, not for use in diagnostic procedures.

## **PROTOCOLS**

See our web site at www.scbt.com or our catalog for detailed protocols and support products.

Santa Cruz Biotechnology, Inc. 1.800.457.3801 831.457.3800 fax 831.457.3801 Europe +00800 4573 8000 49 6221 4503 0 www.scbt.com