# SANTA CRUZ BIOTECHNOLOGY, INC.

# ALB (1G2): sc-58688



# BACKGROUND

Serum albumin (ALB), the main protein in plasma, has a very good binding capacity for water, fatty acids, calcium, sodium, bilirubin, hormones, potassium and drugs. The primary function of ALB is to regulate the colloidal osmotic pressure of blood. Albumin is synthesized in the liver as preproalbumin, which has an N-terminal peptide that is removed before the nascent protein is released from the rough endoplasmic reticulum. The product, proalbumin, is in turn cleaved in the Golgi vesicles to produce the secreted form of albumin. Mutations in the ALB gene may result in familial dysalbuminemic hyperthyrox-inemia (FDH), a form of euthyroid hyperthyroxinemia that is due to increased affinity of ALB for T4. FDH is the most common cause of inherited euthyroid hyperthyroxinemia in Caucasian populations.

# REFERENCES

- Ruiz, M., et al. 1982. Familial dysalbuminemic hyperthyroxinemia: a syndrome that can be confused with thyrotoxicosis. N. Engl. J. Med. 306: 635-639.
- 2. Angelisova, P., et al. 1986. The characteristics of monoclonal antibodies against human albumin. Folia Biol. 32: 289-294.
- Bennett, P.H., et al. 1995. Screening and management of microalbuminuria in patients with diabetes mellitus: recommendations to the Scientific Advisory Board of the National Kidney Foundation from an ad hoc committee of the Council on Diabetes Mellitus of the National Kidney Foundation. Am. J. Kidney Dis. 25: 107-112.

# **CHROMOSOMAL LOCATION**

Genetic locus: ALB (human) mapping to 4q13.3; Alb (mouse) mapping to 5 E1.

# SOURCE

ALB (1G2) is a mouse monoclonal antibody raised against full length purified ALB of human origin.

#### PRODUCT

Each vial contains  $IgG_1$  kappa light chain in 100 µl of PBS with < 0.1% sodium azide, 0.1% gelatin, 1% glycerol and < 0.1% stabilizer protein.

## **APPLICATIONS**

ALB (1G2) is recommended for detection of ALB of mouse, rat and human origin by Western Blotting (starting dilution to be determined by researcher, dilution range 1:100-1:5000), immunoprecipitation [1-2  $\mu$ l per 100-500  $\mu$ g of total protein (1 ml of cell lysate)] and solid phase ELISA (starting dilution to be determined by researcher, dilution range 1:30-1:5000).

Suitable for use as control antibody for ALB siRNA (h): sc-45606, ALB siRNA (m): sc-45607, ALB shRNA Plasmid (h): sc-45606-SH, ALB shRNA Plasmid (m): sc-45607-SH, ALB shRNA (h) Lentiviral Particles: sc-45606-V and ALB shRNA (m) Lentiviral Particles: sc-45607-V.

Molecular Weight of ALB: 66 kDa.

Positive Controls: ALB (m2): 293T Lysate: sc-118328, Hep G2 cell lysate: sc-2227 or HeLa whole cell lysate: sc-2200.

#### **RECOMMENDED SUPPORT REAGENTS**

To ensure optimal results, the following support reagents are recommended: 1) Western Blotting: use m-IgGκ BP-HRP: sc-516102 or m-IgGκ BP-HRP (Cruz Marker): sc-516102-CM (dilution range: 1:1000-1:10000), Cruz Marker<sup>™</sup> Molecular Weight Standards: sc-2035, UltraCruz<sup>®</sup> Blocking Reagent: sc-516214 and Western Blotting Luminol Reagent: sc-2048. 2) Immunoprecipitation: use Protein A/G PLUS-Agarose: sc-2003 (0.5 ml agarose/2.0 ml).

# DATA





ALB (1G2): sc-58688. Western blot analysis of ALB expression in non-transfected 2931: sc-117752 (**A**), mouse ALB transfected 2931: sc-118328 (**B**) and Hep G2 (**C**) whole cell lysates.

ALB (1G2): sc-58688. Western blot analysis of ALB expression in Hep G2 (**A**) and HeLa (**B**) whole cell lysates.

#### SELECT PRODUCT CITATIONS

- 1. Wen, S., et al. 2019. Biodistribution of mesenchymal stem cell-derived extracellular vesicles in a radiation injury bone marrow murine model. Int. J. Mol. Sci. 20: 5468.
- Barreiro, K., et al. 2020. Comparison of urinary extracellular vesicle isolation methods for transcriptomic biomarker research in diabetic kidney disease. J. Extracell. Vesicles 10: e12038.

# **STORAGE**

Store at 4° C, \*\*D0 NOT FREEZE\*\*. Stable for one year from the date of shipment. Non-hazardous. No MSDS required.

# **RESEARCH USE**

For research use only, not for use in diagnostic procedures.

# **PROTOCOLS**

See our web site at www.scbt.com for detailed protocols and support products.

# CONJUGATES

See **ALB (F-8): sc-374670** for ALB antibody conjugates, including AC, HRP, FITC, PE, and Alexa Fluor<sup>®</sup> 488, 546, 594, 647, 680 and 790.