

# HUNK (H-300): sc-66921

## BACKGROUND

The HUNK (hormonally upregulated Neu-associated kinase) protein, also designated MAK-V in mouse, has been identified as a novel SNF1-related serine/threonine kinase. The human HUNK gene localizes to chromosome 21q22.11 and encodes a protein with nucleocytoplasmic distribution that localizes to the centrosome. Overexpression of the HUNK protein associates with approximately 50% of breast carcinomas, and may provide diagnostic-prognostic value as a molecular marker. Serine/threonine-protein kinase SNF1-like kinase 2 (SIK) phosphorylates Ser 794 of IRS1 in Insulin-stimulated adipocytes, which may modulate the efficiency of Insulin signal transduction. SIK is activated by phosphorylation on Thr 175 by STK11 in complex with STE20-related adapter- $\alpha$  and CAB39.

## REFERENCES

1. Korobko, I.V., et al. 2000. The MAK-V protein kinase regulates endocytosis in mouse. *Mol. Gen. Genet.* 264: 411-418.
2. Gardner, H.P., et al. 2000. Developmental role of the SNF1-related kinase HUNK in pregnancy-induced changes in the mammary gland. *Development* 127: 4493-4509.
3. Gardner, H.P., et al. 2000. Cloning and characterization of HUNK, a novel mammalian SNF1-related protein kinase. *Genomics* 63: 46-59.
4. Korobko, I.V., et al. 2004. Proteinkinase MAK-V/HUNK as a possible diagnostic and prognostic marker of human breast carcinoma. *Arkh. Patol.* 66: 6-9.
5. Korobko, E.V., et al. 2004. Subcellular localization of MAK-V/HUNK protein kinase expressed in COS-1 cells. *Cell Biol. Int.* 28: 49-56.
6. Korobko, E.V., et al. 2005. Molecular cloning and characterization of the mouse MAK-V/HUNK gene promoter. *Mol. Biol.* 39: 72-79.

## CHROMOSOMAL LOCATION

Genetic locus: HUNK (human) mapping to 21q22.11; Hunk (mouse) mapping to 16 C3.3.

## SOURCE

HUNK (H-300) is a rabbit polyclonal antibody raised against amino acids 361-514 mapping within an internal region of HUNK of human origin.

## PRODUCT

Each vial contains 200  $\mu$ g IgG in 1.0 ml of PBS with < 0.1% sodium azide and 0.1% gelatin.

## STORAGE

Store at 4° C, **\*\*DO NOT FREEZE\*\***. Stable for one year from the date of shipment. Non-hazardous. No MSDS required.

## PROTOCOLS

See our web site at [www.scbt.com](http://www.scbt.com) or our catalog for detailed protocols and support products.

## APPLICATIONS

HUNK (H-300) is recommended for detection of HUNK of mouse, rat and human origin by Western Blotting (starting dilution 1:200, dilution range 1:100-1:1000), immunoprecipitation [1-2  $\mu$ g per 100-500  $\mu$ g of total protein (1 ml of cell lysate)] and immunofluorescence (starting dilution 1:50, dilution range 1:50-1:500) and solid phase ELISA (starting dilution 1:30, dilution range 1:30-1:3000).

HUNK (H-300) is also recommended for detection of HUNK in additional species, including canine and bovine.

Suitable for use as control antibody for HUNK siRNA (h): sc-44362, HUNK siRNA (m): sc-44363, HUNK shRNA Plasmid (h): sc-44362-SH, HUNK shRNA Plasmid (m): sc-44363-SH, HUNK shRNA (h) Lentiviral Particles: sc-44362-V and HUNK shRNA (m) Lentiviral Particles: sc-44363-V.


Molecular Weight of HUNK: 80 kDa.

Positive Controls: A-431 nuclear extract: sc-2122.

## RECOMMENDED SECONDARY REAGENTS

To ensure optimal results, the following support (secondary) reagents are recommended: 1) Western Blotting: use goat anti-rabbit IgG-HRP: sc-2004 (dilution range: 1:2000-1:100,000) or Cruz Marker™ compatible goat anti-rabbit IgG-HRP: sc-2030 (dilution range: 1:2000-1:5000), Cruz Marker™ Molecular Weight Standards: sc-2035, TBS Blotto A Blocking Reagent: sc-2333 and Western Blotting Luminol Reagent: sc-2048. 2) Immunoprecipitation: use Protein A/G PLUS-Agarose: sc-2003 (0.5 ml agarose/2.0 ml). 3) Immunofluorescence: use goat anti-rabbit IgG-FITC: sc-2012 (dilution range: 1:100-1:400) or goat anti-rabbit IgG-TR: sc-2780 (dilution range: 1:100-1:400) with UltraCruz™ Mounting Medium: sc-24941.

## DATA



HUNK (H-300): sc-66921. Western blot analysis of HUNK expression in A-431 nuclear extract.

## RESEARCH USE

For research use only, not for use in diagnostic procedures.

**MONOS**  
Satisfaction  
Guaranteed

Try **HUNK (B-7): sc-514689**, our highly recommended monoclonal alternative to HUNK (H-300).