# LAIR-1 (4j59): sc-71480



The Power to Question

#### **BACKGROUND**

Leukocyte-associated Ig-like receptor-1, known as LAIR-1, is a transmembrane glycoprotein that is constitutively expressed on the majority of human peripheral blood mononuclear leukocytes. LAIR-1 is phosphorylated at the Tyr 233 and Tyr 263 residues, and once activated, LAIR-1 recruits SHP-1, an SH2 domain-containing phosphatase. SHP-1 is highly expressed in hema-topoietic cells and functions as a negative regulator of cell signaling. SHP-1 also contributes to the establishment of TCR signaling thresholds in both developing and mature T lymphocytes. The binding of LAIR-1 to SHP-1 functions as a mechanism of regulating the role of SHP-1 in cell signaling. Occupancy of LAIR-1 on human myelomonocytic leukemic cell lines inhibits proliferation and leads to programmed cell death (PCD), and cross-linking of the LAIR-1 antigen on natural killer (NK) cells results in strong inhibition of NK cell-mediated cytotoxity. Protein kinases responsible for tyrosine phosphorylation of LAIR-1 may belong to the Src family since PP1, a Src family kinase inhibitor, significantly inhibits its phosphorylation.

## **REFERENCES**

- Meyaard, L., Adema, G., Chang, C., Woollatt, E., Sutherland, G., Lanier, L. and Phillips, J. 1997. LAIR-1, a novel inhibitory receptor expressed on human mononuclear leukocytes. Immunity 7: 283-290.
- 2. Poggi, A., Pellegatta, F., Leone, B., Moretta, L. and Zocchi, M. 2000. Engagement of the leukocyte-associated lg-like receptor-1 induces programmed cell death and prevents NFκB nuclear translocation in human myeloid leukemias. Eur. J. Immunol. 30: 2751-2758.
- Xu, M., Runxiang, Z. and Zhao, A. 2000. Identification and characterization of leukocyte-associated Ig-like receptor-1 as a major anchor protein of tyrosine phosphatase SHP-1 in hematopoietic cells. J. Biol. Chem. 275: 17440-17446.
- Fournier, N., Chalus, L., Durand, I., Garcia, E., Pin, J., Churakova, T., Patel, S., Zlot, C., Gorman, D., Zurawski, S., Abrams, J., Bates, E. and Garone, P. 2000. FDF03, a novel inhibitor receptor of the immunoglobulin superfamily, is expressed by human dendritic and myeloid cells. J. Immunol. 165: 1197-1209.
- Sathish, J., Johnson, K., Fuller, K., LeRoy, F., Meyaard, L., Sims, M. and Matthews, R. 2001. Constitutive association of SHP-1 with leukocyteassociated lg-like receptor-1 in human T cells. J. Immunol. 166: 1763-1770.

## **CHROMOSOMAL LOCATION**

Genetic locus: LAIR1 (human) mapping to 19q13.4.

### **SOURCE**

LAIR-1 (4j59) is a mouse monoclonal antibody raised against LAIR-1 from natural killer cell lines B12.100 and AM.25 of human origin.

# **STORAGE**

Store at 4° C, \*\*DO NOT FREEZE\*\*. Stable for one year from the date of shipment. Non-hazardous. No MSDS required.

#### **PRODUCT**

Each vial contains 100  $\mu g \; lg G_1$  in 1.0 ml PBS with < 0.1% sodium azide and 0.1% gelatin.

LAIR-1 (4j59) is available conjugated fluorescein (sc-71480 FITC, 200  $\mu g/ml$ ), for IF, IHC(P) and FCM.

#### **APPLICATIONS**


LAIR-1 (4j59) is recommended for detection of LAIR-1 of human origin by Western Blotting (starting dilution 1:200, dilution range 1:100-1:1000), immunoprecipitation [1-2  $\mu$ g per 100-500  $\mu$ g of total protein (1 ml of cell lysate)] and flow cytometry (1  $\mu$ g per 1 x 10<sup>6</sup> cells).

Suitable for use as control antibody for LAIR-1 siRNA (h): sc-72118, LAIR-1 shRNA Plasmid (h): sc-72118-SH and LAIR-1 shRNA (h) Lentiviral Particles: sc-72118-V.


Molecular Weight of LAIR-1: 42 kDa.

Positive Controls: LAIR-1 (h): 293T Lysate: sc-114216, Jurkat whole cell lysate: sc-2204 or LAIR-1 (h2): 293T Lysate: sc-176708.

#### **DATA**







LAIR-1 (4j59): sc-71480. Western blot analysis of LAIR-1 expression in non-transfected: sc-117752 (**A**) and human LAIR-1 transfected: sc-176708 (**B**) 293T whole cell lysates.

## **RESEARCH USE**

For research use only, not for use in diagnostic procedures.

#### **PROTOCOLS**

See our web site at www.scbt.com for detailed protocols and support products.

Santa Cruz Biotechnology, Inc. 1.800.457.3801 831.457.3800 fax 831.457.3801 Europe +00800 4573 8000 49 6221 4503 0 www.scbt.com