

Parvovirus (5E408): sc-71852

BACKGROUND

Parvovirus is a genus of the *Parvoviridae* family of linear, non-segmented single stranded DNA viruses with an average genome size of 5 kbp. *Parvoviruses* are some of the smallest viruses found in nature. The viral capsid of *Parvovirus* is composed of three proteins designated VP1, VP2 and VP3, that form an icosahedral structure resistant to pH, solvents and temperature up to 50° C. Within the capsid is a single stranded DNA genome with hairpins formed by sequences of approximately 115 nucleotides long at the 5' and 3' ends. *Parvoviruses* infect many mammalian species. The human form of *Parvovirus* (designated B19) is the causative agent of erythema infectiosum, a mild epidemic illness that infects erythroid cells and spreads rapidly. Human *Parvovirus* (B19) especially poses a risk to pregnant women who can pass the virus to the fetus.

REFERENCES

1. Pattison, J.R., Jones, S.E., Hodgson, J., Davis, L.R., White, J.M., Stroud, C.E. and Murtaza, L. 1981. *Parvovirus* infections and hypoplastic crisis in sickle-cell anaemia. *Lancet* 1: 664-665.
2. Anderson, M.J., Jones, S.E., Fisher-Hoch, S.P., Lewis, E., Hall, S.M., Bartlett, C.L., Cohen, B.J., Mortimer, P.P. and Pereira, M.S. 1983. Human *Parvovirus*, the cause of erythema infectiosum (fifth disease)? *Lancet* 1: 1378.
3. White, D.G., Woolf, A.D., Mortimer, P.P., Cohen, B.J., Blake, D.R. and Bacon, P.A. 1985. Human *Parvovirus* arthropathy. *Lancet* 1: 419-421.
4. Reid, D.M., Reid, T.M., Brown, T., Rennie, J.A. and Eastmond, C.J. 1985. Human *Parvovirus*-associated arthritis: a clinical and laboratory description. *Lancet* 1: 422-425.
5. Ozawa, K., and Young, N. 1987. Characterization of capsid and noncapsid proteins of B19 *Parvovirus* propagated in human erythroid bone marrow cell cultures. *J. Virol.* 61: 2627-2630.
6. Anand, A., Gray, E.S., Brown, T., Clewley, J.P. and Cohen, B.J. 1987. Human *Parvovirus* infection in pregnancy and hydrops fetalis. *N. Engl. J. Med.* 316: 183-186.
7. Woolf, A.D., Campion, G.V., Chishick, A., Wise, S., Cohen, B.J., Klouda, P.T., Caul, O. and Dieppe, P.A. 1989. Clinical manifestations of human *Parvovirus* (B19) in adults. *Arch. Intern. Med.* 149: 1153-1156.
8. Berns, K.I. 1990. *Parvovirus* replication. *Microbiol. Rev.* 54: 316-329.
9. Finkel, T.H., Török, T.J., Ferguson, P.J., Durigon, E.L., Zaki, S.R., Leung, D.Y., Harbeck, R.J., Gelfand, E.W., Saulsbury, F.T. and Hollister, J.R. 1994. Chronic *Parvovirus* (B19) infection and systemic necrotising vasculitis: opportunistic infection or aetiological agent? *Lancet* 343: 1255-1258.

SOURCE

Parvovirus (5E408) is a mouse monoclonal antibody raised against human *Parvovirus* (B19).

PRODUCT

Each vial contains 100 µg IgG in 1.0 ml PBS with < 0.1% sodium azide and 0.1% gelatin.

APPLICATIONS

Parvovirus (5E408) is recommended for detection of human *Parvovirus* (B19) of *Parvovirus* origin by Western Blotting (starting dilution 1:200, dilution range 1:100-1:1000) and immunofluorescence (starting dilution 1:50, dilution range 1:50-1:500).

Molecular Weight of *Parvovirus*: 84 kDa.

STORAGE

Store at 4° C, **DO NOT FREEZE**. Stable for one year from the date of shipment. Non-hazardous. No MSDS required.

RESEARCH USE

For research use only, not for use in diagnostic procedures.

PROTOCOLS

See our web site at www.scbt.com for detailed protocols and support products.