

LAP3 (Q-18): sc-82960

BACKGROUND

LAP3 (leucine aminopeptidase 3), also known as LAPEP or PEPS, is a 519 amino acid protein that localizes to the cytoplasm and belongs to the peptidase M17 family. Existing as a homohexamer, LAP3 uses zinc as a cofactor to catalyze the release of an N-terminal proline from a target peptide and is, therefore, involved in the processing and turnover of intracellular proteins. Multiple isoforms of LAP3 exist due to alternative splicing events. The gene encoding LAP3 maps to human chromosome 4, which houses nearly 6% of the human genome and has the largest gene deserts (regions of the genome with no protein encoding genes) of all of the human chromosomes. Defects in some of the genes located on chromosome 4 are associated with Huntington's disease, Ellis-van Creveld syndrome, methylmalonic acidemia and polycystic kidney disease.

REFERENCES

- Lewis, W.H. and Harris, H. 1967. Human red cell peptidases. *Nature* 215: 351-355.
- Shows, T.B., Brown, J.A., Eddy, R.L., Byers, M.G., Haley, L.L., Cooper, E.S. and Goggin, A.P. 1978. Assignment of peptidase S (PEPS) to chromosome 4 in man using somatic cell hybrids. *Hum. Genet.* 43: 119-125.
- Schmutz, S.M. and Simpson, N.E. 1983. Suggested assignment of peptidase S (PEPS) to 4p11-4q12 by exclusion using gene dosage, accounting for variability in fibroblasts. *Hum. Genet.* 64: 134-138.
- Kohno, H., Kanda, S. and Kanno, T. 1986. Immunoaffinity purification and characterization of leucine aminopeptidase from human liver. *J. Biol. Chem.* 261: 10744-10748.
- Matsushima, M., Takahashi, T., Ichinose, M., Miki, K., Kurokawa, K. and Takahashi, K. 1991. Structural and immunological evidence for the identity of prolyl aminopeptidase with leucyl aminopeptidase. *Biochem. Biophys. Res. Commun.* 178: 1459-1464.
- Kim, H. and Lipscomb, W.N. 1993. Differentiation and identification of the two catalytic metal binding sites in bovine lens leucine aminopeptidase by x-ray crystallography. *Proc. Natl. Acad. Sci. USA* 90: 5006-5010.
- Online Mendelian Inheritance in Man, OMIM™. 2004. Johns Hopkins University, Baltimore, MD. MIM Number: 170250. World Wide Web URL: <http://www.ncbi.nlm.nih.gov/omim/>

CHROMOSOMAL LOCATION

Genetic locus: LAP3 (human) mapping to 4p15.32; Lap3 (mouse) mapping to 5 B3.

SOURCE

LAP3 (Q-18) is an affinity purified goat polyclonal antibody raised against a peptide mapping within an internal region of LAP3 of human origin.

STORAGE

Store at 4° C, **DO NOT FREEZE**. Stable for one year from the date of shipment. Non-hazardous. No MSDS required.

PRODUCT

Each vial contains 200 µg IgG in 1.0 ml of PBS with < 0.1% sodium azide and 0.1% gelatin.

Blocking peptide available for competition studies, sc-82960 P, (100 µg peptide in 0.5 ml PBS containing < 0.1% sodium azide and 0.2% BSA).

APPLICATIONS

LAP3 (Q-18) is recommended for detection of LAP3 of mouse, rat and human origin by Western Blotting (starting dilution 1:200, dilution range 1:100-1:1000), immunoprecipitation [1-2 µg per 100-500 µg of total protein (1 ml of cell lysate)], immunofluorescence (starting dilution 1:50, dilution range 1:50-1:500) and solid phase ELISA (starting dilution 1:30, dilution range 1:30-1:3000); non cross-reactive with family members LAP or LAP2.


Suitable for use as control antibody for LAP3 siRNA (h): sc-75411, LAP3 siRNA (m): sc-75412, LAP3 shRNA Plasmid (h): sc-75411-SH, LAP3 shRNA Plasmid (m): sc-75412-SH, LAP3 shRNA (h) Lentiviral Particles: sc-75411-V and LAP3 shRNA (m) Lentiviral Particles: sc-75412-V.

Molecular Weight of LAP3 monomer: 55 kDa.

Molecular Weight of LAP3 homohexamer: 300 kDa.

Positive Controls: LAP3 (h): 293T Lysate: sc-117059.

DATA



LAP3 (Q-18): sc-82960. Western blot analysis of LAP3 expression in non-transfected: sc-117752 (A) and human LAP3 transfected: sc-117059 (B) 293T whole cell lysates.

RESEARCH USE

For research use only, not for use in diagnostic procedures.

PROTOCOLS

See our web site at www.scbt.com or our catalog for detailed protocols and support products.


 MONOS
Satisfaction
Guaranteed

Try **LAP3 (D-3): sc-376270** or **LAP3 (E-9): sc-398601**, our highly recommended monoclonal alternatives to LAP3 (Q-18).