# ZDHHC18 siRNA (h): sc-88163



The Power to Question

#### **BACKGROUND**

Zinc-finger proteins contain DNA-binding domains and have a wide variety of functions, most of which encompass some form of transcriptional activation or repression. ZDHHC1 (zinc finger, DHHC-type containing 1), also known as ZNF377 (zinc-finger protein 377) or C16orf1, is a 485 amino acid multi-pass membrane protein that contains one DHHC-type zinc finger. Expressed in fetal heart, lung and kidney and also present in adult lung and pancreas, ZDHHC1 functions as a palmitoyltransferase that catalyzes the conversion of palmitoyl-CoA and protein-cysteine to S-palmitoyl protein and CoA. Like ZDHHC1, ZDHHC5, ZDHHC6, ZDHHC7 and ZDHHC18 each contain one DHHC-type zinc finger through which they convey palmitoyltransferase activity against a broad range of substrates, including H-Ras, SNAP 25 and GABAA R proteins.

# **REFERENCES**

- Thiesen, H.J. 1990. Multiple genes encoding zinc-finger domains are expressed in human T cells. New Biol. 2: 363-374.
- Putilina, T., et al. 1999. The DHHC domain: a new highly conserved cysteinerich motif. Mol. Cell. Biochem. 195: 219-226.
- Nagase, T., et al. 2000. Prediction of the coding sequences of unidentified human genes. XIX. The complete sequences of 100 new cDNA clones from brain which code for large proteins in vitro. DNA Res. 7: 347-355.
- Chaudhary, J., et al. 2002. Identification of a novel gene product, Sertoli cell gene with a zinc-finger domain, that is important for FSH activation of testicular Sertoli cells. Endocrinology 143: 426-435.
- Linder, M.E., et al. 2004. Model organisms lead the way to protein palmitoyltransferases. J. Cell Sci. 117: 521-526.

# **CHROMOSOMAL LOCATION**

Genetic locus: ZDHHC18 (human) mapping to 1p36.11.

# **PRODUCT**

ZDHHC18 siRNA (h) is a pool of 3 target-specific 19-25 nt siRNAs designed to knock down gene expression. Each vial contains 3.3 nmol of lyophilized siRNA, sufficient for a 10  $\mu$ M solution once resuspended using protocol below. Suitable for 50-100 transfections. Also see ZDHHC18 shRNA Plasmid (h): sc-88163-SH and ZDHHC18 shRNA (h) Lentiviral Particles: sc-88163-V as alternate gene silencing products.

For independent verification of ZDHHC18 (h) gene silencing results, we also provide the individual siRNA duplex components. Each is available as 3.3 nmol of lyophilized siRNA. These include: sc-88163A, sc-88163B and sc-88163C.

# STORAGE AND RESUSPENSION

Store lyophilized siRNA duplex at -20 $^{\circ}$  C with desiccant. Stable for at least one year from the date of shipment. Once resuspended, store at -20 $^{\circ}$  C, avoid contact with RNAses and repeated freeze thaw cycles.

Resuspend lyophilized siRNA duplex in 330  $\mu$ l of the RNAse-free water provided. Resuspension of the siRNA duplex in 330  $\mu$ l of RNAse-free water makes a 10  $\mu$ M solution in a 10  $\mu$ M Tris-HCl, pH 8.0, 20 mM NaCl, 1 mM EDTA buffered solution.

#### **APPLICATIONS**

ZDHHC18 siRNA (h) is recommended for the inhibition of ZDHHC18 expression in human cells.

# **SUPPORT REAGENTS**

For optimal siRNA transfection efficiency, Santa Cruz Biotechnology's siRNA Transfection Reagent: sc-29528 (0.3 ml), siRNA Transfection Medium: sc-36868 (20 ml) and siRNA Dilution Buffer: sc-29527 (1.5 ml) are recommended. Control siRNAs or Fluorescein Conjugated Control siRNAs are available as 10 µM in 66 µl. Each contain a scrambled sequence that will not lead to the specific degradation of any known cellular mRNA. Fluorescein Conjugated Control siRNAs include: sc-36869, sc-44239, sc-44240 and sc-44241. Control siRNAs include: sc-37007, sc-44230, sc-44231, sc-44232, sc-44233, sc-44234, sc-44235, sc-44236, sc-44237 and sc-44238.

# **RT-PCR REAGENTS**

Semi-quantitative RT-PCR may be performed to monitor ZDHHC18 gene expression knockdown using RT-PCR Primer: ZDHHC18 (m)-PR: sc-155495-PR (20  $\mu$ l). Annealing temperature for the primers should be 55-60° C and the extension temperature should be 68-72° C.

#### **RESEARCH USE**

For research use only, not for use in diagnostic procedures.

# **PROTOCOLS**

See our web site at www.scbt.com for detailed protocols and support products.

Santa Cruz Biotechnology, Inc. 1.800.457.3801 831.457.3801 fax 831.457.3801 Europe +00800 4573 8000 49 6221 4503 0 www.scbt.com