# COX11 (FL-276): sc-98918



The Power to Question

## **BACKGROUND**

Cytochrome c oxidase (COX) is the terminal enzyme in the electron transfer chain, functioning as a transmembrane proton pump that builds an electrochemical gradient with chemical energy from the reduction of  $\rm O_2$ . Cytochrome c oxidase assembly protein COX11 is an intracellular mitochondrial membrane protein necessary for the construction of an active COX complex. COX11 contains a single transmembrane helix downstream of the N-terminal, mitochondrial targeting sequence and a C-terminal Cu(I)-binding domain. The assembly of COX requires the delivery of metal cofactors. Along with COX12 and SCO1/2, COX11 acts as a metal ion chaperone necessary for copper insertion into CuA and CuB redox-active copper centers of COX in eukaryotes.

# **REFERENCES**

- Petruzzella, V., et al. 1998. Identification and characterization of human cDNAs specific to BCS1, PET112, SCO1, COX15 and COX11, five genes involved in the formation and function of the mitochondrial respiratory chain. Genomics 54: 494-504.
- Horng, Y.C., et al. 2004. Specific copper transfer from the COX17 metallochaperone to both SCO1 and COX11 in the assembly of yeast cytochrome C oxidase. J. Biol. Chem. 279: 35334-35340.
- Carr, H.S., et al. 2005. Functional analysis of the domains in COX11. J. Biol. Chem. 280: 22664-22669.
- 4. Horvath, R., et al. 2005. Congenital cataract, muscular hypotonia, developmental delay and sensori-neural hearing loss associated with a defect in copper metabolism. J. Inherit. Metab. Dis. 28: 479-492.
- 5. Guo, D., et al. 2005. Physical interaction and functional coupling between ACDP4 and the intracellular ion chaperone COX11, an implication of the role of ACDP4 in essential metal ion transport and homeostasis. Mol. Pain 1: 15.
- 6. Arnesano, F., et al. 2005. Ortholog search of proteins involved in copper delivery to cytochrome c oxidase and functional analysis of paralogs and gene neighbors by genomic context. J. Proteome Res. 4: 63-70.

## CHROMOSOMAL LOCATION

Genetic locus: COX11 (human) mapping to 17q22; Cox11 (mouse) mapping to 11 D.

# SOURCE

COX11 (FL-276) is a rabbit polyclonal antibody raised against amino acids 1-276 representing full length COX11 of human origin.

## **PRODUCT**

Each vial contains 200  $\mu g$  lgG in 1.0 ml of PBS with < 0.1% sodium azide and 0.1% gelatin.

# **STORAGE**

Store at 4° C, \*\*DO NOT FREEZE\*\*. Stable for one year from the date of shipment. Non-hazardous. No MSDS required.

#### **APPLICATIONS**

COX11 (FL-276) is recommended for detection of COX11 of mouse, rat and human origin by Western Blotting (starting dilution 1:200, dilution range 1:100-1:1000), immunoprecipitation [1-2  $\mu$ g per 100-500  $\mu$ g of total protein (1 ml of cell lysate)], immunofluorescence (starting dilution 1:50, dilution range 1:50-1:500) and solid phase ELISA (starting dilution 1:30, dilution range 1:30-1:3000).

COX11 (FL-276) is also recommended for detection of COX11 in additional species, including equine, canine, bovine and porcine.

Suitable for use as control antibody for COX11 siRNA (h): sc-60438, COX11 siRNA (m): sc-60439, COX11 shRNA Plasmid (h): sc-60438-SH, COX11 shRNA Plasmid (m): sc-60439-SH, COX11 shRNA (h) Lentiviral Particles: sc-60438-V and COX11 shRNA (m) Lentiviral Particles: sc-60439-V.


Molecular Weight of COX11: 28 kDa.

Positive Controls: mouse brain extract: sc-2253.

#### **RECOMMENDED SECONDARY REAGENTS**

To ensure optimal results, the following support (secondary) reagents are recommended: 1) Western Blotting: use goat anti-rabbit IgG-HRP: sc-2004 (dilution range: 1:2000-1:100,000) or Cruz Marker™ compatible goat anti-rabbit IgG-HRP: sc-2030 (dilution range: 1:2000-1:5000), Cruz Marker™ Molecular Weight Standards: sc-2035, TBS Blotto A Blocking Reagent: sc-2333 and Western Blotting Luminol Reagent: sc-2048. 2) Immunoprecipitation: use Protein A/G PLUS-Agarose: sc-2003 (0.5 ml agarose/2.0 ml). 3) Immunofluorescence: use goat anti-rabbit IgG-FITC: sc-2012 (dilution range: 1:100-1:400) or goat anti-rabbit IgG-TR: sc-2780 (dilution range: 1:100-1:400) with UltraCruz™ Mounting Medium: sc-24941.

#### DATA



COX11 (FL-276): sc-98918. Western blot analysis of COX11 expression in mouse brain tissue extract.

## **RESEARCH USE**

For research use only, not for use in diagnostic procedures.

## **PROTOCOLS**

See our web site at www.scbt.com or our catalog for detailed protocols and support products.

Santa Cruz Biotechnology, Inc. 1.800.457.3801 831.457.3801 Fax 831.457.3801 Europe +00800 4573 8000 49 6221 4503 0 www.scbt.com