
# Propineb



CONSIDERED A HAZARDOUS SUBSTANCE ACCORDING TO OSHA 29 CFR 1910.1200.



# SUPPLIER


Santa Cruz Biotechnology, Inc. 2145 Delaware Avenue Santa Cruz, California 95060 800.457.3801 or 831.457.3800 **EMERGENCY** ChemWatch Within the US & Canada: 877-715-9305 Outside the US & Canada: +800 2436 2255 (1-800-CHEMCALL) or call +613 9573 3112

# SYNONYMS

[-SC(S)NHCH2CH(CH3)NHCS2Zn-]x, (C5H8N2S4Zn)n, C5-H8-N2-S4-Zn, "zinc. [((1-methyl-1, 2-ethanediyl)bis(carbamodithiothiato))(2-)]-", "[((1-methyl-1, 2-ethanediyl)bis(carbamodithioato))(2-))zinc", "[(1-methyl-1, 2-ethanediyl)bis(carbamodithioato))(2-) methyl-1, 2-ethanediyl)bis(carbamodithioato))(2-)]zinc homopolymer", "zinc, (propylenebis(dithiocarbamato)]-", [(propylenebis(diothiocarbamato)]zinc, "zinc 1, 2-propylene bisdithiocarbamate", "zinc "polymeric propylenebisdithiocarbamate", zinc propylenebis(dithiocarbamate)", "zinc propylenebis(dithiocarbamato)", "polymeric 2-propylenebis(dithiocarbamate)", zinc 1, "[[(1-methyl-1, 2-ethanediyl)bis[carbamodithioato]](2-)]-zinc", homopolymer), "Bayer 46131", Antracol, Mezineb, "LH 30/2", Airone, Taifen, "pesticide/ fungicide"

# Section 2 - HAZARDS IDENTIFICATION

# CHEMWATCH HAZARD RATINGS



## CANADIAN WHMIS SYMBOLS



## EMERGENCY OVERVIEW RISK

Harmful by inhalation.

May cause SENSITIZATION by skin contact.

Harmful danger of serious damage to health by prolonged exposure through inhalation and if swallowed. Very toxic to aquatic organisms.

## POTENTIAL HEALTH EFFECTS

## ACUTE HEALTH EFFECTS

## SWALLOWED

Accidental ingestion of the material may be damaging to the health of the individual.

■ Limited evidence exists that this substance may cause irreversible mutations (though not lethal) even following a single exposure.

■ Lethal doses of some thiocarbamates have produced muscle weakness and ascending paralysis progressing to respiratory paralysis and death in animals.

Exposure to small quantities of thiocarbamates and intake of small quantities of ethanol may produce flushing, breathing difficulties, nausea and vomiting and lowered blood pressure.

The acute toxicity of thiocarbamates is generally low, because of their rapid metabolism.

Exposure to high doses may produce signs such as loss of appetite, squinting, excessive production of saliva, watery eyes, hairs standing on end, laboured breathing, reduced body temperature, incoordination, depression and rapid muscle twitching.

## EYE

■ Although the material is not thought to be an irritant (as classified by EC Directives), direct contact with the eye may cause transient discomfort characterised by tearing or conjunctival redness (as with windburn). Slight abrasive damage may also result.

## SKIN

Skin contact is not thought to produce harmful health effects (as classified under EC Directives using animal models).

Systemic harm, however, has been identified following exposure of animals by at least one other route and the material may still produce health damage following entry through wounds, lesions or abrasions.

• Open cuts, abraded or irritated skin should not be exposed to this material.

■ Entry into the blood-stream, through, for example, cuts, abrasions or lesions, may produce systemic injury with harmful effects.

Examine the skin prior to the use of the material and ensure that any external damage is suitably protected. **INHALED** 

■ Inhalation of dusts, generated by the material, during the course of normalhandling, may be harmful.

The material is not thought to produce respiratory irritation (as classified by EC Directives using animal models). Nevertheless inhalation of dusts, or fumes, especially for prolonged periods, may produce respiratory discomfort and occasionally, distress.

■ Persons with impaired respiratory function, airway diseases and conditions such as emphysema or chronic bronchitis, may incur further disability if excessive concentrations of particulate are inhaled.

If prior damage to the circulatory or nervous systems has occurred or if kidney damage has been sustained, proper screenings should be conducted on individuals who may be exposed to further risk if handling and use of the material result in excessive exposures.

■ Limited evidence exists that this substance may cause irreversible mutations (though not lethal) even following a single exposure.

## CHRONIC HEALTH EFFECTS

■ Harmful danger of serious damage to health by prolonged exposure through inhalation and if swallowed.

Harmful danger of serious damage to health by prolonged exposure through inhalation and if swallowed.

This material can cause serious damage if one is exposed to it for long periods. It can be assumed that it contains a substance which can produce severe defects. This has been demonstrated via both short- and long-term experimentation.

Substance accumulation, in the human body, may occur and may cause some concern following repeated or long-term occupational exposure.

There is some evidence from animal testing that exposure to this material may result in toxic effects to the unborn baby.

Based on experience with similar materials, there is a possibility that exposure to the material may reduce fertility in humans at levels which do not cause other toxic effects.

Based on laboratory and animal testing, exposure to the material may result in irreversible effects and mutations in humans.

Long term exposure to high dust concentrations may cause changes in lung function i.e. pneumoconiosis; caused by particles less than 0.5 micron penetrating and remaining in the lung. Prime symptom is breathlessness; lung shadows show on X-ray.

Some dithiocarbamates may cause birth defects and cancer and may affect male reproductive capacity. They may also cause goitre (overactivity of the thyroid gland) and nerve disorders.

Thiocarbamates have been show to alter sperm form and therefore reproduction.

Exposure to the material for prolonged periods may cause physical defects in the developing embryo (teratogenesis).

Exposure to thiourea can result in reduced thyroid function. Prolonged exposure to high doses causes enlargement of the thyroid and reduced levels of circulating thyroid hormone. Thiourea derivatives are thought to be capable of changing cellular genetic material and they may cause birth defects.

In rat studies propineb produced reduction of growth, increased liver and kidney weights, decreased serum protein-bound iodine, caused skeletal muscle degeneration and significant thyroid enlargement and thyroid tumours. Pregnant rats produced progeny with foetal and craniofacial malformation.

Section 3 - COMPOSITION / INFORMATION ON INGREDIENTS						
NAME	CAS RN	%				
propineb	12071-83-9	>98				

# Section 4 - FIRST AID MEASURES

# SWALLOWED

- If swallowed do NOT induce vomiting.
- If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration.
- Observe the patient carefully.
- Never give liquid to a person showing signs of being sleepy or with reduced awareness; i.e. becoming unconscious.

#### EYE

If this product comes in contact with the eyes

- Wash out immediately with fresh running water.
- Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by

occasionally lifting the upper and lower lids.

- Seek medical attention without delay; if pain persists or recurs seek medical attention.
- Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.

## SKIN

If skin contact occurs

- Immediately remove all contaminated clothing, including footwear.
- Flush skin and hair with running water (and soap if available).
- Seek medical attention in event of irritation.

## INHALED

- If fumes or combustion products are inhaled remove from contaminated area.
- Lay patient down. Keep warm and rested.
- Prostheses such as false teeth, which may block airway, should be removed, where possible, prior to initiating first aid procedures.
- Apply artificial respiration if not breathing, preferably with a demand valve resuscitator, bag-valve mask device, or pocket mask as trained. Perform CPR if necessary.

# NOTES TO PHYSICIAN

- Medical literature on human exposure to thiocarbamate derivatives is scarce.
- Animal studies suggest that contact dermatitis and thyroid hyperplasia may occur following exposure.
- These compounds do not have the cholinergic properties of structurally related carbamate insecticides.
- The usual measures for gut and skin contamination are recommended for large doses.
- Some thiocarbamates are structurally similar to disulfiram and may cause the characteristically unpleasant alcohol type reactions lasting for several hours; they may respond to fluids, oxygen and analgesics. Dysrhythmias may occur and patients with serious reactions should have cardiac monitoring.

As a general rule thiocarbamates can be absorbed by the skin, mucous membranes and respiratory and gastrointestinal tract. They are eliminated quickly via expired air and urine.

In animals elimination occurs rapidly with 91% excreted within the urine and faeces and 7% in exhaled air.

Section 5 - FIRE FIGHTING MEASURES					
Vapor Pressure (mmHG)	Negligible				
Upper Explosive Limit (%)	Not available				
Specific Gravity (water=1)	1.813 (25 C)				
Lower Explosive Limit (%)	Not available				

## EXTINGUISHING MEDIA

- Foam.
- Dry chemical powder.
- BCF (where regulations permit).
- Carbon dioxide.

# FIRE FIGHTING

- Alert Fire Brigade and tell them location and nature of hazard.
- Wear breathing apparatus plus protective gloves.
- Prevent, by any means available, spillage from entering drains or water courses.
- Use water delivered as a fine spray to control fire and cool adjacent area.

When any large container (including road and rail tankers) is involved in a fire,

consider evacuation by 100 metres in all directions.

# GENERAL FIRE HAZARDS/HAZARDOUS COMBUSTIBLE PRODUCTS

- Combustible solid which burns but propagates flame with difficulty; it is estimated that most organic dusts are combustible (circa 70%) - according to the circumstances under which the combustion process occurs, such materials may cause fires and / or dust explosions.
- Avoid generating dust, particularly clouds of dust in a confined or unventilated space as dusts may form an
  explosive mixture with air, and any source of ignition, i.e. flame or spark, will cause fire or explosion. Dust
  clouds generated by the fine grinding of the solid are a particular hazard; accumulations of fine dust (420)

micron or less) may burn rapidly and fiercely if ignited - particles exceeding this limit will generally not form flammable dust clouds.; once initiated, however, larger particles up to 1400 microns diameter will contribute to the propagation of an explosion.

- In the same way as gases and vapors, dusts in the form of a cloud are only ignitable over a range of concentrations; in principle, the concepts of lower explosive limit (LEL) and upper explosive limit (UEL).are applicable to dust clouds but only the LEL is of practical use; - this is because of the inherent difficulty of achieving homogeneous dust clouds at high temperatures (for dusts the LEL is often called the "Minimum Explosible Concentration", MEC)
- A dust explosion may release of large quantities of gaseous products; this in turn creates a subsequent pressure rise of explosive force capable of damaging plant and buildings and injuring people.

Combustion products include carbon monoxide (CO), carbon dioxide (CO2), nitrogen oxides (NOx), sulfur oxides (SOx), metal oxides, other pyrolysis products typical of burning organic material.

## FIRE INCOMPATIBILITY

 Avoid contamination with oxidising agents i.e. nitrates, oxidising acids, chlorine bleaches, pool chlorine etc. as ignition may result

## Section 6 - ACCIDENTAL RELEASE MEASURES

## MINOR SPILLS

- Remove all ignition sources.
- Clean up all spills immediately.
- Avoid contact with skin and eyes.
- · Control personal contact by using protective equipment.

Environmental hazard - contain spillage.

#### **MAJOR SPILLS**

Environmental hazard - contain spillage.

Moderate hazard.

- CAUTION Advise personnel in area.
- Alert Emergency Services and tell them location and nature of hazard.
- Control personal contact by wearing protective clothing.
- Prevent, by any means available, spillage from entering drains or water courses.

## Section 7 - HANDLING AND STORAGE

#### **PROCEDURE FOR HANDLING**

- Avoid all personal contact, including inhalation.
- Wear protective clothing when risk of exposure occurs.
- Use in a well-ventilated area.
- Prevent concentration in hollows and sumps.

Empty containers may contain residual dust which has the potential to accumulate following settling. Such dusts may explode in the presence of an appropriate ignition source.

- Do NOT cut, drill, grind or weld such containers.
- In addition ensure such activity is not performed near full, partially empty or empty containers without appropriate workplace safety authorisation or permit.

#### **RECOMMENDED STORAGE METHODS**

- · Glass container is suitable for laboratory quantities
- Polyethylene or polypropylene container.
- · Check all containers are clearly labelled and free from leaks.

## STORAGE REQUIREMENTS

- Store in original containers.
- Keep containers securely sealed.
- Store in a cool, dry area protected from environmental extremes.
- Store away from incompatible materials and foodstuff containers.

# Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

# EXPOSURE CONTROLS

Source	Material		TWA mg/m³	STEL mg/m³		TWA F/CC	Notes
Canada - Ontario Occupational Exposure Limits	propineb (Particles (Insoluble or Poorly Soluble) Not Otherwise)		10 (I)				
Canada - British Columbia Occupational Exposure Limits	propineb (Particles (Insoluble or Poorly Soluble) Not Otherwise Classified (PNOC))		10 (N)				
Canada - Ontario Occupational Exposure Limits	propineb (Specified (PNOS) / Particules (insolubles ou peu solubles) non précisées par ailleurs)		3 (R)				
US - Tennessee Occupational Exposure Limits - Limits For Air Contaminants	propineb (Particulates not otherwise regulated Respirable fraction)		5				
US - California Permissible Exposure Limits for Chemical Contaminants	propineb (Particulates not otherwise regulated Respirable fraction)		5				(n)
US - Oregon Permissible Exposure Limits (Z-1)	propineb (Particulates not otherwise regulated (PNOR) (f) Total Dust)	-	10				Bold print identifies substances for which the Oregon Permissible Exposure Limits (PELs) are different than the federal Limits. PNOR means "particles not otherwise regulated."
US - Michigan Exposure Limits for Air Contaminants	propineb (Particulates not otherwise regulated, Respirable dust)		5				
US - Oregon Permissible Exposure Limits	propineb (Particulates not otherwise	-	5				Bold print identifies substances for which the Oregon

(Z-1)	regulated (PNOR) (f) Respirable Fraction)
US - Wyoming Toxic and Hazardous Substances Table Z1 Limits for Air Contaminants	propineb (Particulates not otherwise regulated (PNOR)(f)- Respirable fraction)

5

## PERSONAL PROTECTION



#### RESPIRATOR

- Particulate. (AS/NZS 1716 & 1715, EN 1432000 & 1492001, ANSI Z88 or national equivalent) EYE
- Safety glasses with side shields.
- · Chemical goggles.
- Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy document, describing the wearing of lens or restrictions on use, should be created for each workplace or task. This should include a review of lens absorption and adsorption for the class of chemicals in use and an account of injury experience. Medical and first-aid personnel should be trained in their removal and suitable equipment should be readily available. In the event of chemical exposure, begin eye irrigation immediately and remove contact lens as soon as practicable. Lens should be removed at the first signs of eye redness or irritation lens should be removed in a clean environment only after workers have washed hands thoroughly. [CDC NIOSH Current Intelligence Bulletin 59], [AS/NZS 1336 or national equivalent]

Permissible Exposure Limits (PELs) are different than the federal Limits. PNOR means "particles not otherwise regulated."

## HANDS/FEET

- Wear chemical protective gloves, eg. PVC.
- Wear safety footwear or safety gumboots, eg. Rubber

#### NOTE

- The material may produce skin sensitisation in predisposed individuals. Care must be taken, when removing gloves and other protective equipment, to avoid all possible skin contact.
- · Contaminated leather items, such as shoes, belts and watch-bands should be removed and destroyed.
- Suitability and durability of glove type is dependent on usage. Important factors in the selection of gloves include
- frequency and duration of contact,
- chemical resistance of glove material,
- glove thickness and
- dexterity

#### OTHER

- Overalls.
- P.V.C. apron.
- · Barrier cream.
- Skin cleansing cream.

## **ENGINEERING CONTROLS**

■ Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls can be highly effective in protecting workers and will typically be independent

of worker interactions to provide this high level of protection.

The basic types of engineering controls are

Process controls which involve changing the way a job activity or process is done to reduce the risk.

Enclosure and/or isolation of emission source which keeps a selected hazard "physically" away from the worker and ventilation that strategically "adds" and "removes" air in the work environment.

## Section 9 - PHYSICAL AND CHEMICAL PROPERTIES

#### PHYSICAL PROPERTIES

Solid.

State	Divided solid	Molecular Weight	289.78 (as monomer)
Melting Range (°F)	320	Viscosity	Not Applicable
Boiling Range (°F)	Not applicable	Solubility in water (g/L)	Reacts
Flash Point (°F)	158 approx.	pH (1% solution)	Not applicable
Decomposition Temp (°F)	320	pH (as supplied)	Not applicable
Autoignition Temp (°F)	Not available	Vapor Pressure (mmHG)	Negligible
Upper Explosive Limit (%)	Not available	Specific Gravity (water=1)	1.813 (25 C)
Lower Explosive Limit (%)	Not available	Relative Vapor Density (air=1)	Not applicable
Volatile Component (%vol)	Negligible	Evaporation Rate	Not applicable

## APPEARANCE

Powder with slight characteristic odor; does not mix well with water (0.01 g/1, 20 C). Solubilities In toluene, hexane, dichloromethane <0.1 g/l. Stable when dry. Decomposed by moisture, and in alkaline and acidic media. DT50 (22 C) (estimated) 1 day pH 4, c. 1 day (pH 7), >2 day (pH 9)

## Section 10 - CHEMICAL STABILITY

## CONDITIONS CONTRIBUTING TO INSTABILITY

- Presence of incompatible materials.
- Product is considered stable.
- Hazardous polymerisation will not occur.

## STORAGE INCOMPATIBILITY

- Thiocarbamates and dithiocarbamates are incompatible with acids, peroxides, and acid halides.
- Flammable gases are generated by the combination of thiocarbamates and dithiocarbamates with aldehydes, nitrides, and hydrides.
- Segregate from alcohol, water.
- Avoid oxidising agents, acids, acid chlorides, acid anhydrides, chloroformates.
- NOTE May develop pressure in containers; open carefully. Vent periodically.

For incompatible materials - refer to Section 7 - Handling and Storage.

## Section 11 - TOXICOLOGICAL INFORMATION

#### propineb

## TOXICITY AND IRRITATION

unless otherwise specified data extracted from RTECS - Register of Toxic Effects of Chemical Substances.

■ [\* The Pesticides Manual, Incorporating The Agrochemicals Handbook, 10th Edition, Editor Clive Tomlin, 1994, British Crop Protection Council].

## CARCINOGEN

Zinc and Compounds	US EPA Carcinogens Listing	Carcinogenicity	D
propineb	US ACGIH Threshold Limit Values (TLV) - Carcinogens	Carcinogen Category	D
propineb	US - Maine Chemicals of High Concern List	Carcinogen	D

#### Section 12 - ECOLOGICAL INFORMATION

Very toxic to aquatic organisms.

This material and its container must be disposed of as hazardous waste.

Avoid release to the environment.

Refer to special instructions/ safety data sheets.

# Section 13 - DISPOSAL CONSIDERATIONS

#### **Disposal Instructions**

All waste must be handled in accordance with local, state and federal regulations.

- Containers may still present a chemical hazard/ danger when empty.
- Return to supplier for reuse/ recycling if possible.

Otherwise:

- If container can not be cleaned sufficiently well to ensure that residuals do not remain or if the container cannot be used to store the same product, then puncture containers, to prevent re-use, and bury at an authorised landfill.
- Where possible retain label warnings and MSDS and observe all notices pertaining to the product.

Legislation addressing waste disposal requirements may differ by country, state and/ or territory. Each user must refer to laws operating in their area. In some areas, certain wastes must be tracked.

A Hierarchy of Controls seems to be common - the user should investigate:

- Reduction
- Reuse
- Recycling
- Disposal (if all else fails)

This material may be recycled if unused, or if it has not been contaminated so as to make it unsuitable for its intended use. Shelf life considerations should also be applied in making decisions of this type. Note that properties of a material may change in use, and recycling or reuse may not always be appropriate. In most instances the supplier of the material should be consulted.

- DO NOT allow wash water from cleaning or process equipment to enter drains.
- It may be necessary to collect all wash water for treatment before disposal.
- In all cases disposal to sewer may be subject to local laws and regulations and these should be considered first.
- Where in doubt contact the responsible authority.
- Recycle wherever possible.
- Consult manufacturer for recycling options or consult local or regional waste management authority for disposal if no suitable treatment or disposal facility can be identified.
- Dispose of by: burial in a land-fill specifically licenced to accept chemical and / or pharmaceutical wastes or Incineration in a licenced apparatus (after admixture with suitable combustible material)
- Decontaminate empty containers. Observe all label safeguards until containers are cleaned and destroyed.

## Section 14 - TRANSPORTATION INFORMATION



DOT:

Symbols:	G	Hazard class or Division:	9			
Identification Numbers:	UN3077	PG:	III			
Label Codes:	9	Special provisions:	8, 146, 335, B54, IB8, IP3, N20, T1, TP33			
Packaging: Exceptions:	155	Packaging: Non-bulk:	213			
Packaging: Exceptions:	155	Quantity limitations: Passenger aircraft/rail:	No limit			
Quantity Limitations: Cargo aircraft only:	No limit	Vessel stowage: Location:	A			
Vessel stowage: Other:	None					
Hazardous materials descriptions and proper shipping names: Environmentally hazardous substance, solid, n.o.s Air Transport IATA:						
ICAO/IATA Class:	9	ICAO/IATA Subrisk:	None			
UN/ID Number:	3077	Packing Group:	III			
Special provisions:	A97					
Cargo Only						
Packing Instructions:	956	Maximum Qty/Pack:	400 kg			
Passenger and Cargo		Passenger and Cargo				
Packing Instructions:	956	Maximum Qty/Pack:	400 kg			
Passenger and Cargo Limited Quantity		Passenger and Cargo Limited Quantity				
Packing Instructions:	Y956	Maximum Qty/Pack:	30 kg G			
Shipping name:ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.(contains propineb) Maritime Transport IMDG:						
IMDG Class:	9	IMDG Subrisk:	None			
UN Number:	3077	Packing Group:	III			
EMS Number:	F-A,S-F	Special provisions:	274 335			
Limited Quantities:     5 kg     Marine Pollutant:     Yes       Shipping name:ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.(contains propineb)						

# Section 15 - REGULATORY INFORMATION

## propineb (CAS: 12071-83-9,9016-72-2) is found on the following regulatory lists;

"Canada National Pollutant Release Inventory (NPRI)", "US - California Air Toxics ""Hot Spots"" List (Assembly Bill 2588) Substances for which emissions must be quantified", "US - California Environmental Health Standards for the Management of Hazardous Waste - List of Inorganic Persistent and Bioaccumulative Toxic Substances and Their STLC & TTLC Values", "US - California Occupational Safety and Health Regulations (CAL/OSHA) - Hazardous Substances List", "US - California Toxic Air Contaminant List Category II", "US - Louisiana Minimum Emission Rates Toxic Air Pollutants", "US - Louisiana Toxic Air Pollutant Ambient Air Standards", "US - Massachusetts Oil & Hazardous Material List", "US CWA (Clean Water Act) - Priority Pollutants", "US CWA (Clean Water Act) - Toxic Pollutants", "US EPA Carcinogens Listing", "US RCRA (Resource Conservation & Recovery Act) - Appendix IX to Part 264 Ground-Water Monitoring List 1", "US RCRA (Resource Conservation & Recovery Act) - List of Hazardous Inorganic and Organic Constituents 1"

## Section 16 - OTHER INFORMATION

#### LIMITED EVIDENCE

- Ingestion may produce health damage\*.
- Cumulative effects may result following exposure\*.
- May be harmful to the foetus/embryo\*.
- May possibly affect fertility\*.
- Exposure may produce irreversible effects\*.
- \* (limited evidence).

#### Ingredients with multiple CAS Nos Ingredient Name

propineb

CAS 12071-83-9, 9016-72-2

Reasonable care has been taken in the preparation of this information, but the author makes no warranty of merchantability or any other warranty, expressed or implied, with respect to this information. The author makes no representations and assumes no liability for any direct, incidental or consequential damages resulting from its use. For additional technical information please call our toxicology department on +800 CHEMCALL.

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references. A list of reference resources used to assist the committee may be found at: www.chemwatch.net/references.

■ The (M)SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings.

This document is copyright. Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from CHEMWATCH. TEL (+61 3) 9572 4700. www.Chemwatch.net

Issue Date: Jun-17-2008 Print Date: Jan-3-2012