

## **CERTIFICATE OF ANALYSIS**

The Power to Question

| Test                                     | Specification   | Result  |
|--|---|---|
| Identification (Mass Spectrometry - ESI) | M-H+: 319.2<br>-H <sub>2</sub> O, CH <sub>3</sub> CH <sub>2</sub> NH: 301.2 | M-H+: 319.2<br>-H <sub>2</sub> O, CH <sub>3</sub> CH <sub>2</sub> NH: 301.2 |
| Purity (HPLC)                            | > 98%   | 100.0 %<br>Retention Time Actual.: 21.50 min                                |
| Purity (TLC)                             | > 98%   | 100.00%<br>Rf: 0.61   |
| UV Absorption                            | λ max: 237 nm   | λ max: 237 nm   |
| UV/Visible Spectrum                      | Solvent: Ethanol<br>λ max: 237 nm<br>Abs: 0.8424<br>Conc: 100.00 μg/ml      | Solvent: Ethanol<br>λ max: 237 nm<br>Abs: 0.8430<br>Conc: 100.07 μg/ml      |

Satisfaction Guarantee: We appreciate your business and are committed to providing the highest level of quality and service. Any product that does not meet the performance standards indicated in our product literature will be replaced at no charge. Our policy is valid for one year from the date of your purchase.