



SSBP3 (m3): 293T Lysate: sc-110354

BACKGROUND

The single-stranded-DNA-binding proteins (SSBs) are essential for DNA function in prokaryotic and eukaryotic cells, as well as in mitochondria, bacteria and viruses. SSBP3 (single stranded DNA binding protein 3), also known as CSDP or SSDP, is a 388 amino acid protein that localizes to the nucleus and contains one LisH domain. Highly expressed in spleen, bone marrow, thymus, lymph node, kidney, brain, heart and skeletal muscle, SSBP3 binds to the single-stranded polypyrimidine sequences in the promotor of COLA2 genes and is thought to regulate the transcription of COLA2 genes. SSBP3 is expressed as multiple alternatively spliced isoforms that are encoded by a gene which maps to human chromosome 1.

REFERENCES

1. Raval-Fernandes, S., Kickhoefer, V.A. and Rome, L.H. 1999. Cloning of a cDNA encoding a sequence-specific single-stranded-DNA-binding protein from *Rattus norvegicus*. *Gene* 237: 201-207.
2. Castro, P., Liang, H., Liang, J.C. and Nagarajan, L. 2002. A novel, evolutionarily conserved gene family with putative sequence-specific single-stranded DNA-binding activity. *Genomics* 80: 78-85.
3. Chen, L., Segal, D., Hukriede, N.A., Podtelejnikov, A.V., Bayarsaihan, D., Kennison, J.A., Ogryzko, V.V., Dawid, I.B. and Westphal, H. 2002. SSDP proteins interact with the LIM-domain-binding protein Ldb1 to regulate development. *Proc. Natl. Acad. Sci. USA* 99: 14320-14325.
4. Online Mendelian Inheritance in Man, OMIM™. 2002. Johns Hopkins University, Baltimore, MD. MIM Number: 607390. World Wide Web URL: <http://www.ncbi.nlm.nih.gov/omim/>
5. van Meyel, D.J., Thomas, J.B. and Agulnick, A.D. 2003. SSDP proteins bind to LIM-interacting co-factors and regulate the activity of LIM-homeodomain protein complexes *in vivo*. *Development* 130: 1915-1925.
6. Wu, L. 2006. Structure and functional characterization of single-strand DNA binding protein SSDP1: carboxyl-terminal of SSDP1 has transcription activity. *Biochem. Biophys. Res. Commun.* 339: 977-984.
7. Xu, Z., Meng, X., Cai, Y., Liang, H., Nagarajan, L. and Brandt, S.J. 2007. Single-stranded DNA-binding proteins regulate the abundance of LIM domain and LIM domain-binding proteins. *Genes Dev.* 21: 942-955.
8. Cai, Y., Xu, Z., Nagarajan, L. and Brandt, S.J. 2008. Single-stranded DNA-binding proteins regulate the abundance and function of the LIM-homeodomain transcription factor LHX2 in pituitary cells. *Biochem. Biophys. Res. Commun.* 373: 303-308.

CHROMOSOMAL LOCATION

Genetic locus: Ssbp3 (mouse) mapping to 4 C7.

PRODUCT

SSBP3 (m3): 293T Lysate represents a lysate of mouse SSBP3 transfected 293T cells and is provided as 100 µg protein in 200 µl SDS-PAGE buffer.

RESEARCH USE

For research use only, not for use in diagnostic procedures.

APPLICATIONS

SSBP3 (m3): 293T Lysate is suitable as a Western Blotting positive control for mouse reactive SSBP3 antibodies. Recommended use: 10-20 µl per lane.

Control 293T Lysate: sc-117752 is available as a Western Blotting negative control lysate derived from non-transfected 293T cells.

STORAGE

Store at -20° C. Repeated freezing and thawing should be minimized. Sample vial should be boiled once prior to use. Non-hazardous. No MSDS required.

PROTOCOLS

See our web site at www.scbt.com for detailed protocols and support products.