



DDX25 (h2): 293T Lysate: sc-116093

BACKGROUND

DDX25, also designated GRTH for gonadotropin-regulated testicular RNA helicase, is a testis-specific member of the DEAD-box protein family found in Leydig and germ cells. DDX25 has both ATPase and RNA helicase activity, regulating such translational-associated events as mRNA nuclear export during spermatid development. DDX25 can be phosphorylated on threonine residues, with the phosphorylated form found only in the cytoplasm and not in the nucleus. Essential for spermatogenesis, DDX25 participates in germ cell development and is upregulated by gonadotropin at the transcriptional level. Genetic variations in DDX25 may contribute to male infertility due to spermatogenic impairment.

REFERENCES

1. Sheng, Y., Tsai-Morris, C.H. and Dufau, M.L. 2003. Cell-specific and hormone-regulated expression of Gonadotropin-regulated testicular RNA helicase gene (GRTH/DDX25) resulting from alternative utilization of translation initiation codons in the rat testis. *J. Biol. Chem.* 278: 27796-27803.
2. Tsai-Morris, C.H., Sheng, Y., Lee, E., Lei, K.J. and Dufau, M.L. 2004. Gonadotropin-regulated testicular RNA helicase (GRTH/DDX25) is essential for spermatid development and completion of spermatogenesis. *Proc. Natl. Acad. Sci. USA* 101: 6373-6378.
3. Tsai-Morris, C.H., Lei, S., Jiang, Q., Sheng, Y. and Dufau, M.L. 2004. Genomic organization and transcriptional analysis of gonadotropin-regulated testicular RNA helicase—GRTH/DDX25 gene. *Gene* 331: 83-94.
4. Mee, L., Honkala, H., Kopra, O., Vesa, J., Finnilä, S., Visapää, I., Sang, T.K., Jackson, G.R., Salonen, R., Kestilä, M. and Peltonen, L. 2005. Hydroletharus syndrome is caused by a missense mutation in a novel gene HYL1. *Hum. Mol. Genet.* 14: 1475-1488.
5. Abdelhaleem, M. 2005. RNA helicases: regulators of differentiation. *Clin. Biochem.* 38: 499-503.
6. A, Z., Zhang, S., Yang, Y., Ma, Y., Lin, L. and Zhang, W. 2006. Single nucleotide polymorphisms of the Gonadotrophin-regulated testicular helicase (GRTH) gene may be associated with the human spermatogenesis impairment. *Hum. Reprod.* 21: 755-759.

CHROMOSOMAL LOCATION

Genetic locus: DDX25 (human) mapping to 11q24.2.

PRODUCT

DDX25 (h2): 293T Lysate represents a lysate of human DDX25 transfected 293T cells and is provided as 100 µg protein in 200 µl SDS-PAGE buffer.

APPLICATIONS

DDX25 (h2): 293T Lysate is suitable as a Western Blotting positive control for human reactive DDX25 antibodies. Recommended use: 10-20 µl per lane.

Control 293T Lysate: sc-117752 is available as a Western Blotting negative control lysate derived from non-transfected 293T cells.

STORAGE

Store at -20° C. Repeated freezing and thawing should be minimized. Sample vial should be boiled once prior to use. Non-hazardous. No MSDS required.

RESEARCH USE

For research use only, not for use in diagnostic procedures.

PROTOCOLS

See our web site at www.scbt.com for detailed protocols and support products.