



Thy-1 (h5): 293T Lysate: sc-159201

BACKGROUND

Over 100 cell surface markers have been identified through the use of monoclonal antibodies. Many of these markers have proven useful in identifying specific subpopulations of cells within mixed colonies. Accordingly, these molecules have been assigned a "cluster of differentiation" (CD) designation. One such marker, designated Thy-1 (also referred to as CDw90), is a phosphatidyl-anchored cell surface glycoprotein which when coexpressed with CD34 on cells from normal human bone marrow, identifies a subpopulation that includes putative hematopoietic, pluripotent stem cells. Thy-1⁺ cells from bone marrow have been implicated in syngeneic graft versus host disease and may serve to regulate autoreactivity after bone marrow transplant.

REFERENCES

1. Holter, W., Stockinger, H., Majdic, O. and Knapp, W. 1991. Phenotypical and functional characterization of leukocytes-the CD-system. Wien. Klin. Wochenschr. 103: 247-262.
2. Bryson, J.S., Jennings, C.D., Caywood, B.E. and Kaplan, A.M. 1993. Thy-1⁺ bone marrow cells regulate the induction of murine syngeneic graft-versus-host disease. Transplantation 56: 941-945.
3. Kim, Y.B., Zhang, J., Davis, W.C. and Lunney, J.K. 1994. CD11/CD18 panel report for swine CD workshop. Vet. Immunol. Immunopathol. 43: 289-291.
4. Firer, M.A., Zacharia, B.Z., Kostikov, M. and Irlin, Y. 1995. The Thy-1 molecule: its properties and functions. Isr. J. Med. Sci. 31: 382-386.
5. Holden, J.T., Geller, R.B., Farhi, D.C., Holland, H.K., Stempora, L.L., Phillips, C.N. and Bray, R.A. 1995. Characterization of Thy-1 (CDw90) expression in CD34⁺ acute leukemia. Blood 86: 60-65.
6. Fujita, N., Naito, M., Lee, S.H., Hanaoka, K. and Tsuruo, T. 1995. Apoptosis inhibition by anti-M_{23,000} (Thy-1) monoclonal antibodies without inducing Bcl-2 expression. Cell Growth Differ. 6: 355-362.
7. Campos, L. and Guyotat, D. 1996. Expression of Thy-1 antigen (CDw90) on adult acute leukemia blast cells. Blood 87: 413-414.

CHROMOSOMAL LOCATION

Genetic locus: THY1 (human) mapping to 11q23.3.

PRODUCT

Thy-1 (h5): 293T Lysate represents a lysate of human Thy-1 transfected 293T cells and is provided as 100 µg protein in 200 µl SDS-PAGE buffer.

APPLICATIONS

Thy-1 (h5): 293T Lysate is suitable as a Western Blotting positive control for human reactive Thy-1 antibodies. Recommended use: 10-20 µl per lane.

Control 293T Lysate: sc-117752 is available as a Western Blotting negative control lysate derived from non-transfected 293T cells.

STORAGE

Store at -20° C. Repeated freezing and thawing should be minimized. Sample vial should be boiled once prior to use. Non-hazardous. No MSDS required.

RESEARCH USE

For research use only, not for use in diagnostic procedures.

PROTOCOLS

See our web site at www.scbt.com for detailed protocols and support products.