

SAPK4 (h): 293 Lysate: sc-173414

BACKGROUND

Lipopolysaccharide has been shown to induce tyrosine phosphorylation of a unique protein, designated p38. p38 is a member of the MAP kinase family with features most closely resembling those of the *Saccharomyces cerevisiae* protein Hog1. p38 and Hog1 share a TGY phosphorylation sequence, whereas most other MAP kinase family proteins have a TEY sequence. A related protein, p38 β , has been shown to phosphorylate ATF-2 at a 20-fold higher rate than p38, suggesting distinct substrate preferences. Stress activated protein kinase-4, or SAPK4, also designated p38 δ , is a related protein that is phosphorylated by MKK6 in response to cytokines and cellular stresses.

REFERENCES

- Han, J., Lee, J.D., Tobias, P.S. and Ulevitch, R.J. 1993. Endotoxin induces rapid protein tyrosine phosphorylation in 70Z/3 cells expressing CD14. *J. Biol. Chem.* 268: 25009-25014.
- Brewster, J.L., de Valoir, T., Dwyer, N.D., Winter, E. and Gustin, M.C. 1993. An osmosensing signal transduction pathway in yeast. *Science* 259: 1760-1763.
- Nishida, E. and Gotoh, Y. 1993. The MAP kinase cascade is essential for diverse signal transduction pathways. *Trends Biochem. Sci.* 18: 128-131.
- Han, J., Lee, J.D., Bibbs, L. and Ulevitch, R.J. 1994. A MAP kinase targeted by endotoxin and hyperosmolarity in mammalian cells. *Science* 265: 808-811.
- Jiang, Y., Chen, C., Li, Z., Guo, W., Gegner, J.A., Lin, S. and Han, J. 1996. Characterization of the structure and function of a new mitogen-activated protein kinase (p38 β). *J. Biol. Chem.* 271: 17920-17926.
- Goedert, M., Cuenda, A., Craxton, M., Jakes, R. and Cohen, P. 1997. Activation of the novel stress-activated protein kinase SAPK4 by cytokines and cellular stresses is mediated by SKK3 (MKK6); comparison of its substrate specificity with that of other SAP kinases. *EMBO J.* 16: 3563-3571.
- Kumar, S., McDonnell, P.C., Gum, R.J., Hand, A.T., Lee, J.C. and Young, P.R. 1997. Novel homologues of CSBP/p38 MAP kinase: activation, substrate specificity and sensitivity to inhibition by pyridinyl imidazoles. *Biochem. Biophys. Res. Commun.* 235: 533-538.
- Wang, X.S., Diener, K., Manthey, C.L., Wang, S.W., Rosenweig, B., Bray, J., Delaney, J., Cole, C., Zukowski, M. and Yao, Z. 1997. Molecular cloning and characterization of a novel p38 mitogen activated protein kinase. *J. Biol. Chem.* 272: 23668-23674.

CHROMOSOMAL LOCATION

Genetic locus: MAPK13 (human) mapping to 6p21.31.

PRODUCT

SAPK4 (h): 293 Lysate represents a lysate of human SAPK4 transfected 293 cells and is provided as 100 μ g protein in 200 μ l SDS-PAGE buffer.

STORAGE

Store at -20° C. Repeated freezing and thawing should be minimized. Sample vial should be boiled once prior to use. Non-hazardous. No MSDS required.

APPLICATIONS

SAPK4 (h): 293 Lysate is suitable as a Western Blotting positive control for human reactive SAPK4 antibodies. Recommended use: 10-20 μ l per lane.

Control 293 Lysate: sc-110760 is available as a Western Blotting negative control lysate derived from non-transfected 293 cells.


SAPK4 (E-7): sc-46678 is recommended as a positive control antibody for Western Blot analysis of enhanced human SAPK4 expression in SAPK4 transfected 293 cells (starting dilution 1:100, dilution range 1:100-1:1,000).

RECOMMENDED SUPPORT REAGENTS


To ensure optimal results, the following support reagents are recommended:

1) Western Blotting: use m-IgG κ BP-HRP: sc-516102 or m-IgG κ BP-HRP (Cruz Marker): sc-516102-CM (dilution range: 1:1000-1:10000), Cruz Marker™ Molecular Weight Standards: sc-2035, UltraCruz® Blocking Reagent: sc-516214 and Western Blotting Luminol Reagent: sc-2048.

DATA



SAPK4 (E-7): sc-46678. Western blot analysis of SAPK4 expression in non-transfected: sc-110760 (A) and human SAPK4 transfected: sc-173414 (B) 293 whole cell lysates.



SAPK4 (20): sc-136063. Western blot analysis of SAPK4 expression in non-transfected: sc-110760 (A) and human SAPK4 transfected: sc-173414 (B) 293 whole cell lysates.

RESEARCH USE

For research use only, not for use in diagnostic procedures.

PROTOCOLS

See our web site at www.scbt.com for detailed protocols and support products.