# Mel-CAM (h2): 293T Lysate: sc-177535



The Power to Question

## **BACKGROUND**

The tumorigenic and metastatic phenotype of melanoma cells correlates well with an increased expression of cell-cell and cell-matrix adhesion receptors. The human Mel-CAM gene encodes a transmembrane glycoprotein, also designated MCAM, MUC18 or CD146, that belongs to the immunoglobulin superfamily and functions as a Ca<sup>2+</sup>-independent cell adhesion molecule. The deduced human sequence of 603 amino acids consists of a signal peptide, 5 immunoglobulin-like domains, a transmembrane region and a short cytoplasmic tail. Mel-CAM expression is restricted to advanced primary and metastatic melanomas and to cell lines of the neuroectodermal lineage, but not normal melanocytes. Mel-CAM is found on 80% of advanced primary human melanomas and correlates well with development of metastatic disease. Mel-CAM activation initiates an outside-in signaling pathway that involves the protein tyrosine kinases Fyn, FAK and paxillin. Mel-CAM influences the dynamics of actin cytoskeleton rearrangement and is essential for the maintenance of thymic architecture and function.

## **REFERENCES**

- 1. Lehmann, J.M., et al. 1989. MUC18, a marker of tumor progression in human melanoma, shows sequence similarity to the neural cell adhesion molecules of the immunoglobulin superfamily. Proc. Natl. Acad. Sci. USA 86: 9891-9895.
- 2. Kuzu, I., et al. 1993. Expression of adhesion molecules on the endothelium of normal tissue vessels and vascular tumors. Lab. Invest. 69: 322-328.
- 3. Sers, C., et al. 1993. Genomic organization of the melanoma-associated glycoprotein MUC18: implications for the evolution of the immunoglobulin domains. Proc. Natl. Acad. Sci. USA 90: 8514-8518.
- Shih, I.M. 1999. The role of CD146 (Mel-CAM) in biology and pathology.
  Pathol. 189: 4-11.
- Seftalioglu, A. and Karakoc, L. 2000. Expression of CD146 adhesion molecules (MUC18 or MCAM) in the thymic microenvironment. Acta Histochem. 102: 69-83
- Online Mendelian Inheritance in Man, OMIM™. 2000. Johns Hopkins University, Baltimore, MD. MIM Number: 155735. World Wide Web URL: http://www.ncbi.nlm.nih.gov/omim/
- Satyamoorthy, K., et al. 2001. Mel-CAM-specific genetic suppressor elements inhibit melanoma growth and invasion through loss of gap junctional communication. Oncogene 20: 4676-4684.

## **CHROMOSOMAL LOCATION**

Genetic locus: MCAM (human) mapping to 11q23.3.

# **PRODUCT**

Mel-CAM (h2): 293T Lysate represents a lysate of human Mel-CAM transfected 293T cells and is provided as 100  $\mu g$  protein in 200  $\mu l$  SDS-PAGE buffer.

### **RESEARCH USE**

For research use only, not for use in diagnostic procedures.

## **APPLICATIONS**

Mel-CAM (h2): 293T Lysate is suitable as a Western Blotting positive control for human reactive Mel-CAM antibodies. Recommended use: 10-20  $\mu$ l per lane


Control 293T Lysate: sc-117752 is available as a Western Blotting negative control lysate derived from non-transfected 293T cells.


Mel-CAM (A-9): sc-374556 is recommended as a positive control antibody for Western Blot analysis of enhanced human Mel-CAM expression in Mel-CAM transfected 293T cells (starting dilution 1:100, dilution range 1:100-1:1.000).


## **RECOMMENDED SUPPORT REAGENTS**

To ensure optimal results, the following support reagents are recommended: 1) Western Blotting: use m-lgG $\kappa$  BP-HRP: sc-516102 or m-lgG $\kappa$  BP-HRP (Cruz Marker): sc-516102-CM (dilution range: 1:1000-1:10000), Cruz Marker<sup>TM</sup> Molecular Weight Standards: sc-2035, UltraCruz® Blocking Reagent: sc-516214 and Western Blotting Luminol Reagent: sc-2048.

#### **DATA**







MeI-CAM (B-10): sc-376762. Western blot analysis of MeI-CAM expression in non-transfected: sc-117752 (A) and human MeI-CAM transfected: sc-177535 (B) 293T whole cell lysates.

## **STORAGE**

Store at -20° C. Repeated freezing and thawing should be minimized. Sample vial should be boiled once prior to use. Non-hazardous. No MSDS required.

#### **PROTOCOLS**

See our web site at www.scbt.com for detailed protocols and support products.