

# Ganglioside GT1b trisodium salt (bovine brain)

sc-202629



The Power to Question

## Material Safety Data Sheet

Hazard Alert Code  
Key:

EXTREME

HIGH

MODERATE

LOW

## Section 1 - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION


### PRODUCT NAME

Ganglioside GT1b trisodium salt (bovine brain)

### STATEMENT OF HAZARDOUS NATURE

Not considered a hazardous substance according to OSHA 29 CFR 1910.1200.

### NFPA



### SUPPLIER

Santa Cruz Biotechnology, Inc.  
2145 Delaware Avenue  
Santa Cruz, California 95060  
800.457.3801 or 831.457.3800

### EMERGENCY

ChemWatch  
Within the US & Canada: 877-715-9305  
Outside the US & Canada: +800 2436 2255  
(1-800-CHEMCALL) or call +613 9573 3112

### SYNONYMS

C95H162N5O47 3Na, "ganglioside GT1b, trisialo-"

## Section 2 - HAZARDS IDENTIFICATION

### CHEMWATCH HAZARD RATINGS

|              |   | Min | Max |
|--------------|---|-----|-----|
| Flammability | 1 |     |     |
| Toxicity     | 0 |     |     |
| Body Contact | 0 |     |     |
| Reactivity   | 1 |     |     |
| Chronic      | 0 |     |     |

Min/Nil=0  
Low=1  
Moderate=2  
High=3  
Extreme=4

### CANADIAN WHMIS SYMBOLS

None

### POTENTIAL HEALTH EFFECTS

## ACUTE HEALTH EFFECTS

### SWALLOWED

- The material has NOT been classified by EC Directives or other classification systems as "harmful by ingestion". This is because of the lack of corroborating animal or human evidence.

### EYE

- Although the material is not thought to be an irritant (as classified by EC Directives), direct contact with the eye may cause transient discomfort characterised by tearing or conjunctival redness (as with windburn). Slight abrasive damage may also result.

### SKIN

- The material is not thought to produce adverse health effects or skin irritation following contact (as classified by EC Directives using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable gloves be used in an occupational setting.
- Open cuts, abraded or irritated skin should not be exposed to this material.
- Entry into the blood-stream, through, for example, cuts, abrasions or lesions, may produce systemic injury with harmful effects. Examine the skin prior to the use of the material and ensure that any external damage is suitably protected.

### INHALED

- The material is not thought to produce adverse health effects or irritation of the respiratory tract (as classified by EC Directives using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable control measures be used in an occupational setting.
  - Persons with impaired respiratory function, airway diseases and conditions such as emphysema or chronic bronchitis, may incur further disability if excessive concentrations of particulate are inhaled.
- If prior damage to the circulatory or nervous systems has occurred or if kidney damage has been sustained, proper screenings should be conducted on individuals who may be exposed to further risk if handling and use of the material result in excessive exposures.

## CHRONIC HEALTH EFFECTS

- Long-term exposure to the product is not thought to produce chronic effects adverse to the health (as classified by EC Directives using animal models); nevertheless exposure by all routes should be minimised as a matter of course.
- Long term exposure to high dust concentrations may cause changes in lung function i.e. pneumoconiosis; caused by particles less than 0.5 micron penetrating and remaining in the lung. Prime symptom is breathlessness; lung shadows show on X-ray.

## Section 3 - COMPOSITION / INFORMATION ON INGREDIENTS

| NAME                                           | CAS RN     | %   |
|------------------------------------------------|------------|-----|
| Ganglioside GT1b trisodium salt (bovine brain) | 59247-13-1 | >98 |

## Section 4 - FIRST AID MEASURES

### SWALLOWED

- Immediately give a glass of water.
- First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor.

### EYE

If this product comes in contact with eyes

- Wash out immediately with water.
- If irritation continues, seek medical attention.
- Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.

### SKIN

If skin or hair contact occurs

- Flush skin and hair with running water (and soap if available).
- Seek medical attention in event of irritation.

### INHALED

- If dust is inhaled, remove from contaminated area.
- Encourage patient to blow nose to ensure clear passage of breathing.
- If irritation or discomfort persists seek medical attention.

### NOTES TO PHYSICIAN

- Treat symptomatically.

## Section 5 - FIRE FIGHTING MEASURES

|                            |                |
|----------------------------|----------------|
| Vapor Pressure (mmHG)      | Negligible     |
| Upper Explosive Limit (%)  | Not available. |
| Specific Gravity (water=1) | Not available  |
| Lower Explosive Limit (%)  | Not available  |

#### EXTINGUISHING MEDIA

- Foam.
- Dry chemical powder.
- BCF (where regulations permit).
- Carbon dioxide.

#### FIRE FIGHTING

- Alert Fire Brigade and tell them location and nature of hazard.
- Wear breathing apparatus plus protective gloves.
- Prevent, by any means available, spillage from entering drains or water courses.
- Use water delivered as a fine spray to control fire and cool adjacent area.

#### GENERAL FIRE HAZARDS/HAZARDOUS COMBUSTIBLE PRODUCTS

- Combustible solid which burns but propagates flame with difficulty; it is estimated that most organic dusts are combustible (circa 70%) - according to the circumstances under which the combustion process occurs, such materials may cause fires and / or dust explosions.
- Avoid generating dust, particularly clouds of dust in a confined or unventilated space as dusts may form an explosive mixture with air, and any source of ignition, i.e. flame or spark, will cause fire or explosion. Dust clouds generated by the fine grinding of the solid are a particular hazard; accumulations of fine dust (420 micron or less) may burn rapidly and fiercely if ignited - particles exceeding this limit will generally not form flammable dust clouds.; once initiated, however, larger particles up to 1400 microns diameter will contribute to the propagation of an explosion.
- In the same way as gases and vapors, dusts in the form of a cloud are only ignitable over a range of concentrations; in principle, the concepts of lower explosive limit (LEL) and upper explosive limit (UEL).are applicable to dust clouds but only the LEL is of practical use; - this is because of the inherent difficulty of achieving homogeneous dust clouds at high temperatures (for dusts the LEL is often called the "Minimum Explosible Concentration", MEC)
- A dust explosion may release of large quantities of gaseous products; this in turn creates a subsequent pressure rise of explosive force capable of damaging plant and buildings and injuring people.

Combustion products include carbon monoxide (CO), carbon dioxide (CO<sub>2</sub>), nitrogen oxides (NO<sub>x</sub>), other pyrolysis products typical of burning organic material.

#### FIRE INCOMPATIBILITY

- Avoid contamination with oxidizing agents i.e. nitrates, oxidizing acids, chlorine bleaches, pool chlorine etc. as ignition may result

## Section 6 - ACCIDENTAL RELEASE MEASURES

#### MINOR SPILLS

- Clean up all spills immediately.
- Avoid contact with skin and eyes.
- Wear impervious gloves and safety glasses.
- Use dry clean up procedures and avoid generating dust.

#### MAJOR SPILLS

- Clear area of personnel and move upwind.
- Alert Fire Brigade and tell them location and nature of hazard.
- Control personal contact by using protective equipment and dust respirator.
- Prevent spillage from entering drains, sewers or water courses.

## Section 7 - HANDLING AND STORAGE

#### PROCEDURE FOR HANDLING

- Limit all unnecessary personal contact.
- Wear protective clothing when risk of exposure occurs.
- Use in a well-ventilated area.
- Avoid contact with incompatible materials.

Empty containers may contain residual dust which has the potential to accumulate following settling. Such dusts may explode in the presence of an appropriate ignition source.

- Do NOT cut, drill, grind or weld such containers.
- In addition ensure such activity is not performed near full, partially empty or empty containers without appropriate workplace safety authorization or permit.

#### RECOMMENDED STORAGE METHODS

- Lined metal can, lined metal pail/ can.

- Plastic pail.
- Polyliner drum.
- Packing as recommended by manufacturer.

#### STORAGE REQUIREMENTS

- Store in original containers.
- Keep containers securely sealed.
- Store in a cool, dry, well-ventilated area.
- Store away from incompatible materials and foodstuff containers.

### Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

#### EXPOSURE CONTROLS

| Source                                                          | Material                                                                                                          | TWA<br>ppm | TWA<br>mg/m <sup>3</sup> | STEL<br>ppm | STEL<br>mg/m <sup>3</sup> | Peak<br>ppm | Peak<br>mg/m <sup>3</sup> | TWA<br>F/CC | Notes                                                                                        |
|-----------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------|------------|--------------------------|-------------|---------------------------|-------------|---------------------------|-------------|----------------------------------------------------------------------------------------------|
| US OSHA<br>Permissible<br>Exposure Levels<br>(PELs) - Table Z3  | trisialoganglioside<br>GT1b (Inert or<br>Nuisance Dust (d)<br>Respirable fraction)                                |            | 5                        |             |                           |             |                           |             |                                                                                              |
| US OSHA<br>Permissible<br>Exposure Levels<br>(PELs) - Table Z3  | trisialoganglioside<br>GT1b (Inert or<br>Nuisance Dust (d)<br>Total dust)                                         |            | 15                       |             |                           |             |                           |             |                                                                                              |
| US - Oregon<br>Permissible<br>Exposure Limits<br>(Z-3)          | trisialoganglioside<br>GT1b (Inert or<br>Nuisance Dust (d)<br>Total dust)                                         |            | 10                       |             |                           |             |                           |             | Oregon Permissible<br>Exposure Limits<br>(PELs) are different<br>than the federal<br>limits. |
| US - Hawaii Air<br>Contaminant<br>Limits                        | trisialoganglioside<br>GT1b (Particulates not<br>other wise regulated -<br>Total dust)                            |            | 10                       |             |                           |             |                           |             |                                                                                              |
| US - Hawaii Air<br>Contaminant<br>Limits                        | trisialoganglioside<br>GT1b (Particulates not<br>other wise regulated -<br>Respirable fraction)                   |            | 5                        |             |                           |             |                           |             |                                                                                              |
| US - Oregon<br>Permissible<br>Exposure Limits<br>(Z-3)          | trisialoganglioside<br>GT1b (Inert or<br>Nuisance Dust(d)<br>Respirable fraction)                                 |            | 5                        |             |                           |             |                           |             | Oregon Permissible<br>Exposure Limits<br>(PELs) are different<br>than the federal<br>limits. |
| Canada - Ontario<br>Occupational<br>Exposure Limits             | trisialoganglioside<br>GT1b (Particles<br>(Insoluble or Poorly<br>Soluble) Not<br>Otherwise)                      |            | 10 (I)                   |             |                           |             |                           |             |                                                                                              |
| Canada - British<br>Columbia<br>Occupational<br>Exposure Limits | trisialoganglioside<br>GT1b (Particles<br>(Insoluble or Poorly<br>Soluble) Not<br>Otherwise Classified<br>(PNOC)) |            | 10 (N)                   |             |                           |             |                           |             |                                                                                              |

|                                                                                  |                                                                                                                  |       |                                                                                                                                                                                 |
|----------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------|-------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Canada - Ontario Occupational Exposure Limits                                    | trisialoganglioside GT1b (Specified (PNOS) / Particules (insolubles ou peu solubles) non précisées par ailleurs) | 3 (R) |                                                                                                                                                                                 |
| US - Tennessee Occupational Exposure Limits - Limits For Air Contaminants        | trisialoganglioside GT1b (Particulates not otherwise regulated Respirable fraction)                              | 5     |                                                                                                                                                                                 |
| US - California Permissible Exposure Limits for Chemical Contaminants            | trisialoganglioside GT1b (Particulates not otherwise regulated Respirable fraction)                              | 5     | (n)                                                                                                                                                                             |
| US - Oregon Permissible Exposure Limits (Z-1)                                    | trisialoganglioside GT1b (Particulates not otherwise regulated (PNOR) (f) Total Dust)                            | 10    | Bold print identifies substances for which the Oregon Permissible Exposure Limits (PELs) are different than the federal Limits. PNOR means "particles not otherwise regulated." |
| US - Michigan Exposure Limits for Air Contaminants                               | trisialoganglioside GT1b (Particulates not otherwise regulated, Respirable dust)                                 | 5     |                                                                                                                                                                                 |
| US - Oregon Permissible Exposure Limits (Z-1)                                    | trisialoganglioside GT1b (Particulates not otherwise regulated (PNOR) (f) Respirable Fraction)                   | 5     | Bold print identifies substances for which the Oregon Permissible Exposure Limits (PELs) are different than the federal Limits. PNOR means "particles not otherwise regulated." |
| US - Wyoming Toxic and Hazardous Substances Table Z1 Limits for Air Contaminants | trisialoganglioside GT1b (Particulates not otherwise regulated (PNOR)(f)- Respirable fraction)                   | 5     |                                                                                                                                                                                 |

## PERSONAL PROTECTION



## RESPIRATOR

- Particulate. (AS/NZS 1716 & 1715, EN 1432000 & 1492001, ANSI Z88 or national equivalent)

## EYE

- Safety glasses with side shields
- Chemical goggles.
- Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy document, describing the wearing of lens or restrictions on use, should be created for each workplace or task. This should include a review of lens absorption and adsorption for the class of chemicals in use and an account of injury experience. Medical and first-aid personnel should be trained in their removal and suitable equipment should be readily available. In the event of chemical exposure, begin eye irrigation immediately and remove contact lens as soon as practicable. Lens should be removed at the first signs of eye redness or irritation - lens should be removed in a clean environment only after workers have washed hands thoroughly. [CDC NIOSH Current Intelligence Bulletin 59], [AS/NZS 1336 or national equivalent]

## HANDS/FEET

Suitability and durability of glove type is dependent on usage. Important factors in the selection of gloves include

- frequency and duration of contact,
- chemical resistance of glove material,
- glove thickness and
- dexterity

Experience indicates that the following polymers are suitable as glove materials for protection against undissolved, dry solids, where abrasive particles are not present.

- polychloroprene
- nitrile rubber
- butyl rubber
- fluorocautchouc

## OTHER

No special equipment needed when handling small quantities.

### OTHERWISE

- Overalls.
- Barrier cream.
- Eyewash unit.

## ENGINEERING CONTROLS

■ Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection.

The basic types of engineering controls are

Process controls which involve changing the way a job activity or process is done to reduce the risk.

Enclosure and/or isolation of emission source which keeps a selected hazard "physically" away from the worker and ventilation that strategically "adds" and "removes" air in the work environment.

## Section 9 - PHYSICAL AND CHEMICAL PROPERTIES

### PHYSICAL PROPERTIES

Solid.

Does not mix with water.

|                           |                |                            |                   |
|---------------------------|----------------|----------------------------|-------------------|
| State                     | Divided solid  | Molecular Weight           | 2126.3 (non-salt) |
| Melting Range (°F)        | Not available  | Viscosity                  | Not Applicable    |
| Boiling Range (°F)        | Not available  | Solubility in water (g/L)  | Partly miscible   |
| Flash Point (°F)          | Not available  | pH (1% solution)           | Not available     |
| Decomposition Temp (°F)   | Not available. | pH (as supplied)           | Not applicable    |
| Autoignition Temp (°F)    | Not available  | Vapor Pressure (mmHG)      | Negligible        |
| Upper Explosive Limit (%) | Not available. | Specific Gravity (water=1) | Not available     |

|                           |               |                                |                |
|---------------------------|---------------|--------------------------------|----------------|
| Lower Explosive Limit (%) | Not available | Relative Vapor Density (air=1) | Not Applicable |
| Volatile Component (%vol) | Negligible    | Evaporation Rate               | Not applicable |

## APPEARANCE

Solid; does not mix well with water. Soluble in chloroform/ methanol 11.

## Section 10 - CHEMICAL STABILITY

### CONDITIONS CONTRIBUTING TO INSTABILITY

Product is considered stable and hazardous polymerization will not occur.

### STORAGE INCOMPATIBILITY

- Avoid contamination of water, foodstuffs, feed or seed.
- Avoid reaction with oxidizing agents

For incompatible materials - refer to Section 7 - Handling and Storage.

## Section 11 - TOXICOLOGICAL INFORMATION

trisialoganglioside GT1b

### TOXICITY AND IRRITATION

- No significant acute toxicological data identified in literature search.

## Section 12 - ECOLOGICAL INFORMATION

No data

### Ecotoxicity

| Ingredient               | Persistence:<br>Water/Soil | Persistence: Air  | Bioaccumulation | Mobility |
|--------------------------|----------------------------|-------------------|-----------------|----------|
| trisialoganglioside GT1b | No Data Available          | No Data Available |                 |          |

## Section 13 - DISPOSAL CONSIDERATIONS

### Disposal Instructions

All waste must be handled in accordance with local, state and federal regulations.

Legislation addressing waste disposal requirements may differ by country, state and/ or territory. Each user must refer to laws operating in their area. In some areas, certain wastes must be tracked.

A Hierarchy of Controls seems to be common - the user should investigate:

- Reduction
- Reuse
- Recycling
- Disposal (if all else fails)

This material may be recycled if unused, or if it has not been contaminated so as to make it unsuitable for its intended use. Shelf life considerations should also be applied in making decisions of this type. Note that properties of a material may change in use, and recycling or reuse may not always be appropriate. In most instances the supplier of the material should be consulted.

- DO NOT allow wash water from cleaning or process equipment to enter drains.
- It may be necessary to collect all wash water for treatment before disposal.
- In all cases disposal to sewer may be subject to local laws and regulations and these should be considered first.
- Where in doubt contact the responsible authority.
- Recycle wherever possible.
- Consult manufacturer for recycling options or consult local or regional waste management authority for disposal if no suitable treatment or disposal facility can be identified.
- Dispose of by: burial in a land-fill specifically licenced to accept chemical and / or pharmaceutical wastes or Incineration in a licenced apparatus (after admixture with suitable combustible material)
- Decontaminate empty containers. Observe all label safeguards until containers are cleaned and destroyed.

## Section 14 - TRANSPORTATION INFORMATION

## Section 15 - REGULATORY INFORMATION

**trisialoganglioside GT1b (CAS: 59247-13-1) is found on the following regulatory lists;**

"Canada - Quebec Permissible Exposure Values for Airborne Contaminants (English)", "US - Hawaii Air Contaminant Limits", "US - Oregon Permissible Exposure Limits (Z-3)", "US OSHA Permissible Exposure Levels (PELs) - Table Z3"

## Section 16 - OTHER INFORMATION

■ Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

A list of reference resources used to assist the committee may be found at:

[www.chemwatch.net/references](http://www.chemwatch.net/references).

■ The (M)SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings.

■ For detailed advice on Personal Protective Equipment, refer to the following U.S. Regulations and Standards:

OSHA Standards - 29 CFR:

1910.132 - Personal Protective Equipment - General requirements

1910.133 - Eye and face protection

1910.134 - Respiratory Protection

1910.136 - Occupational foot protection

1910.138 - Hand Protection

Eye and face protection - ANSI Z87.1

Foot protection - ANSI Z41

Respirators must be NIOSH approved.

*This document is copyright. Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from CHEMWATCH. TEL (+61 3) 9572 4700.*

[www.Chemwatch.net](http://www.Chemwatch.net)

Issue Date: Feb-23-2010

Print Date: Feb-7-2012