# **Aniline: sc-202952**



## MATERIAL SAFETY DATA SHEET

The Power to Question

#### 1. PRODUCT AND COMPANY IDENTIFICATION

**Product Name:** Aniline **Product Number:** sc-202952

Supplier: Santa Cruz Biotechnology, Inc.

2145 Delaware Avenue Santa Cruz, CA 95060

800.457.3801 or 831.457.3800

Emergency: ChemWatch

Within the US & Canada: 877-715-9305

Outside the US & Canada: +800 2436 2255 (1-800-CHEMCALL) or call +613 9573 3112

#### 2. HAZARDS IDENTIFICATION

## **Emergency Overview**

## **OSHA Hazards**

Combustible liquid, target organ effect, toxic by inhalation, toxic by ingestion, toxic by skin absorption, skin sensitizer, irritant, carcinogen, mutagen

## **Target Organs**

Blood, bladder, kidney, central nervous system

## Other hazards which do not result in classification

Rapidly absorbed through skin.

## **GHS Classification**

Flammable liquids (Category 4)

Acute toxicity, Oral (Category 3)

Acute toxicity, Inhalation (Category 2)

Acute toxicity, Dermal (Category 3)

Skin irritation (Category 2)

Serious eye damage (Category 1)

Skin sensitization (Category 1)

Germ cell mutagenicity (Category 2)

Carcinogenicity (Category 2)

Acute aquatic toxicity (Category 1)

## GHS Label elements, including precautionary statements

Pictogram



Signal word Danger

Hazard statement(s)

H227 Combustible liquid.

H301 + H311 Toxic if swallowed or in contact with skin.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H330 Fatal if inhaled.

H341 Suspected of causing genetic defects.

H351 Suspected of causing cancer. H400 Very toxic to aquatic life. Precautionary statement(s)

P260 Do not breathe dust/ fume/ gas/ mist/ vapors/ spray.

P273 Avoid release to the environment.

P280 Wear protective gloves/ eye protection/ face protection.

P284 Wear respiratory protection.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER or doctor/ physician.

**HMIS Classification** 

Health hazard: 3
Chronic Health Hazard: \*
Flammability: 2
Physical hazards: 0

**NFPA Rating** 

Health hazard: 3 Fire: 2 Reactivity Hazard: 0

**Potential Health Effects** 

Inhalation Toxic if inhaled. Causes respiratory tract irritation.Skin Toxic if absorbed through skin. Causes skin irritation.

**Eyes** Causes eye irritation. **Ingestion** Toxic if swallowed.

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Formula: C6H7N Molecular Weight: 93.13

CAS-No.	EC-No.	Index-No.	<u>Concentration</u>
Aniline			
62-53-3	200-539-3	612-008-00-7	-

## 4. FIRST AID MEASURES

## General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

#### In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

#### If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

## 5. FIREFIGHTING MEASURES

## **Conditions of flammability**

Flammable in the presence of a source of ignition when the temperature is above the flash point. Keep away from heat/sparks/open flame/hot surface. No smoking.

#### Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

## Special protective equipment for firefighters

Wear self contained breathing apparatus for fire fighting if necessary.

## **Hazardous combustion products**

Hazardous decomposition products formed under fire conditions – carbon oxides, nitrogen oxides (NOx).

## **Further information**

Use water spray to cool unopened containers.

## **6. ACCIDENTAL RELEASE MEASURES**

#### **Personal precautions**

Wear respiratory protection. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.

#### **Environmental precautions**

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

#### Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13). Keep in suitable, closed containers for disposal.

#### 7. HANDLING AND STORAGE

## Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapor or mist. Keep away from sources of ignition – no smoking. Take measures to prevent the build up of electrostatic charge.

## Conditions for safe storage

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Handle under inert gas. Protect from moisture. Light sensitive. Store at room temperature.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value	Control parameters	Basis			
Aniline	62-53-3	TWA	2 ppm	USA. ACGIH Threshold Limit Values (TLV)			
Remarks	Methemoglobinemia Substances for which there is a Biological Exposure Index or Indices (see BEI® section) Confirmed animal carcinogen with unknown relevance to humans Danger of cutaneous absorption						
		TWA	5 ppm 19 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants			
	Skin contact	Skin contact does contribute to exposure.					
		TWA	2 ppm 8 mg/m3	USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000			
	Skin contact does contribute to exposure.						
		TWA	5 ppm 19 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants			
	Skin designation The value in mg/m3 is approximate.						
		TWA	2 ppm 8 mg/m3	USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000			
	Skin notation						
	Potential Oc	Potential Occupational Carcinogen See Appendix A					

## Personal protective equipment

## Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

#### Hand protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

#### Eye protection

Tightly fitting safety goggles. Face shield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

## Skin and body protection

Complete suit protecting against chemicals. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

#### Hygiene measures

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

Form	liquid	Freezing point	-6 °C (21 °F) – lit.
Boiling point	184 °C (363 °F) – lit.	Ignition temperature	540 °C (1,004 °F)
Autoignition temperature	no data available	Lower explosion limit	1.3 %(V)
Upper explosion limit	23 %(V)	Water solubility	soluble
Relative vapor density	3.22 - (Air = 1.0)	Odor	no data available
Odor threshold	no data available	Evaporation rate	no data available
pH	8.8 at 36 g/l at	Flash point	70 °C (158 °F)
	20 °C (68 °F)		<ul> <li>closed cup</li> </ul>
Density	1.022 g/cm3 at	Partition coefficient:	log Pow: 0.91
	25 °C (77 °F)	n-octanol/water	

Vapor pressure: 0.49 hPa (0.37 mmHg) at 20 °C (68 °F) 0.8 hPa (0.6 mmHg) at 20 °C (68 °F)

#### 10. STABILITY AND REACTIVITY

#### **Chemical stability**

Stable under recommended storage conditions.

#### Possibility of hazardous reactions

no data available

#### Conditions to avoid

Avoid moisture. Heat, flames and sparks.

#### Materials to avoid

Oxidizing agents, iron and iron salts, zinc

## Hazardous decomposition products

Hazardous decomposition products formed under fire conditions - carbon oxides, nitrogen oxides (NOx).

## Other decomposition products

no data available

## Thermal decomposition

190 °C

## 11. TOXICOLOGICAL INFORMATION

## **Acute toxicity**

Oral LD50 LD50 Oral - rat - 250 mg/kg

Inhalation LC50 LC50 Inhalation - mouse - 4 h - 248 ppm

Dermal LD50 LD50 Dermal - rabbit - 820 mg/kg

Other information on acute toxicity no data available

#### Skin corrosion/irritation

Skin - rabbit - Skin irritation - 24 h

## Serious eye damage/eye irritation

Eyes – rabbit – Severe eye irritation

## Respiratory or skin sensitization

May cause allergic skin reaction.

#### Germ cell mutagenicity

Laboratory experiments have shown mutagenic effects. In vitro tests showed mutagenic effects.

## Carcinogenicity

This product is or contains a component that has been reported to be possibly carcinogenic based on its IARC, ACGIH, NTP, or EPA classification. Limited evidence of carcinogenicity in animal studies.

IARC: 3 – Group 3: Not classifiable as to its carcinogenicity to humans (Aniline)

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a

known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by OSHA.

#### Reproductive toxicity

no data available

## **Teratogenicity**

no data available

## Specific target organ toxicity - single exposure (Globally Harmonized System)

no data available

#### Specific target organ toxicity - repeated exposure (Globally Harmonized System)

no data available

#### **Aspiration hazard**

no data available

#### Potential health effects

Inhalation Toxic if inhaled. Causes respiratory tract irritation.

**Ingestion** Toxic if swallowed.

**Skin** Toxic if absorbed through skin. Causes skin irritation.

**Eyes** Causes eye irritation.

#### Signs and Symptoms of Exposure

Absorption into the body leads to the formation of methemoglobin which in sufficient concentration causes cyanosis. Onset may be delayed 2 to 4 hours or longer. Cyanosis, headache, vomiting, nausea, incoordination, fatique, dizziness, drowsiness, confusion, weakness, unconsciousness, symptoms may be delayed.

#### Synergistic effects

no data available

## **Additional Information**

RTECS: BW6650000

#### 12. ECOLOGICAL INFORMATION

#### **Toxicity**

Toxicity to fish LC50 – Oncorhynchus mykiss (rainbow trout) – 10.96 mg/l – 96.0 h. Toxicity to daphnia and other aquatic invertebrates. EC50 – Daphnia magna (Water flea) – 80 – 380 mg/l – 48 h. Toxicity to algae EC50 – SELENASTRUM – 19 mg/l – 72 h

#### Persistence and degradability

Biodegradability

#### **Bioaccumulative potential**

no data available

#### Mobility in soil

no data available

## PBT and vPvB assessment

no data available

## Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Very toxic to aquatic life.

## 13. DISPOSAL CONSIDERATIONS

#### **Product**

This combustible material may be burned in a chemical incinerator equipped with an afterburner and scrubber. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

#### Contaminated packaging

Dispose of as unused product.

### 14. TRANSPORT INFORMATION

DOT (US)

UN number: 1547 Class: 6.1 Packing group: II

Proper shipping name: Aniline Reportable Quantity (RQ): 5000 lbs

Marine pollutant: No

Poison Inhalation Hazard: No

**IMDG** 

UN number: 1547 Class: 6.1 Packing group: II EMS-No: F-A, S-A

Proper shipping name: ANILINE

Marine pollutant: No

**IATA** 

UN number: 1547 Class: 6.1 Packing group: II

Proper shipping name: Aniline

#### 15. REGULATORY INFORMATION

#### **OSHA Hazards**

Combustible liquid, target organ effect, toxic by inhalation, toxic by ingestion, toxic by skin absorption, skin sensitizer, irritant, carcinogen, mutagen.

### **SARA 302 Components**

The following components are subject to reporting levels established by SARA Title III, Section 302:

Aniline CAS-No.: 62–53–3

#### **SARA 313 Components**

The following components are subject to reporting levels established by SARA Title III, Section 313:

Aniline CAS-No.: 62–53–3

#### SARA 311/312 Hazards

Fire Hazard, Acute Health Hazard, Chronic Health Hazard

**Massachusetts Right To Know Components** 

Aniline CAS-No.: 62–53–3

Pennsylvania Right To Know Components

Aniline CAS-No.: 62–53–3

**New Jersey Right To Know Components** 

Aniline CAS-No.: 62–53–3

California Prop. 65 Components

WARNING! This product contains a chemical known to the State of California to cause cancer.

Aniline CAS-No.: 62–53–3

### 16. OTHER INFORMATION

The above information is believed to be correct but does not purport to be complete and should be used only as a guide. The burden of safe use of this material rests entirely with the user.

8/9/2012