

MATERIAL SAFETY DATA SHEET

Product and company identification 1.

Product name : NKH 477 Catalog number : sc-204130

Santa Cruz Biotechnology, Inc. **Supplier**

2145 Delaware Avenue Santa Cruz, California 95060 800.457.3801 or 831.457.3800 **Emergency**

ChemWatch Within the US & Canada: 877-715-9305 Outside the US & Canada: +800 2436 2255 (1-800-CHEMCALL) or call +613 9573 3112

2. **Hazards identification**

Emergency overview : DANGER!

> MAY BE FATAL IF INHALED, ABSORBED THROUGH SKIN OR SWALLOWED. MAY CAUSE DAMAGE TO THE FOLLOWING ORGANS: REPRODUCTIVE SYSTEM, DIGESTIVE SYSTEM, CARDIOVASCULAR SYSTEM, RESPIRATORY TRACT,

ENDOCRINE SYSTEM, SKIN, EYES, CENTRAL NERVOUS SYSTEM.

Do not ingest. Do not get in eyes or on skin or clothing. Use only with adequate ventilation. Keep container tightly closed and sealed until ready for use. Wash thoroughly after handling.

Physical state Solid.

OSHA/HCS status This material is considered hazardous by the OSHA Hazard Communication Standard

(29 CFR 1910.1200).

: Dermal contact. Eye contact. Inhalation. Ingestion. **Routes of entry**

Inhalation Very toxic by inhalation. Exposure to decomposition products may cause a health

hazard. Serious effects may be delayed following exposure.

 Very toxic if swallowed. Ingestion Skin : Very toxic in contact with skin.

: No known significant effects or critical hazards. **Eyes**

Potential chronic health effects

Carcinogenicity : No known significant effects or critical hazards. : No known significant effects or critical hazards. Mutagenicity : No known significant effects or critical hazards. **Teratogenicity** : No known significant effects or critical hazards. **Developmental effects** : No known significant effects or critical hazards. **Fertility effects**

: May cause damage to the following organs: the reproductive system, digestive system, **Target organs**

cardiovascular system, upper respiratory tract, endocrine, skin, eyes, central nervous

system (CNS).

Medical conditions aggravated by overexposure

Pre-existing disorders involving any target organs mentioned in this MSDS as being at

risk may be aggravated by over-exposure to this product.

See toxicological information (section 11)

3 Composition/information on ingredients

Code **Name CAS** number % by weight

344281 beta-alanine, n,n-dimethyl-, 5-(acetyloxy)-3-ethenyldodecahydro-10,10bdihydroxy-3,4a,7,7,10a-pentamethyl-1-oxo-1h-naphtho(2,1-b)pyran-6-yl ester, hydrochloride, (3r-(3-alpha, 4a-beta, 5-beta, 6-beta, 6a-alpha, 10-

alpha, 10a-beta, 10b-alpha))-

138605-00-2

100

4. First aid measures

Eye contact

: Call medical doctor or poison control center immediately. Check for and remove any contact lenses. Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical attention immediately.

Skin contact

Call medical doctor or poison control center immediately. In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. Clean shoes thoroughly before reuse. Get medical attention immediately.

Inhalation

: Call medical doctor or poison control center immediately. Move exposed person to fresh air. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention immediately.

Ingestion

: Call medical doctor or poison control center immediately. Wash out mouth with water. Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical attention immediately.

5. Fire-fighting measures

Flammability of the product

: No specific fire or explosion hazard.

Extinguishing media

Use an extinguishing agent suitable for the surrounding fire.

Not suitable

None known.

Special exposure hazards

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Hazardous thermal decomposition products

: Decomposition products may include the following materials: carbon dioxide

carbon dioxide carbon monoxide nitrogen oxides

halogenated compounds

Special protective equipment for fire-fighters

: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

6. Accidental release measures

Personal precautions

: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment (see section 8).

Environmental precautions

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods for cleaning up

Spill

: Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see section 1 for emergency contact information and section 13 for waste disposal.

7. Handling and storage

Handling

: Do not get in eyes or on skin or clothing. Do not ingest. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

Storage

: Store in accordance with local regulations. Store in original container, protected from direct sunlight. Keep container tightly closed and sealed until ready for use.

8. Exposure controls/personal protection

Consult local authorities for acceptable exposure limits.

Engineering measures

: Use only with adequate ventilation. Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

Hygiene measures

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Personal protection

Respiratory

: Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Hands

: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

Eyes

 Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists or dusts.

Skin

Odor

: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Environmental exposure controls

: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

9. Physical and chemical properties

Not available.

Component name : 344281
Physical state : Solid.
Color : White.

Molecular weight : 546.1 g/mole : C₂₇H₄₃NO₈· HCI Molecular formula Not available. pH **Boiling/condensation point** Not available. Melting/freezing point : Not available. **Relative density** : Not available. : Not available. Vapor pressure Vapor density : Not available. Odor threshold Not available. **Evaporation rate** : Not available.

10. Stability and reactivity

Chemical stability

: The product is stable.

Possibility of hazardous reactions

: Under normal conditions of storage and use, hazardous reactions will not occur.

Hazardous polymerization Conditions to avoid

Under normal conditions of storage and use, hazardous polymerization will not occur.
No specific data.

Hazardous decomposition products

: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

11. Toxicological information

Acute toxicity

Product/ingredient name

beta-alanine, n,n-dimethyl-, 5-(acetyloxy)-3-ethenyldodecahydro-10,10b-dihydroxy-3,4a,7,7,10a-pentamethyl-1-oxo-1h-naphtho(2,1-b)pyran-6-yl ester, hydrochloride,(3r-(3-alpha,4a-beta,5-beta,6-beta,6a-alpha,10-alpha,10a-beta,10b-alpha))-

Test Route Species Result
LD50 Intravenous Rat 6100 ug/kg

LD50 Oral Rat 12900 ug/kg

Carcinogenicity

No known significant effects or critical hazards.

Mutagenicity

No known significant effects or critical hazards.

Teratogenicity

No known significant effects or critical hazards.

12. Ecological information

Environmental effects: No known significant effects or critical hazards.

13. Disposal considerations

The information presented only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. Disposal should be in accordance with applicable regional, national and local laws and regulations.

14. Transport information

Regulatory information	UN number	Proper shipping name	Classes	PG*	Label	Additional information
DOT Classification	UN2811	Toxic solid, organic, n.o.s. (Forskolin, NKH477)	6.1	II	POSON 6	-
IATA-DGR Class	UN2811	Toxic solid, organic, n.o.s. (Forskolin, NKH477)	6.1	II		

PG* : Packing group

15. Regulatory information

United States

HCS Classification

: Highly toxic material Target organ effects

U.S. Federal regulations

: TSCA 8(b) inventory: This product is being sent to you as a Research and Development product as defined by the Toxic Substances Act (TSCA) of 1976. Due to TSCA's R&D exemption, this product is not listed on the U.S. EPA's Toxic Substances Control Act (TSCA's) inventory. As a TSCA exempt R&D substance, this product must be used by or directly under the supervision of a technically qualified individual(s) as defined by TSCA. This product may not be used for commercial purposes or in formulations used for commercial purposes.

SARA 302/304/311/312 extremely hazardous substances: No products were found. SARA 302/304 emergency planning and notification: No products were found. SARA 302/304/311/312 hazardous chemicals: No products were found. SARA 311/312 MSDS distribution - chemical inventory - hazard identification: No products were found.

Clean Water Act (CWA) 307: No products were found. Clean Water Act (CWA) 311: No products were found.

Clean Air Act (CAA) 112 accidental release prevention: No products were found.

Clean Air Act (CAA) 112 regulated flammable substances: No products were found.

Clean Air Act (CAA) 112 regulated toxic substances: No products were found.

DEA List I Chemicals (Precursor Chemicals)

: Not listed

DEA List II Chemicals (Essential Chemicals)

: Not listed

Canada

WHMIS (Canada)

: Class D-1A: Material causing immediate and serious toxic effects (Very toxic).

Canadian lists : CEPA Toxic substances: This material is not listed.

Canadian ARET: This material is not listed. Canadian NPRI: This material is not listed.

Alberta Designated Substances: This material is not listed. Ontario Designated Substances: This material is not listed. Quebec Designated Substances: This material is not listed.

CEPA DSL / CEPA NDSL : Not determined.

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

EU regulations

Hazard symbol or symbols



Risk phrases
Safety phrases

: R26/27/28- Very toxic by inhalation, in contact with skin and if swallowed.

S22- Do not breathe dust.

S24/25- Avoid contact with skin and eyes.

S36/37/39- Wear suitable protective clothing, gloves and eye/face protection.

S45- In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

International regulations

International lists

Australia inventory (AICS): Not determined.
 China inventory (IECSC): Not determined.
 Japan inventory (ENCS): Not determined.
 Japan inventory (ISHL): Not determined.
 Korea inventory (KECI): Not determined.

New Zealand Inventory of Chemicals (NZIoC): Not determined.

Philippines inventory (PICCS): Not determined.

16. Other information



Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks Although HMIS® ratings are not required on MSDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868.

National Fire Protection Association (U.S.A.)



Notice to reader

The above information is believed to be correct but does not purport to be complete and should be used only as a guide. The burden of safe use of this material rests entirely with the user.