5(S),14(R)-Lipoxin B4: sc-205151



The Power to Question

MATERIAL SAFETY DATA SHEET

1. Product and Company Identification

Product Name: 5(S),14(R)-Lipoxin B4

Catalog Number: sc-205151

Supplier: Santa Cruz Biotechnology, Inc.

2145 Delaware Avenue Santa Cruz, California 95060 800.457.3801 or 831.457.3800 **Emergency:** ChemWatch

Within the US & Canada: 877-715-9305 Outside the US & Canada: +800 2436 2255

(1-800-CHEMCALL) or call +613 9573 3112

Synonyms: 5S,14R,15S-trihydroxy-6E,8Z,10E,12E-eicosatetraenoic acid; 5(S),14(R)-LXB4;

2. Hazards Identification

Emergency Overview: Highly Flammable.

Avoid contact and inhalation.

Target Organ(s): blood, central nervous system, eyes, liver, reproductive system, respiratory

system, skin.

The hazards identified with this product are those associated with the solvent(s).

Route(s) of Entry: Inhalation? Yes Skin? Yes Eyes? Yes Ingestion? Yes Other: Injection

Potential Health Effects (Acute and Chronic): Material may be irritating to the mucous membranes and upper respiratory tract.

May be harmful by inhalation, ingestion, or skin absorption.

May cause eye, skin, or respiratory system irritation.

LD 50 / LC 50: Please refer to Section 11.

Signs and Symptoms Of Exposure: Irritating to eyes, skin, nose; may cause headache, drowsiness, lassitude (weakness, exhaustion),

narcosis; cough; liver damage; anemia; reproductive, teratogenic effects.

To the best of our knowledge, the toxicological properties have not been thoroughly investigated.

Medical Conditions Generally Aggravated By No data available.

Exposure:

3. Composition/Information on Ingredients						
Hazardous Components (Chemical Name)	CAS#	Concentration	EC#	Risk Phrases	RTECS#	
1. Lipoxin B4	98049-69-5	0.01 %	NA	No data available.	NA	
2. Ethyl alcohol	64-17-5	99.99 %	200-578-6	R11	KQ6300000	

4. First Aid Measures

Emergency and First Aid Procedures:

If inhaled, remove to fresh air. If not breathing, give artificial respiration or give oxygen by trained personnel. Get immediate medical attention.

If swallowed, wash out mouth with water provided person is conscious. Never give anything by mouth to an unconscious person. Get medical attention. Do NOT induce vomiting unless directed to do so by medical personnel.

In case of contact with eyes, hold eyelids apart and flush eyes with plenty of water for at least 20 minutes. Have eyes examined and tested by medical personnel.

In case of skin contact, immediately wash skin with soap and plenty of water for at least 20 minutes. Remove contaminated clothing. Get medical attention if symptoms occur. Wash clothing

before reuse.

5. Fire Fighting Measures

Flash Pt: 14.00 C Method Used: Closed Cup

Explosive Limits: LEL: 3.3% at 25.0 C UEL: 19% at 25.0 C

Autoignition Pt: 363.00 C

Fire Fighting Instructions: As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or

equivalent), and full protective gear to prevent contact with skin and eyes.

Note: Flammable as diluted in ethanol.

Flammable Properties and Hazards: Can release vapors that form explosive mixtures at temperatures at or above the flashpoint.

Container explosion may occur under fire conditions.

Emits toxic fumes under fire conditions.

Sensitive to static discharge.

Vapors can travel to a source of ignition and flash back.

Hazardous Combustion Products: No data available.

Suitable Extinguishing Media: Use alcohol-resistant foam, carbon dioxide, water, or dry chemical spray.

Use water spray to cool fire-exposed containers.

Unsuitable Extinguishing Media: A solid water stream may be inefficient.

Accidental Release Measures

Steps To Be Taken In Case Material Is

Released Or Spilled:

Avoid release into the environment.

Avoid breathing vapors and provide adequate ventilation.

Remove all sources of ignition.

As conditions warrant, wear a NIOSH approved self-contained breathing apparatus, or respirator, and appropriate personal protection (rubber boots, safety goggles, and heavy rubber gloves). Absorb spill with inert material (e.g. dry sand or earth), then place in a chemical waste container.

7. Handling and Storage

Avoid contact with skin and eyes. Do not reuse this container. Use with adequate ventilation. **Hazard Label Information:**

Wash thoroughly after handling

Precautions To Be Taken in Handling: Avoid breathing (dust, vapor, mist, gas).

> Avoid prolonged or repeated exposure. Keep away from sources of ignition. Prevent the build up of electrostatic charge.

Precautions To Be Taken in Storing: Keep away from heat, sparks, and flame.

Keep tightly closed.

Store at correct temperature.

Other Precautions: Hygroscopic.

> Light sensitive. Oxygen sensitive.

8. Exposure Controls/Personal Protection						
Hazardous Components (Chemical Name) CAS # OSHA PEL ACGIH TLV						
1. Lipoxin B4	98049-69-5	No data.	No data.	No data.		
2. Ethyl alcohol	64-17-5	1000 ppm	1000 ppm	No data.		

Protective Equipment Summary - Hazard

Label Information:

Compatible chemical-resistant gloves Eye wash station in work area Lab coat

Safety shower in work area Vent Hood

Respiratory Equipment (Specify Type): NIOSH approved respirator, as conditions warrant.

Eve Protection: Safety glasses

Protective Gloves: Compatible chemical-resistant gloves Other Protective Clothing: Lab coat

Engineering Controls (Ventilation etc.): Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne

levels below recommended exposure limits.

Work/Hygienic/Maintenance Practices: Do not take internally.

Facilities storing or utilizing this material should be equipped with an eyewash facility and a

safety shower.

Wash thoroughly after handling.

9. Physical and Chemical Properties

Physical States: [] Gas [X] Liquid [] Solid

Melting Point:No data.Boiling Point:No data.Autoignition Pt:363.00 C

Flash Pt: 14.00 C Method Used: Closed Cup

Explosive Limits: LEL: 3.3% at 25.0 C UEL: 19% at 25.0 C

Specific Gravity (Water = 1): No data.

Vapor Pressure (vs. Air or mm Hg): 43 MM HG at 20.0 C

Vapor Density (vs. Air = 1):

Evaporation Rate (vs Butyl Acetate=1):

No data.

Solubility in Water:

No data.

Percent Volatile:

No data.

C20H32O5

Molecular Weight:

352.50

Appearance and Odor: No data available.

10. Stability and Reactivity

Stability: Unstable [] Stable [X]

Conditions To Avoid - Instability: heat, flames and sparks

Incompatibility - Materials To Avoid: alkali metals

ammonia peroxides

strong oxidizing agents

Hazardous Decomposition Or Byproducts: carbon dioxide

carbon monoxide

Conditions To Avoid - Hazardous Reactions: No data available.

11. Toxicological Information

The toxicological effects of this product have not been thoroughly studied.

Ethanol - Toxicity Data: Oral LD50 (rat): 7,060 mg/kg; Inhalation LC50 (rat): 20,000 ppm (10h);

Irritation Data: Eyes (rabbit): 500 mg (24h) mild; Skin (rabbit) 20mg (24h) moderate;

Chronic Toxicological Effects:Only select Registry of Toxic Effects of Chemical Substances (RTECS) data is presented here.

See actual entry in RTECS for complete information.

Ethanol RTECS Number: KQ6300000

Hazardous Components (Chemical Name)	CAS#	NTP	IARC	ACGIH	OSHA
1. Lipoxin B4	98049-69-5	n.a.	n.a.	n.a.	n.a.

Hazardous Components (Chemical Name)	CAS#	NTP	IARC	ACGIH	OSHA
2. Ethyl alcohol	64-17-5	n.a.	n.a.	A4	n.a.

12. Ecological Information

Avoid release into the environment.

Runoff from fire control or dilution water may cause pollution.

13. Disposal Considerations

Waste Disposal Method:

Dispose in accordance with local, state, and federal regulations.

14. Transport Information

LAND TRANSPORT (US DOT)

DOT Proper Shipping Name Ethyl Alcohol Solution

DOT Hazard Class: 3

DOT Hazard Label: FLAMMABLE LIQUID

UN/NA Number: 1170
Packing Group: II

LAND TRANSPORT (European ADR/RID)

ADR/RID Shipping Name Ethyl Alcohol Solution

UN Number: 1170

Hazard Class: 3 - FLAMMABLE LIQUID

Packing Group:

AIR TRANSPORT (ICAO/IATA)

ICAO/IATA Shipping Name Ethyl Alcohol Solution

UN Number: 1170

Hazard Class: 3 - FLAMMABLE LIQUID

Packing Group: II
IATA Classification: 3

Additional Transport Information: Transport in accordance with local, state, and federal regulations.

15. Regulatory Information

European Community Hazard Symbol codes F: Highly Flammable

European Community Risk and Safety Phrases

R11 - Highly flammable.

S7 - Keep container tightly closed.

S16 - Keep away from sources of ignition.
S24/25 - Avoid contact with skin and eyes.

S37/39 - Wear suitable gloves and eye/face protection.

US EPA SARA Title III

Hazardous Components (Chemical Name)	CAS#	Sec.302 (EHS)	Sec.304 RQ	Sec.313 (TRI)	Sec.110
1. Lipoxin B4	98049-69-5	No	No	No	No
2. Ethyl alcohol	64-17-5	No	No	No	No

Other US EPA or State Lists

Hazardous Components (Chemical Name)	CAS#	CAA HAP,ODC	CWA NPDES	TSCA	CA PROP.65	
1. Lipoxin B4	98049-69-5	No	No	No	No	
2. Ethyl alcohol	64-17-5	No	No	Inventory	No	

Other Information

Company Policy or Disclaimer

The above information is believed to be correct but does not purport to be complete and should be used only as a guide. The burden of safe use of this material rests entirely with the user.

06/07/2011