$(\pm)9,10$ -DiHOME: sc-205189



MATERIAL SAFETY DATA SHEET

The Power to Questio

1. Product and Company Identification

Product Name: $(\pm)9,10$ -DiHOME

Catalog Number: sc-205189

Synonyms:

Supplier: Santa Cruz Biotechnology, Inc.

2145 Delaware Avenue Santa Cruz, California 95060 800.457.3801 or 831.457.3800

(±)9(10)-dihydroxy-12Z-octadecenoic acid; (±)9(10)-dihydroxy-octadec-12-enoic Acid;

Emergency:

ChemWatch

Within the US & Canada: 877-715-9305

Outside the US & Canada: +800 2436 2255

(1-800-CHEMCALL) or call +613 9573 3112

Leukotoxin diol:

2. Hazards Identification

Emergency Overview: Highly Flammable.

Target Organ(s): central nervous system, eyes, kidneys, respiratory system.

The hazards identified with this product are those associated with the solvent(s).

Route(s) of Entry: Inhalation? Yes Skin? Yes Eyes? Yes Ingestion? Yes Other: Injection Health Hazards (Acute and Chronic): Irritating to the skin, eyes, nose, throat, and respiratory tract.

Irritating to the skin, eyes, nose, throat, and respiratory tract. May cause skin or respiratory tract irritation.

May be harmful by inhalation, ingestion, or skin absorption. Repeated exposure may cause skin dryness or cracking.

The toxicological properties of this product have not been fully evaluated.

LD 50 / LC 50: Please refer to Section 11.

Signs and Symptoms Of Exposure: Inhalation may cause coughing, drowsiness, dizziness, dullness, and headache.

3. Composition/Information on Ingredients					
Hazardous Components (Chemical Name)	CAS#	Concentration	EC#	RTECS #	
1. (±)9,10-DiHOME	263399-34-4	0.01 %	NA	NA	
2. Methyl acetate	79-20-9	99.99 %	201-185-2	AI9100000	

4. First Aid Measures

Emergency and First Aid Procedures:

If inhaled, remove to fresh air. If not breathing, give artificial respiration or give oxygen by

trained personnel. Get immediate medical attention.

If swallowed, wash out mouth with water provided person is conscious. Never give anything by mouth to an unconscious person. Get medical attention. Do NOT induce vomiting unless directed to do so by medical personnel.

In case of contact with eyes, hold eyelids apart and flush eyes with plenty of water for at least 20

minutes. Have eyes examined and tested by medical personnel.

In case of skin contact, immediately wash skin with soap and plenty of water for at least 20 minutes. Remove contaminated clothing. Get medical attention if symptoms occur. Wash clothing before reuse.

5. Fire Fighting Measures

Flash Pt: -10.00 C Method Used: Closed Cup

Explosive Limits: LEL: 3.1% at 25.0 C UEL: 16% at 25.0 C

Autoignition Pt: 455.00 C

Special Fire Fighting Procedures: As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or

equivalent), and full protective gear to prevent contact with skin and eyes.

Note: Flammable as diluted in methyl acetate.

Unusual Fire and Explosion Hazards: Can release vapors that form explosive mixtures at temperatures at or above the flash point.

Container explosion may occur under fire conditions.

Emits toxic fumes under fire conditions.

Sensitive to static discharge. Vapors can travel to a source of ignition and flash back.

Hazardous Combustion Products: No data available.

Suitable Extinguishing Media: Use alcohol-resistant foam, carbon dioxide, water, or dry chemical spray.

Use water spray to cool fire-exposed containers.

Unsuitable Extinguishing Media: A solid water stream may be inefficient.

Accidental Release Measures

Steps To Be Taken In Case Material Is

Released Or Spilled:

Avoid release into the environment.

Avoid breathing vapors and provide adequate ventilation.

Remove all sources of ignition.

As conditions warrant, wear a NIOSH approved self-contained breathing apparatus, or respirator, and appropriate personal protection (rubber boots, safety goggles, and heavy rubber gloves). Absorb spill with inert material (e.g. dry sand or earth), then place in a chemical waste container.

Handling and Storage

Hazard Label Information: Avoid contact with skin and eyes. Do not reuse this container. Use with adequate ventilation.

Wash thoroughly after handling

Precautions To Be Taken in Handling: Avoid breathing (dust, vapor, mist, gas).

> Avoid prolonged or repeated exposure. Keep away from sources of ignition. Prevent the build up of electrostatic charge.

Precautions To Be Taken in Storing: Keep away from heat, sparks, and flame.

Keep tightly closed.

Store at correct temperature.

Other Precautions: Protect from moisture.

8. Exposure Controls/Personal Protection						
Hazardous Components (Chemical Name)	ardous Components (Chemical Name) CAS # OSHA PEL ACGIH TWA		ACGIH TWA	Other Limits		
1. (±)9,10-DiHOME	263399-34-4	No data.	No data.	No data.		
2. Methyl acetate	79-20-9	PEL: 200 ppm	TLV: 200 ppm	No data.		
			STEL: 250 ppm			

Protective Equipment Summary - Hazard

Label Information:

Compatible chemical-resistant gloves glasses Safety shower in work area Eye wash station in work area

Respiratory Equipment (Specify Type):

NIOSH approved respirator, as conditions warrant.

Eye Protection: Safety glasses

Protective Gloves: Compatible chemical-resistant gloves

Other Protective Clothing: Lab coat

Ventilation: Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne

levels below recommended exposure limits.

Work/Hygienic/Maintenance Practices: Do not take internally.

Facilities storing or utilizing this material should be equipped with an eyewash facility and a

Vent Hood

safety shower.

Wash thoroughly after handling.

9. Physical and Chemical Properties

Physical States: [X] Liquid [] Solid [] Gas

Melting Point: No data. **Boiling Point:** No data. **Autoignition Pt:** 455.00 C

Flash Pt: -10.00 C Method Used: Closed Cup

Explosive Limits: LEL: 3.1% at 25.0 C UEL: 16% at 25.0 C

Specific Gravity (Water = 1): No data. **Bulk density:** No data.

Vapor Pressure (vs. Air or mm Hg): 173 MM HG at 20.0 C

Vapor Density (vs. Air = 1): No data. **Evaporation Rate (vs Butyl Acetate=1):** No data. Solubility in Water: No data. Percent Volatile:
No data.
Heat Value:
No data.
Particle Size:
No data.
Corrosion Rate:
No data.
Formula:
C18H34O4
Molecular Weight:
Ph:
No data.

Appearance and Odor: No data available.

10. Stability and Reactivity

Stability: Unstable [] Stable [X]

Conditions To Avoid - Instability: heat, flames and sparks

Incompatibility - Materials To Avoid: nitrates

strong oxidizing agents

Hazardous Decomposition Or Byproducts: carbon dioxide

carbon monoxide

Possibility of Hazardous Reactions: Will occur [] Will not occur [X]

Conditions To Avoid - Hazardous Reactions: No data available.

11. Toxicological Information

The toxicological effects of this product have not been thoroughly studied.

Methyl Acetate - Toxicity Data: Oral LD50 (rat): > 5,000 mg/kg; Skin LD50 (rabbit): > 5,000 mg/kg; Irritation Data: Skin (rabbit): 500 mg (24h) mild; Eyes (rabbit): 100 mg (24h) moderate;

Chronic Toxicological Effects: Only select Registry of Toxic Effects of Chemical Substances (RTECS) data is presented here.

See actual entry in RTECS for complete information.

Methyl Acetate RTECS Number: AI9100000

Carcinogenicity/Other Information: No data available.

Carcinogenicity: NTP? No IARC Monographs? No OSHA Regulated? No

12. Ecological Information

Avoid release into the environment.

Runoff from fire control or dilution water may cause pollution.

13. Disposal Considerations

Waste Disposal Method: Dispose in accordance with local, state, and federal regulations.

14. Transport Information

LAND TRANSPORT (US DOT)

DOT Proper Shipping NameMethyl acetate

DOT Hazard Class: 3

DOT Hazard Label: FLAMMABLE LIQUID

UN/NA Number: 1231
Packing Group: II

LAND TRANSPORT (European ADR/RID)

ADR/RID Proper Shipping Name Methyl acetate

UN Number: 1231 Packing Group: II

AIR TRANSPORT (ICAO/IATA)

ICAO/IATA Proper Shipping Name Methyl acetate

UN Number: 1231
Packing Group: II
IATA Classification: 3

Additional Transport Information: Transport in accordance with local, state, and federal regulations.

15. Regulatory Information

European Community Hazard Symbol codes F: Highly Flammable; Xi: Irritant

European Community Risk and Safety Phrases

R11 - Highly flammable.

R36 - Irritating to eyes.

R66 - Repeated exposure may cause skin dryness or cracking

R67 - Vapours may cause drowsiness and dizziness

S16 - Keep away from sources of ignition.

S26 - In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S29 - Do not empty into drains.

S33 - Take precautionary measures against static discharges.

US EPA SARA Title III

Hazardous Components (Chemical Name)	CAS#	Sec.302 (EHS)	Sec.304 RQ	Sec.313 (TRI)	Sec.110
1. (±)9,10-DiHOME	263399-34-4	No	No	No	No
2. Methyl acetate	79-20-9	No	No	No	No

US EPA CAA, CWA, TSCA

Hazardous Components (Chemical Name)	CAS#	EPA CAA	EPA CWA NPDES	EPA TSCA	HPV/LPV
1. (±)9,10-DiHOME	263399-34-4	HAP, ODC ()	No	No	
2. Methyl acetate	79-20-9	HAP, ODC ()	No	Inventory, 8A PAIR	

16. Other Information

The above information is believed to be correct but does not purport to be complete and should be used only as a guide. The burden of safe use of this material rests entirely with the user.

9/1/2010