

Docosahexaenoyl glycine: sc-205298



The Power to Question

MATERIAL SAFETY DATA SHEET

1. Product and Company Identification

Product Name : Docosahexaenoyl glycine
Catalog Number : sc-205298
Supplier : Santa Cruz Biotechnology, Inc.
2145 Delaware Avenue
Santa Cruz, California 95060
800.457.3801 or 831.457.3800

Emergency:
ChemWatch
Within the US & Canada: 877-715-9305
Outside the US & Canada: +800 2436 2255
(1-800-CHEMCALL) or call +613 9573 3112

2. Hazards Identification

GHS Classification	Placard	Key word	GHS Hazard
Flammable Liquids, Category 2	Flame	Danger	Highly flammable liquid and vapor

GHS Hazard Phrases: H225: Highly flammable liquid and vapor

GHS Precaution Phrases: P210: Keep away from {heat/sparks/open flames/hot surfaces}. - No smoking.
P280: Wear protective gloves/clothing and eye/face protection as specified by the manufacturer/supplier or the competent authority.

GHS Response Phrases: P303+361+353: IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.

GHS Storage and Disposal Phrases: Please refer to Section 7 for Storage and Section 13 for Disposal information.

Route(s) of Entry: Inhalation? Yes Skin? Yes Eyes? Yes Ingestion? Yes Other: Injection

Potential Health Effects (Acute and Chronic): Causes eye, skin, or respiratory system irritation.
Material is irritating to the mucous membranes and upper respiratory tract.
May be harmful by inhalation, ingestion, or skin absorption.

Target Organs: Central nervous system, Blood, Eyes, Reproductive system, Heart, Respiratory system, Liver, Skin.

LD 50 / LC 50: Please refer to Section 11.

Signs and Symptoms Of Exposure: Irritating to eyes, skin, nose; may cause anemia, cough, CNS depression, drowsiness, headache, heart damage, lassitude (weakness, exhaustion), liver damage, narcosis, reproductive effects, teratogenic effects.
To the best of our knowledge, the toxicological properties have not been thoroughly investigated.

Medical Conditions Generally Aggravated By Exposure: No data available.

3. Composition/Information on Ingredients

Hazardous Components (Chemical Name)	CAS #	Concentration	EC#	Risk Phrases	RTECS #
1. Docosahexaenoyl Glycine	132850-40-9	5.0 %	NA	No phrases apply.	NA
2. Ethyl alcohol	64-17-5	95.0 %	200-578-6	R11	KQ6300000

4. First Aid Measures

Emergency and First Aid Procedures:

In Case of Inhalation: Remove to fresh air. If not breathing, give artificial respiration or give oxygen by trained personnel. Get immediate medical attention.

In Case of Skin Contact: Immediately wash skin with soap and plenty of water for at least 20 minutes. Remove contaminated clothing. Get medical attention if symptoms occur. Wash clothing before reuse.

In Case of Eye Contact: Hold eyelids apart and flush eyes with plenty of water for at least 20 minutes. Have eyes examined and tested by medical personnel.

In Case of Ingestion: Wash out mouth with water provided person is conscious. Never give anything by mouth to an unconscious person. Get medical attention. Do NOT induce vomiting unless directed to do so by medical personnel.

Indication of any immediate medical attention and special treatment needed: No data available.

5. Fire Fighting Measures

Suitable Extinguishing Media:	Use alcohol-resistant foam, carbon dioxide, water, or dry chemical spray. Use water spray to cool fire-exposed containers.
Unsuitable Extinguishing Media:	A solid water stream may be inefficient.
Flammable Properties and Hazards:	Can release vapors that form explosive mixtures at temperatures at or above the flashpoint. Container explosion may occur under fire conditions. Emits toxic fumes under fire conditions. Sensitive to static discharge. Vapors can travel to a source of ignition and flash back.
Flash Pt:	14.00 C Method Used: Closed Cup
Autoignition Pt:	363.00 C
Explosive Limits:	LEL: 3.3% at 25.0 C UEL: 19.0% at 25.0 C
Hazardous Combustion Products:	No data available.
Fire Fighting Instructions:	As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent), and full protective gear to prevent contact with skin and eyes. Note: Flammable as diluted in ethanol.

6. Accidental Release Measures

Protective Precautions, Protective Equipment and Emergency Procedures:	Avoid breathing vapors and provide adequate ventilation. As conditions warrant, wear a NIOSH approved self-contained breathing apparatus, or respirator, and appropriate personal protection (rubber boots, safety goggles, and heavy rubber gloves).
Environmental Precautions:	Take steps to avoid release into the environment, if safe to do so.
Steps To Be Taken In Case Material Is Released Or Spilled:	Contain spill and collect, as appropriate. Transfer to a chemical waste container for disposal in accordance with local regulations.

7. Handling and Storage

Precautions To Be Taken in Handling:	Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid prolonged or repeated exposure. Keep away from sources of ignition. Take precautionary measures against static discharge.
Precautions To Be Taken in Storing:	Keep away from heat, sparks, and flame. Keep container tightly closed. Store at -20° C. Store in accordance with information listed on the product insert.
Other Precautions:	Hygroscopic.
Hazard Label Information:	Avoid contact with skin and eyes. Do not reuse this container. Use with adequate ventilation. Wash thoroughly after handling.

8. Exposure Controls/Personal Protection

Hazardous Components (Chemical Name)	CAS #	OSHA PEL	ACGIH TLV	Other Limits
1. Docosahexaenoyl Glycine	132850-40-9	No data.	No data.	No data.
2. Ethyl alcohol	64-17-5	1000 ppm	1000 ppm	No data.
Hazardous Components (Chemical Name)	CAS #	Britain EH40	France VL	Europe
1. Docosahexaenoyl Glycine	132850-40-9	No data.	No data.	No data.
2. Ethyl alcohol	64-17-5	TWA: 1920 mg/m3 (1000 ppm) STEL: ()	TWA: 1900 mg/m3 (1000 ppm) STEL: 9500 mg/m3 (5000 ppm)	No data.

Protective Equipment Summary - Hazard Label Information:	Compatible chemical-resistant gloves Eye wash station in work area Lab coat Safety glasses Safety shower in work area Vent Hood
Engineering Controls (Ventilation etc.):	Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits.
Eye Protection:	Safety glasses
Protective Gloves:	Compatible chemical-resistant gloves
Other Protective Clothing:	Lab coat
Respiratory Equipment (Specify Type):	NIOSH approved respirator, as conditions warrant.

Work/Hygienic/Maintenance Practices:	Do not take internally. Facilities storing or utilizing this material should be equipped with an eyewash and a safety shower. Wash thoroughly after handling.
Environmental Exposure Controls:	No data available.

9. Physical and Chemical Properties

Information on Basic Physical and Chemical Properties

Physical States:	[] Gas [X] Liquid [] Solid
Appearance and Odor:	Solution
Melting Point:	No data.
Boiling Point:	No data.
Flash Pt:	14.00 C Method Used: Closed Cup
Evaporation Rate:	No data.
Explosive Limits:	LEL: 3.3% at 25.0 C UEL: 19.0% at 25.0 C
Vapor Pressure (vs. Air or mm Hg):	43 MM_HG at 20.0 C
Vapor Density (vs. Air = 1):	No data.
Specific Gravity (Water = 1):	No data.
Solubility in Water:	No data.
Autoignition Pt:	363.00 C
Explosive Properties:	No data available.
Oxidizing Properties:	No data available.
Other Information	
Percent Volatile:	No data.
Formula:	C24H35NO3
Molecular Weight:	385.50

10. Stability and Reactivity

Reactivity:	No data available.
Stability:	Unstable [] Stable [X]
Stability Note(s):	Stable if stored in accordance with information listed on the product insert.
Conditions To Avoid:	heat, flames and sparks
Polymerization:	Will occur [] Will not occur [X]
Incompatibility - Materials To Avoid:	alkali metals ammonia peroxides strong oxidizing agents
Hazardous Decomposition Or Byproducts:	carbon dioxide carbon monoxide

11. Toxicological Information

Toxicological Information:	The toxicological effects of this product have not been thoroughly studied. Ethanol - Toxicity Data: Oral TDLO (man): 1.14 ml/kg; Oral TDLO (man): 650 mg/kg; Oral LD50 (rat): 7,060 mg/kg; Oral LD50 (mouse): 3,450 mg/kg; Oral LD50 (mouse): 10.5 ml/kg; Oral LD50 (rabbit): 6,300 mg/kg; Inhalation LC50 (rat): 20,000 ppm (10h); Inhalation TCLO (human): 1,800 ppm (30m); Inhalation TCLO (human): 2,500 mg/m3 (20m); Inhalation LC50 (rat): 5,900 mg/m3 (6h); Inhalation LCLO (mouse): 29,300 ppm (7h); Ethanol - Irritation Data: Eyes (rabbit): 500 mg (24h) mild; Skin (rabbit): 20 mg (24h) moderate;
Chronic Toxicological Effects:	Ethanol - Investigated as a mutagen, reproductive effector, and tumorigen. Only select Registry of Toxic Effects of Chemical Substances (RTECS) data is presented here. See actual entry in RTECS for complete information. Ethanol RTECS Number: KQ6300000

Hazardous Components (Chemical Name)	CAS #	NTP	IARC	ACGIH	OSHA
1. Docosahexaenoyl Glycine	132850-40-9	n.a.	n.a.	n.a.	n.a.
2. Ethyl alcohol	64-17-5	n.a.	1	A4	n.a.

Carcinogenicity: NTP? No IARC Monographs? No OSHA Regulated? No

12. Ecological Information

General Ecological Information: Avoid release into the environment.
Runoff from fire control or dilution water may cause pollution.

13. Disposal Considerations

Waste Disposal Method: Dispose in accordance with local, state, and federal regulations.

14. Transport Information

Globally Harmonized System of Classification and Labelling

Flammable Liquids, Category 2 - Danger! Highly flammable liquid and vapor

LAND TRANSPORT (US DOT)

DOT Proper Shipping Name Ethyl Alcohol Solution
DOT Hazard Class: 3
DOT Hazard Label: FLAMMABLE LIQUID
UN/NA Number: 1170
Packing Group: II

LAND TRANSPORT (European ADR/RID)

ADR/RID Shipping Name Ethyl Alcohol Solution
UN Number: 1170
Hazard Class: 3 - FLAMMABLE LIQUID
Packing Group: II
ADR Classification: 3

AIR TRANSPORT (ICAO/IATA)

ICAO/IATA Shipping Name Ethyl Alcohol Solution
UN Number: 1170
Hazard Class: 3 - FLAMMABLE LIQUID
Packing Group: II

Additional Transport Information: Transport in accordance with local, state, and federal regulations.

15. Regulatory Information

European Community Hazard Symbol codes F: Highly Flammable

European Community Risk and Safety Phrases

R11 - Highly flammable.
S7 - Keep container tightly closed.
S16 - Keep away from sources of ignition.
S24/25 - Avoid contact with skin and eyes.
S33 - Take precautionary measures against static discharges.
S36/37/39 - Wear suitable protective clothing, gloves and eye/face protection.

US EPA SARA Title III

Hazardous Components (Chemical Name)	CAS #	Sec.302 (EHS)	Sec.304 RQ	Sec.313 (TRI)	Sec.110
1. Docosahexaenoyl Glycine	132850-40-9	No	No	No	No
2. Ethyl alcohol	64-17-5	No	No	No	No

Other US EPA or State Lists

Hazardous Components (Chemical Name)	CAS #	CAA HAP,ODC	CWA NPDES	TSCA	CA PROP.65
1. Docosahexaenoyl Glycine	132850-40-9	No	No	No	No
2. Ethyl alcohol	64-17-5	No	No	Inventory	No

Regulatory Information Statement: This SDS was prepared in accordance with 29 CFR 1910.1200, Regulation (EC) No.1272/2008, and European Directive 67/548/EEC as amended.

16. Other Information

The above information is believed to be correct but does not purport to be complete and should be used only as a guide. The burden of safe use of this material rests entirely with the user.