

Lead(IV) acetate: sc-211729



The Power to Question

MATERIAL SAFETY DATA SHEET

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name: Lead(IV) acetate

Product Number: sc-211729

Supplier: Santa Cruz Biotechnology, Inc.
2145 Delaware Avenue
Santa Cruz, CA 95060
800.457.3801 or 831.457.3800

Emergency: ChemWatch
Within the US & Canada: 877-715-9305
Outside the US & Canada: +800 2436 2255 (1-800-CHEMCALL) or call +613 9573 3112

2. HAZARDS IDENTIFICATION

Emergency Overview

OSHA Hazards

Carcinogen, Target Organ Effect, Toxic by inhalation., Harmful by ingestion., Teratogen, Reproductive hazard

Target Organs

Peripheral nervous system, Central nervous system, Female reproductive system, Male reproductive system, Blood, Kidney

GHS Classification

Acute toxicity, Inhalation (Category 4)

Acute toxicity, Oral (Category 4)

Reproductive toxicity (Category 1A)

Specific target organ toxicity – repeated exposure (Category 2)

Acute aquatic toxicity (Category 1)

Chronic aquatic toxicity (Category 4)

GHS Label elements, including precautionary statements

Pictogram



Signal word Danger

Hazard statement(s)

H302 + H332 Harmful if swallowed or if inhaled

H360 May damage fertility or the unborn child.

H373 May cause damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H413 May cause long lasting harmful effects to aquatic life.

Precautionary statement(s)

P201 Obtain special instructions before use.

P273 Avoid release to the environment.

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

HMIS Classification

Health hazard: 2

Chronic Health Hazard: *

Flammability: 0

Physical hazards: 0

NFPA Rating

Health hazard: 2
Fire: 0
Reactivity Hazard: 0

Potential Health Effects

Inhalation Toxic if inhaled. May cause respiratory tract irritation.
Skin May be harmful if absorbed through skin. May cause skin irritation.
Eyes May cause eye irritation.
Ingestion Toxic if swallowed.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Synonyms: Lead tetraacetate Pb(acac)₄

Formula: C₈H₁₂O₈Pb

Molecular Weight: 443.38

<i>CAS-No.</i>	<i>EC-No.</i>	<i>Index-No.</i>	<i>Concentration</i>
Lead(IV) acetate 546-67-8	208-908-0	082-001-00-6	-

4. FIRST AID MEASURES**General advice**

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Flush eyes with water as a precaution.

If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

5. FIREFIGHTING MEASURES**Conditions of flammability**

Not flammable or combustible.

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Special protective equipment for firefighters

Wear self contained breathing apparatus for fire fighting if necessary.

Hazardous combustion products

Hazardous decomposition products formed under fire conditions – carbon oxides, lead oxides

6. ACCIDENTAL RELEASE MEASURES**Personal precautions**

Use personal protective equipment. Avoid dust formation. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust.

Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

7. HANDLING AND STORAGE

Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Provide appropriate exhaust ventilation at places where dust is formed.

Conditions for safe storage

Keep container tightly closed in a dry and well-ventilated place. Desiccate at 4° C. Air and moisture sensitive.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value	Control parameters	Basis
Lead tetraacetate	546-67-8	TWA	0.05 mg/m3	USA. ACGIH Threshold Limit Values (TLV)
Remarks	Central Nervous System impairment Hematologic effects Peripheral Nervous System impairment Substances for which there is a Biological Exposure Index or Indices (see BEI® section) Confirmed animal carcinogen with unknown relevance to humans varies			
	See 1910.1025			
		TWA	0.05 mg/m3	USA. NIOSH Recommended Exposure Limits
	See Appendix C			

Personal protective equipment

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Hand protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Eye protection

Safety glasses with side-shields conforming to EN166 Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin and body protection

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Hygiene measures

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

9. PHYSICAL AND CHEMICAL PROPERTIES

Form	crystalline	pH	no data available
Flash point	no data available	Ignition temperature	no data available
Autoignition temperature	no data available	Lower explosion limit	no data available
Upper explosion limit	no data available	Vapor pressure	no data available
Density	2.230 g/cm3	Water solubility	no data available
Relative vapor density	no data available	Odor Threshold	no data available
Evaporation rate	no data available	Odor	no data available
Melting point/freezing point	180 – 190 °C (356 – 374 °F)	Partition coefficient: n-octanol/water	no data available
Boiling point	no data available		

10. STABILITY AND REACTIVITY

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

no data available

Conditions to avoid

Air Avoid moisture.

Materials to avoid

Alcohols, Strong acids, Strong reducing agents

Hazardous decomposition products

Hazardous decomposition products formed under fire conditions – carbon oxides, lead oxides

Other decomposition products

no data available

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Oral LD50 no data available

Inhalation LC50 no data available

Dermal LD50 no data available

Other information on acute toxicity no data available

Skin corrosion/irritation

no data available

Serious eye damage/eye irritation

no data available

Respiratory or skin sensitization

no data available

Germ cell mutagenicity

no data available

Carcinogenicity

Found positive for carcinogenicity in EPA Genetox program.

IARC: 2A – Group 2A: Probably carcinogenic to humans (Lead tetraacetate)

NTP: Reasonably anticipated to be a human carcinogen. The reference note has been added by TD based on the background information of the NTP. (Lead tetraacetate)

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

Known human reproductive toxicant

Teratogenicity

May cause congenital malformation in the fetus.

Specific target organ toxicity – single exposure (Globally Harmonized System)

no data available

Specific target organ toxicity – repeated exposure (Globally Harmonized System)

May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard

no data available

Potential health effects

Inhalation Toxic if inhaled. May cause respiratory tract irritation.

Ingestion Toxic if swallowed.

Skin May be harmful if absorbed through skin. May cause skin irritation.

Eyes May cause eye irritation.

Signs and Symptoms of Exposure

Lead salts have been reported to cross the placenta and to induce embryo- and feto- mortality. They also have teratogenic effect in some animal species. No teratogenic effects have been reported with exposure to organometallic lead compounds. Adverse effects of lead on human reproduction, embryonic and fetal development, and postnatal (e.g., mental) development have been reported. Excessive exposure can affect blood, nervous, and digestive systems. The synthesis of hemoglobin is inhibited and results in anemia. If left untreated, neuromuscular dysfunction, possible paralysis, and encephalopathy can result.

Additional symptoms of overexposure include: joint and muscle pain, weakness of the extensor muscles (frequently the hand and wrist), headache, dizziness, abdominal pain, diarrhea, constipation, nausea, vomiting, blue line on the gums, insomnia, and metallic taste. High body levels produce increased cerebrospinal pressure, brain damage, and stupor leading to coma and often death. To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Synergistic effects

no data available

Additional Information

RTECS: AI5300000

12. ECOLOGICAL INFORMATION

Toxicity

no data available

Persistence and degradability

no data available

Bioaccumulative potential

no data available

Mobility in soil

no data available

PBT and vPvB assessment

no data available

Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Very toxic to aquatic life.

13. DISPOSAL CONSIDERATIONS

Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

Contaminated packaging

Dispose of as unused product.

14. TRANSPORT INFORMATION

DOT (US)

UN number: 1616 Class: 6.1 Packing group: III

Proper shipping name: Lead acetate

Marine pollutant: No Poison Inhalation Hazard: No

IMDG

UN number: 1616 Class: 6.1 Packing group: III EMS-No: F-A, S-A

Proper shipping name: LEAD ACETATE

Marine pollutant: Marine pollutant

IATA

UN number: 1616 Class: 6.1 Packing group: III

Proper shipping name: Lead acetate

15. REGULATORY INFORMATION

OSHA Hazards

Carcinogen, Target Organ Effect, Toxic by inhalation, Harmful by ingestion., Teratogen, Reproductive hazard

SARA 302 Components

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

Acute Health Hazard, Chronic Health Hazard

Massachusetts Right To Know Components

Lead tetraacetate

CAS-No. 546-67-8

Pennsylvania Right To Know Components

Lead tetraacetate

CAS-No. 546-67-8

New Jersey Right To Know Components

Lead tetraacetate

CAS-No. 546-67-8

California Prop. 65 Components

WARNING! This product contains a chemical known to the State of California to cause cancer.

Lead tetraacetate

CAS-No. 546-67-8

16. OTHER INFORMATION

The above information is believed to be correct but does not purport to be complete and should be used only as a guide. The burden of safe use of this material rests entirely with the user.

7/9/2013