

N,N-Dimethylhydrazine

sc-253143



Material Safety Data Sheet

Hazard Alert Code Key: EXTREME HIGH MODERATE LOW

Section 1 - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME

N,N-Dimethylhydrazine

STATEMENT OF HAZARDOUS NATURE

CONSIDERED A HAZARDOUS SUBSTANCE ACCORDING TO OSHA 29 CFR 1910.1200.

NFPA



SUPPLIER

Santa Cruz Biotechnology, Inc.
2145 Delaware Avenue
Santa Cruz, California 95060
800.457.3801 or 831.457.3800

EMERGENCY

ChemWatch
Within the US & Canada: 877-715-9305
Outside the US & Canada: +800 2436 2255
(1-800-CHEMCALL) or call +613 9573 3112

SYNOMYNS

C2-H8-N2, (CH3)2-NNH2, "hydrazine, 1, 1-dimethyl-", unsym-dimethylhydrazine, "asymmetric dimethylhydrazine", "N, N-dimethylhydrazine", Dimazine, UDMH, "unsymmetrical dimethylhydrazine"

Section 2 - HAZARDS IDENTIFICATION

CHEMWATCH HAZARD RATINGS

		Min	Max
Flammability:	4		
Toxicity:	4		
Body Contact:	4		
Reactivity:	1		
Chronic:	3		

Min/Nil=0
Low=1
Moderate=2
High=3
Extreme=4



CANADIAN WHMIS SYMBOLS



EMERGENCY OVERVIEW

RISK

Harmful in contact with skin.
Causes burns.
Risk of serious damage to eyes.
May cause CANCER.
Toxic by inhalation and if swallowed.
Highly flammable.
Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

POTENTIAL HEALTH EFFECTS

ACUTE HEALTH EFFECTS

SWALLOWED

- Toxic effects may result from the accidental ingestion of the material; animal experiments indicate that ingestion of less than 40 gram may be fatal or may produce serious damage to the health of the individual.
- The material can produce chemical burns within the oral cavity and gastrointestinal tract following ingestion.
- 1,1-Dimethylhydrazine is a strong convulsant at high doses (as tested in animals). Pulmonary oedema and cardiovascular collapse contribute to the deaths of acutely poisoned animals.
- Hydrazine (and some of its derivatives), is a strong convulsant in laboratory animals and can cause central nervous system (CNS) depression or stimulation. Symptoms of CNS depression may include nonspecific discomfort, giddiness, headache, dizziness, nausea, anaesthetic effects, slowed reaction time, slurred speech and may progress to unconsciousness.
- Ingestion of alkaline corrosives may produce burns around the mouth, ulcerations and swellings of the mucous membranes, profuse saliva production, with an inability to speak or swallow. Both the esophagus and stomach may experience burning pain; vomiting and diarrhea may follow.
- At sufficiently high doses the material may be nephrotoxic(i).

e.

EYE

- The material can produce chemical burns to the eye following direct contact.
- Vapors or mists may be extremely irritating.
- If applied to the eyes, this material causes severe eye damage.

SKIN

- The material can produce chemical burns following direct contact with the skin.
- Skin contact with the material may damage the health of the individual; systemic effects may result following absorption.
- Open cuts, abraded or irritated skin should not be exposed to this material.
- Entry into the blood-stream, through, for example, cuts, abrasions or lesions, may produce systemic injury with harmful effects. Examine the skin prior to the use of the material and ensure that any external damage is suitably protected.
- 1,1-Dimethylhydrazine is absorbed rapidly through the skin of dogs and is detected in the blood 30 seconds after application. Dermal exposure results in erythema.

INHALED

- If inhaled, this material can irritate the throat and lungs of some persons.
- Inhalation of vapors or aerosols (mists, fumes), generated by the material during the course of normal handling, may produce toxic effects.
- Symptoms of inhalation of hydrazine (and some of its derivatives), may include nausea and headache. Central nervous system (CNS) excitability may lead to convulsions and, in severe cases, respiratory arrest and death.

CHRONIC HEALTH EFFECTS

- Repeated or prolonged exposure to corrosives may result in the erosion of teeth, inflammatory and ulcerative changes in the mouth and necrosis (rarely) of the jaw. Bronchial irritation, with cough, and frequent attacks of bronchial pneumonia may ensue.

There is ample evidence that this material can be regarded as being able to cause cancer in humans based on experiments and other information.

Limited evidence suggests that repeated or long-term occupational exposure may produce cumulative health effects involving organs or biochemical systems.

There is some evidence that inhaling this product is more likely to cause a sensitization reaction in some persons compared to the general population.

When administered by gavage, 1,1-dimethylhydrazine increased the incidence of lung tumors in female mice. When administered in the drinking water, 1,1-dimethylhydrazine induced high incidences of angiosarcomas in various organs and tumors of the kidneys, lungs and liver in mice of both sexes. The same route of administration induced liver carcinomas.

Hydrazine derivatives tend to be local irritants and cause convulsions, liver damage, and destruction of red blood cells. They also damage the kidneys, and cause stimulation of the central nervous system with tremors and convulsions, progressing to depression, respiratory collapse and death.

When administered orally, hydrazine induced pulmonary adenomas and adenocarcinomas in mice. Inhalation induced lung carcinomas and lymphosarcomas of the spleen in female mice. A study of 423 men, involved in the manufacture of hydrazine revealed three stomach, one prostate and a neurogenic cancer.

Section 3 - COMPOSITION / INFORMATION ON INGREDIENTS

NAME	CAS RN	%
1,1-dimethylhydrazine	57-14-7	>98

Section 4 - FIRST AID MEASURES

SWALLOWED

- For advice, contact a Poisons Information Center or a doctor at once.
- Urgent hospital treatment is likely to be needed.

EYE

- If this product comes in contact with the eyes:
 - Immediately hold eyelids apart and flush the eye continuously with running water.
 - Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids.

SKIN

- If skin or hair contact occurs:
 - Immediately flush body and clothes with large amounts of water, using safety shower if available.
 - Quickly remove all contaminated clothing, including footwear.

INHALED

- If fumes or combustion products are inhaled remove from contaminated area.
- Lay patient down. Keep warm and rested. Inhalation of vapors or aerosols (mists, fumes) may cause lung edema. Corrosive substances may cause lung damage (e.g.

NOTES TO PHYSICIAN

- For acute or short-term repeated exposures to highly alkaline materials:
 - Respiratory stress is uncommon but present occasionally because of soft tissue edema.
 - Unless endotracheal intubation can be accomplished under direct vision, cricothyroidotomy or tracheotomy may be necessary.

In poisonings involving hydrazine:

Correction of early hypoglycaemia, with large parenteral doses of pyridoxine appears to suppress convulsions and other neurological effects. In man, hydrazine-induced hyperexcitability and coma may respond to massive doses of pyridoxine but there is no evidence that liver necrosis or damage can be prevented or corrected by this antidote.

GOSSELIN, SMITH & HODGE: Clinical Toxicology of Commercial Products, 5 th Ed.

Section 5 - FIRE FIGHTING MEASURES

Vapour Pressure (mmHG):	Not available
Upper Explosive Limit (%):	Not available
Specific Gravity (water=1):	0.791
Lower Explosive Limit (%):	Not available

EXTINGUISHING MEDIA

- Water spray or fog.
- Foam.

FIRE FIGHTING

- Alert Emergency Responders and tell them location and nature of hazard.
- May be violently or explosively reactive.

When any large container (including road and rail tankers) is involved in a fire, consider evacuation by 800 metres in all directions.

GENERAL FIRE HAZARDS/HAZARDOUS COMBUSTIBLE PRODUCTS

- Liquid and vapor are highly flammable.
- Severe fire hazard when exposed to heat, flame and/or oxidizers.

Combustion products include: carbon dioxide (CO₂), carbon monoxide (CO), aldehydes, nitrogen oxides (NO_x), other pyrolysis products typical of burning organic material.

May emit poisonous fumes.

FIRE INCOMPATIBILITY

- Avoid contamination with oxidizing agents i.e. nitrates, oxidizing acids, chlorine bleaches, pool chlorine etc. as ignition may result.

PERSONAL PROTECTION

Glasses:

Full face- shield.

Gloves:

1.SARANEX-

Respirator:

Type AK-P Filter of sufficient capacity

Section 6 - ACCIDENTAL RELEASE MEASURES

MINOR SPILLS

- Remove all ignition sources.
- Clean up all spills immediately.

MAJOR SPILLS

- Clear area of personnel and move upwind.
- Alert Emergency Responders and tell them location and nature of hazard.

Section 7 - HANDLING AND STORAGE

PROCEDURE FOR HANDLING

- DO NOT allow clothing wet with material to stay in contact with skin.
- Avoid all personal contact, including inhalation.
- Wear protective clothing when risk of exposure occurs.
- Containers, even those that have been emptied, may contain explosive vapours.
- Do NOT cut, drill, grind, weld or perform similar operations on or near containers.

RECOMMENDED STORAGE METHODS

- Lined metal can, Lined metal pail/drum
- Plastic pail.

For low viscosity materials

- Drums and jerricans must be of the non-removable head type.
- Where a can is to be used as an inner package, the can must have a screwed enclosure.

All inner and sole packagings for substances that have been assigned to Packaging Groups I or II on the basis of inhalation toxicity criteria, must be hermetically sealed.

STORAGE REQUIREMENTS

- Polymerization may occur slowly at room temperature.
- Store in original containers.
- Keep containers securely sealed.

Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

EXPOSURE CONTROLS

Source	Material	TWA ppm	TWA mg/m ³	STEL ppm	STEL mg/m ³	Peak ppm	Peak mg/m ³	TWA F/CC	Notes
US NIOSH Recommended Exposure Limits (RELs)	1,1-dimethylhydrazine (1,1-Dimethylhydrazine)					0.06	0.15		See Appendix A; Ca; (Ceiling ([2-hour]))
Canada - Alberta Occupational Exposure Limits	1,1-dimethylhydrazine (1,1-Dimethylhydrazine)	0.01	0.02						
Canada - British Columbia Occupational Exposure Limits	1,1-dimethylhydrazine (1,1-Dimethylhydrazine)	0.01							Skin; 2B
US OSHA Permissible Exposure Levels (PELs) - Table Z1	1,1-dimethylhydrazine (1,1-Dimethylhydrazine)	0.5	1						
US ACGIH Threshold Limit Values (TLV)	1,1-dimethylhydrazine (1,1-Dimethylhydrazine)	0.01							TLV Basis: upper respiratory tract irritation; nasal cancer
US - Minnesota Permissible Exposure Limits (PELs)	1,1-dimethylhydrazine (1,1-Dimethylhydrazine)	0.5	1						
US - Tennessee Occupational Exposure Limits - Limits For Air Contaminants	1,1-dimethylhydrazine (1,1-Dimethylhydrazine)	0.5	1						

US - Vermont Permissible Exposure Limits Table Z-1-A Transitional Limits for Air Contaminants	1,1-dimethylhydrazine (1,1-Dimethylhydrazine)	0.5	1			
US - Vermont Permissible Exposure Limits Table Z-1-A Final Rule Limits for Air Contaminants	1,1-dimethylhydrazine (1,1-Dimethylhydrazine)	0.5	1			
US ATSDR Minimal Risk Levels for Hazardous Substances (MRLs)	1,1-dimethylhydrazine (1,1-DIMETHYLHYDRAZINE)	0.0002				
US - California Permissible Exposure Limits for Chemical Contaminants	1,1-dimethylhydrazine (1,1-Dimethylhydrazine)	0.01	0.025			
US - Idaho - Limits for Air Contaminants	1,1-dimethylhydrazine (1, 1-Dimethylhydrazine)	0.5	1			
US - Hawaii Air Contaminant Limits	1,1-dimethylhydrazine (1,1-Dimethylhydrazine)	0.5	1	1	2	
US - Alaska Limits for Air Contaminants	1,1-dimethylhydrazine (1,1-Dimethylhydrazine)	0.5	1			
Canada - Yukon Permissible Concentrations for Airborne Contaminant Substances	1,1-dimethylhydrazine (1,1-Dimethylhydrazine - Skin)	0.5	1	1	2	
US - Washington Permissible exposure limits of air contaminants	1,1-dimethylhydrazine (1, 1-Dimethylhydrazine)	0.5		1.5		
Canada - Saskatchewan Occupational Health and Safety Regulations - Contamination Limits	1,1-dimethylhydrazine (1,1-Dimethylhydrazine)	0.01		0.03		Skin, T20
US - Michigan Exposure Limits for Air Contaminants	1,1-dimethylhydrazine (1,1-Dimethylhydrazine)	0.5	1			
Canada - Prince Edward Island Occupational Exposure Limits	1,1-dimethylhydrazine (1,1-Dimethylhydrazine)	0.01				TLV Basis: upper respiratory tract irritation; nasal cancer

US - Wyoming						
Toxic and						
Hazardous						
Substances	1,1-dimethylhydrazine	0.5	1			
Table Z1 Limits	(1,1-Dimethylhydrazine)					
for Air						
Contaminants						
Canada -						
Quebec						
Permissible						
Exposure	1,1-dimethylhydrazine	0.5	1.2			
Values for	(1,1-Dimethylhydrazine)					
Airborne						
Contaminants						
(English)						
US - Oregon						
Permissible	1,1-dimethylhydrazine	0.5	1			
Exposure Limits	(1,1-Dimethylhydrazine)					
(Z-1)						
Canada -						
Northwest						
Territories	1,1-dimethylhydrazine	0.5	1.3	1	2.6	
Occupational	(1,1-Dimethylhydrazine - Skin)					
Exposure Limits						
(English)						
Canada - Nova						
Scotia	1,1-dimethylhydrazine	0.01				
Occupational	(1,1-Dimethylhydrazine)					
Exposure Limits						
TLV Basis:						
upper						
respiratory						
tract						
irritation;						
nasal						
cancer						

ENDOELTABLE

PERSONAL PROTECTION



RESPIRATOR

- type ak-p filter of sufficient capacity.

Consult your EHS staff for recommendations

EYE

- Chemical goggles.
- Full face shield.

HANDS/FEET

- Wear chemical protective gloves, eg. PVC.
- When handling corrosive liquids, wear trousers or overalls outside of boots, to avoid spills entering boots.

Suitability and durability of glove type is dependent on usage. Important factors in the selection of gloves include: such as:

- frequency and duration of contact,
- chemical resistance of glove material,
- glove thickness and
- dexterity

Select gloves tested to a relevant standard (e.g. Europe EN 374, US F739).

- When prolonged or frequently repeated contact may occur, a glove with a protection class of 5 or higher (breakthrough time greater than 240 minutes according to EN 374) is recommended.
- When only brief contact is expected, a glove with a protection class of 3 or higher (breakthrough time greater than 60 minutes according to EN 374) is recommended.
- Contaminated gloves should be replaced.

Gloves must only be worn on clean hands. After using gloves, hands should be washed and dried thoroughly. Application of a non-perfumed moisturiser is recommended.

OTHER

- Employees working with confirmed human carcinogens should be provided with, and be required to wear, clean, full body protective clothing (smocks, coveralls, or long-sleeved shirt and pants), shoe covers and gloves prior to entering the regulated area.
- Employees engaged in handling operations involving carcinogens should be provided with, and required to wear and use half-face filter-type respirators with filters for dusts, mists and fumes, or air purifying canisters or cartridges. A respirator affording higher levels of

protection may be substituted.

- Emergency deluge showers and eyewash fountains, supplied with potable water, should be located near, within sight of, and on the same level with locations where direct exposure is likely.
- Prior to each exit from an area containing confirmed human carcinogens, employees should be required to remove and leave protective clothing and equipment at the point of exit and at the last exit of the day, to place used clothing and equipment in impervious containers at the point of exit for purposes of decontamination or disposal. The contents of such impervious containers must be identified with suitable labels. For maintenance and decontamination activities, authorized employees entering the area should be provided with and required to wear clean, impervious garments, including gloves, boots and continuous-air supplied hood.
- Prior to removing protective garments the employee should undergo decontamination and be required to shower upon removal of the garments and hood.
- Some plastic personal protective equipment (PPE) (e.g. gloves, aprons, overshoes) are not recommended as they may produce static electricity.
- For large scale or continuous use wear tight-weave non-static clothing (no metallic fasteners, cuffs or pockets), non-sparking safety footwear.

ENGINEERING CONTROLS

- Employees exposed to confirmed human carcinogens should be authorized to do so by the employer, and work in a regulated area.
- Work should be undertaken in an isolated system such as a "glove-box". Employees should wash their hands and arms upon completion of the assigned task and before engaging in other activities not associated with the isolated system.
- Within regulated areas, the carcinogen should be stored in sealed containers, or enclosed in a closed system, including piping systems, with any sample ports or openings closed while the carcinogens are contained within.
- Open-vessel systems are prohibited.
- Each operation should be provided with continuous local exhaust ventilation so that air movement is always from ordinary work areas to the operation.
- Exhaust air should not be discharged to regulated areas, non-regulated areas or the external environment unless decontaminated. Clean make-up air should be introduced in sufficient volume to maintain correct operation of the local exhaust system.
- For maintenance and decontamination activities, authorized employees entering the area should be provided with and required to wear clean, impervious garments, including gloves, boots and continuous-air supplied hood. Prior to removing protective garments the employee should undergo decontamination and be required to shower upon removal of the garments and hood.
- Except for outdoor systems, regulated areas should be maintained under negative pressure (with respect to non-regulated areas).
- Local exhaust ventilation requires make-up air be supplied in equal volumes to replaced air.
- Laboratory hoods must be designed and maintained so as to draw air inward at an average linear face velocity of 150 feet/ min. with a minimum of 125 feet/ min. Design and construction of the fume hood requires that insertion of any portion of the employee's body, other than hands and arms, be disallowed.

Section 9 - PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL PROPERTIES

Liquid.

Mixes with water.

Corrosive.

Alkaline.

Toxic or noxious vapours/gas.

State	Liquid	Molecular Weight	60.12
Melting Range (°F)	-72	Viscosity	Not Available
Boiling Range (°F)	147	Solubility in water (g/L)	Miscible
Flash Point (°F)	5	pH (1% solution)	Not available
Decomposition Temp (°F)	Not Available	pH (as supplied)	7.1
Autoignition Temp (°F)	480	Vapour Pressure (mmHG)	Not available
Upper Explosive Limit (%)	Not available	Specific Gravity (water=1)	0.791
Lower Explosive Limit (%)	Not available	Relative Vapor Density (air=1)	>1
Volatile Component (%vol)	Not available	Evaporation Rate	Not available

APPEARANCE

Colourless hygroscopic liquid with ammonia-like odour; mixes with water with evolution of heat. Fumes in air.

Section 10 - CHEMICAL STABILITY

CONDITIONS CONTRIBUTING TO INSTABILITY

- Presence of incompatible materials.
- Product is considered stable.

STORAGE INCOMPATIBILITY

- Incidents involving interaction of active oxidants and reducing agents, either by design or accident, are usually very energetic and examples of so-called redox reactions.

Dimethylhydrazine:

- is a strong reducing agent and organic base
- reacts violently with strong oxidisers (with possible spontaneous ignition), strong acids, dicyanofurazan, methylene chloride

- is incompatible with acrylates, aldehydes, alcohols, alkylene oxides, caprolactam solution cresols, 3-(3-cyano-1,2,4-oxadiazol-5-yl)-4-cyanofurazan-2(5)-oxide, organic anhydrides, substituted allyls, epichlorohydrin, glycols, halogenated compounds, isocyanates, ketones, metallic mercury, phenols, vinyl acetate
- attacks some plastics, rubber and coatings
- flow or agitation may generate electrostatic charges due to low conductivity.
- Avoid strong acids, bases.
- Avoid contact with copper, aluminium and their alloys.

Avoid reaction with oxidizing agents.

For incompatible materials - refer to Section 7 - Handling and Storage.

Section 11 - TOXICOLOGICAL INFORMATION

1,1-dimethylhydrazine

TOXICITY AND IRRITATION

1,1-DIMETHYLHYDRAZINE:

- unless otherwise specified data extracted from RTECS - Register of Toxic Effects of Chemical Substances.

TOXICITY	IRRITATION
Oral (rat) LD50: 122 mg/kg	Nil Reported
Inhalation (rat) LC50: 252 ppm/4h	
Dermal (rabbit) LD50: 1060 mg/kg	

- Asthma-like symptoms may continue for months or even years after exposure to the material ceases. This may be due to a non-allergenic condition known as reactive airways dysfunction syndrome (RADS) which can occur following exposure to high levels of highly irritating compound. Key criteria for the diagnosis of RADS include the absence of preceding respiratory disease, in a non-atopic individual, with abrupt onset of persistent asthma-like symptoms within minutes to hours of a documented exposure to the irritant. A reversible airflow pattern, on spirometry, with the presence of moderate to severe bronchial hyperreactivity on methacholine challenge testing and the lack of minimal lymphocytic inflammation, without eosinophilia, have also been included in the criteria for diagnosis of RADS. RADS (or asthma) following an irritating inhalation is an infrequent disorder with rates related to the concentration of and duration of exposure to the irritating substance. Industrial bronchitis, on the other hand, is a disorder that occurs as result of exposure due to high concentrations of irritating substance (often particulate in nature) and is completely reversible after exposure ceases. The disorder is characterised by dyspnea, cough and mucus production.

WARNING: This substance has been classified by the IARC as Group 2B: Possibly Carcinogenic to Humans.

Tenth Annual Report on Carcinogens: Substance anticipated to be Carcinogen

[National Toxicology Program: U.S. Dep. of Health & Human Services 2002].

CARCINOGEN

1,1-Dimethylhydrazine	International Agency for Research on Cancer (IARC) - Agents Reviewed by the IARC Monographs	Group	2B
1,1-Dimethylhydrazine	US ACGIH Threshold Limit Values (TLV) - Carcinogens	Carcinogen Category	A3
1,1-dimethylhydrazine	US - Rhode Island Hazardous Substance List	IARC	
1,1-DIMETHYL HYDRAZINE	US Environmental Defense Scorecard Recognized Carcinogens	Reference(s)	P65
1,1-DIMETHYL HYDRAZINE	US Environmental Defense Scorecard Suspected Carcinogens	Reference(s)	P65
1,1-Dimethylhydrazine	US NIOSH Recommended Exposure Limits (RELs) - Carcinogens	Carcinogen	Ca
TWAPPM~	US - Maine Chemicals of High Concern List	Carcinogen	A3
VPVB_(VERY~	US - Maine Chemicals of High Concern List	Carcinogen	CA Prop 65; NTP 11th ROC

SKIN

1,1-dimethylhydrazine	US - Vermont Permissible Exposure Limits Table Z-1-A Transitional Limits for Air Contaminants - Skin	Skin Designation	X
1,1-dimethylhydrazine	US - Vermont Permissible Exposure Limits Table Z-1-A Final Rule Limits for Air Contaminants - Skin	Skin Designation	X

1,1-dimethylhydrazine	US - Washington Permissible exposure limits of air contaminants - Skin	Skin	X
1,1-dimethylhydrazine	US ACGIH Threshold Limit Values (TLV) - Skin	Skin Designation	Yes
1,1-dimethylhydrazine	US AIHA Workplace Environmental Exposure Levels (WEELs) - Skin	Notes	TLV Basis: upper respiratory tract irritation; nasal cancer
1,1-dimethylhydrazine	US - California OEHHA/ARB - Acute Reference Exposure Levels and Target Organs (RELs) - Skin	Skin	X
1,1-dimethylhydrazine	US - California OEHHA/ARB - Chronic Reference Exposure Levels and Target Organs (CRELs) - Skin	Skin	X
1,1-dimethylhydrazine	US - Tennessee Occupational Exposure Limits - Limits For Air Contaminants - Skin	Skin Designation	X
1,1-dimethylhydrazine	Canada - British Columbia Occupational Exposure Limits - Skin	Notation	Skin; 2B
1,1-dimethylhydrazine	US - Minnesota Permissible Exposure Limits (PELs) - Skin	Skin Designation	X
1,1-dimethylhydrazine	US - Hawaii Air Contaminant Limits - Skin Designation	Skin Designation	X
1,1-dimethylhydrazine	US OSHA Permissible Exposure Levels (PELs) - Skin	Skin Designation	X
1,1-dimethylhydrazine	US - Oregon Permissible Exposure Limits (Z2) - Skin	Skin	X
1,1-dimethylhydrazine	US - California Permissible Exposure Limits for Chemical Contaminants - Skin	Skin	X
1,1-dimethylhydrazine	US - California Permissible Exposure Limits for Chemical Contaminants - Skin	Skin	S
1,1-dimethylhydrazine	Canada - Alberta Occupational Exposure Limits - Skin	Substance Interaction	1

Section 12 - ECOLOGICAL INFORMATION

Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

This material and its container must be disposed of as hazardous waste.

Avoid release to the environment.

Refer to special instructions/ safety data sheets.

Ecotoxicity

Ingredient	Persistence: Water/Soil	Persistence: Air	Bioaccumulation	Mobility
1,1-dimethylhydrazine	LOW	LOW	LOW	HIGH

Section 13 - DISPOSAL CONSIDERATIONS

US EPA Waste Number & Descriptions

A. General Product Information

Ignitability characteristic: use EPA hazardous waste number D001 (waste code I)

Corrosivity characteristic: use EPA hazardous waste number D002 (waste code C)

B. Component Waste Numbers

When 1,1-dimethylhydrazine is present as a solid waste as a discarded commercial chemical product, off-specification species, as a container residue, or a spill residue, use EPA waste number U098 (waste code T).

Disposal Instructions

All waste must be handled in accordance with local, state and federal regulations.

| Puncture containers to prevent re-use and bury at an authorized landfill.

Legislation addressing waste disposal requirements may differ by country, state and/ or territory. Each user must refer to laws operating in

their area. In some areas, certain wastes must be tracked.

A Hierarchy of Controls seems to be common - the user should investigate:

- Reduction
- Reuse
- Recycling
- Disposal (if all else fails)

This material may be recycled if unused, or if it has not been contaminated so as to make it unsuitable for its intended use. If it has been contaminated, it may be possible to reclaim the product by filtration, distillation or some other means. Shelf life considerations should also be applied in making decisions of this type. Note that properties of a material may change in use, and recycling or reuse may not always be appropriate.

DO NOT allow wash water from cleaning equipment to enter drains. Collect all wash water for treatment before disposal.

- Recycle wherever possible.
- Consult manufacturer for recycling options or consult Waste Management Authority for disposal if no suitable treatment or disposal facility can be identified.

Section 14 - TRANSPORTATION INFORMATION



DOT:

Symbols: None Hazard class or Division: 6.1

Identification Numbers: UN1163 PG: I

Label Codes: 6.1, 3, 8 Special provisions: 2, B7, B9,

B14, B32,

T20, TP2,

TP13,

TP38, TP45

Packaging: Exceptions: None Packaging: Non- bulk: 227

Packaging: Exceptions: None Quantity limitations: Forbidden

Passenger aircraft/rail:

Quantity Limitations: Cargo Forbidden Vessel stowage: Location: D

aircraft only:

Vessel stowage: Other: 21, 38, S.M.P.: YES

40, 52,

100.

Hazardous materials descriptions and proper shipping names:

Dimethylhydrazine, unsymmetrical

Air Transport IATA:

UN/ID Number: None Packing Group: -

Special provisions: None

Cargo Only

Packing Instructions: - Maximum Qty/Pack: -

Passenger and Cargo Passenger and Cargo

Packing Instructions: - Maximum Qty/Pack: -

Passenger and Cargo Limited Quantity Passenger and Cargo Limited Quantity

Packing Instructions: - Maximum Qty/Pack: -

Shipping Name: 1,1-DIMETHYLHYDRAZINE, SEE

DIMETHYLHYDRAZINE, UNSYMMETRICAL (UN 1163)

Maritime Transport IMDG:

IMDG Class: 6.1 IMDG Subrisk: 3, 8-P

UN Number: 1163 Packing Group: I

EMS Number: F-E , S-C Special provisions: None

Limited Quantities: 0 Marine Pollutant: Yes

Shipping Name: DIMETHYLHYDRAZINE, UNSYMMETRICAL

Section 15 - REGULATORY INFORMATION

1,1-dimethylhydrazine (CAS: 57-14-7) is found on the following regulatory lists:

"Canada - Alberta Occupational Exposure Limits", "Canada - British Columbia Occupational Exposure Limits", "Canada - Northwest Territories Occupational Exposure Limits (English)", "Canada - Nova Scotia Occupational Exposure Limits", "Canada - Prince Edward Island Occupational Exposure Limits", "Canada - Prince Edward Island Occupational Exposure Limits - Carcinogens", "Canada - Quebec Permissible Exposure Values for Airborne Contaminants (English)", "Canada - Saskatchewan Occupational Health and Safety Regulations - Contamination Limits", "Canada - Saskatchewan Occupational Health and Safety Regulations - Designated Chemical Substances", "Canada - Yukon Permissible Concentrations for Airborne Contaminant Substances", "Canada Ingredient Disclosure List (SOR/88-64)", "Canada Non-Domestic Substances List (NDSL)", "Canada Toxicological Index Service - Workplace Hazardous Materials Information System - WHMIS (English)", "International Agency for Research on Cancer (IARC) - Agents Reviewed by the IARC Monographs", "International Chemical Secretariat (ChemSec) REACH SIN* List (*Substitute It Now!) 1.1", "US - Alaska Limits for Air Contaminants", "US - California Air Toxics ""Hot

Spots"" List (Assembly Bill 2588) Substances for which emissions must be quantified","US - California Occupational Safety and Health Regulations (CAL/OSHA) - Hazardous Substances List","US - California Permissible Exposure Limits for Chemical Contaminants","US - California Proposition 65 - Carcinogens","US - California Proposition 65 - Priority List for the Development of NSRLs for Carcinogens","US - California Toxic Air Contaminant List Category IV","US - Connecticut Hazardous Air Pollutants","US - Hawaii Air Contaminant Limits","US - Idaho - Limits for Air Contaminants","US - Maine Chemicals of High Concern List","US - Massachusetts Oil & Hazardous Material List","US - Michigan Exposure Limits for Air Contaminants","US - Minnesota Hazardous Substance List","US - Minnesota Permissible Exposure Limits (PELs)","US - New Jersey Right to Know Hazardous Substances","US - Oregon Hazardous Materials","US - Oregon Permissible Exposure Limits (Z-1)","US - Pennsylvania - Hazardous Substance List","US - Rhode Island Hazardous Substance List","US - Tennessee Occupational Exposure Limits - Limits For Air Contaminants","US - Vermont Hazardous Constituents","US - Vermont Hazardous wastes which are Discarded Commercial Chemical Products or Off-Specification Batches of Commercial Chemical Products or Spill Residues of Either","US - Vermont Permissible Exposure Limits Table Z-1-A Final Rule Limits for Air Contaminants","US - Vermont Permissible Exposure Limits Table Z-1-A Transitional Limits for Air Contaminants","US - Washington Dangerous waste constituents list","US - Washington Discarded Chemical Products List - ""U"" Chemical Products","US - Washington Permissible exposure limits of air contaminants","US - Wyoming List of Highly Hazardous Chemicals, Toxics and Reactives","US - Wyoming Toxic and Hazardous Substances Table Z1 Limits for Air Contaminants","US ACGIH Threshold Limit Values (TLV)","US ACGIH Threshold Limit Values (TLV) - Carcinogens","US ATSDR Minimal Risk Levels for Hazardous Substances (MRLs)","US Clean Air Act - Hazardous Air Pollutants","US Department of Homeland Security Chemical Facility Anti-Terrorism Standards - Chemicals of Interest","US Department of Transportation (DOT) List of Hazardous Substances and Reportable Quantities - Hazardous Substances Other Than Radionuclides","US Department of Transportation (DOT) Marine Pollutants - Appendix B","US DOE Temporary Emergency Exposure Limits (TEELs)","US EPA Acute Exposure Guideline Levels (AEGLs) - Final","US EPCRA Section 313 Chemical List","US List of Lists - Consolidated List of Chemicals Subject to EPCRA, CERCLA and Section 112(r) of the Clean Air Act","US National Toxicology Program (NTP) 11th Report Part B. Reasonably Anticipated to be a Human Carcinogen","US NIOSH Recommended Exposure Limits (RELs)","US OSHA List of Highly Hazardous Chemicals, Toxics and Reactives","US OSHA Permissible Exposure Levels (PELs) - Table Z1","US RCRA (Resource Conservation & Recovery Act) - Hazardous Constituents - Appendix VIII to 40 CFR 261","US RCRA (Resource Conservation & Recovery Act) - List of Hazardous Wastes","US SARA Section 302 Extremely Hazardous Substances","US Spacecraft Maximum Allowable Concentrations (SMACs) for Airborne Contaminants","US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory","USA: Chemical Facility Anti-Terrorism Standards - List Appendix A - 6CFR 27"

Section 16 - OTHER INFORMATION

LIMITED EVIDENCE

- Cumulative effects may result following exposure*.
- Possible respiratory sensitiser*.

* (limited evidence).

Reasonable care has been taken in the preparation of this information, but the author makes no warranty of merchantability or any other warranty, expressed or implied, with respect to this information. The author makes no representations and assumes no liability for any direct, incidental or consequential damages resulting from its use. For additional technical information please call our toxicology department on +800 CHEMCALL.

- Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.
A list of reference resources used to assist the committee may be found at:
www.chemwatch.net/references.
- The (M)SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

This document is copyright. Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from CHEMWATCH. TEL (+61 3) 9572 4700.

Issue Date: Jun-12-2008

Print Date:Jun-11-2011