

Nickel thiocyanate: sc-269957



The Power to Question

MATERIAL SAFETY DATA SHEET

1 Identification of substance:

Product Name: Nickel thiocyanate
Catalog Number: sc-269957
Supplier: Santa Cruz Biotechnology, Inc.
2145 Delaware Avenue
Santa Cruz, California 95060
800.457.3801 or 831.457.3800
Emergency: ChemWatch
Within the US & Canada: 877-715-9305
Outside the US & Canada: +800 2436 2255
(1-800-CHEMCALL) or call +613 9573 3112

2 Hazards identification

Classification of the substance or mixture



GHS08 Health hazard

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H341 Suspected of causing genetic defects.
H350 May cause cancer.
H360 May damage fertility or the unborn child.
H372 Causes damage to organs through prolonged or repeated exposure.



GHS09 Environment

H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.



GHS07

H317 May cause an allergic skin reaction.

Classification according to Directive 67/548/EEC or Directive 1999/45/EC



T; Toxic

R49-61-48/23: May cause cancer by inhalation. May cause harm to the unborn child. Toxic: danger of serious damage to health by prolonged exposure through inhalation.



Xn; Harmful

R68: Possible risk of irreversible effects.



Xi; Irritant

R42/43: May cause sensitization by inhalation and skin contact.



N; Dangerous for the environment

R50/53: Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

R32: Contact with acids liberates very toxic gas.

Label elements

Labelling according to EU guidelines:

Code letter and hazard designation of product:

T Toxic

N Dangerous for the environment

Risk phrases:

49 May cause cancer by inhalation.
61 May cause harm to the unborn child
32 Contact with acids liberates very toxic gas.
42/43 May cause sensitization by inhalation and skin contact.
48/23 Also toxic: danger of serious damage to health by prolonged exposure through inhalation.
68 Possible risk of irreversible effects.
50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment

Safety phrases:

53 Avoid exposure - obtain special instructions before use.
45 In case of accident or if you feel unwell, seek medical advice immediately.
60 This material and its container must be disposed of as hazardous waste.
61 Avoid release to the environment. Refer to special instructions/Safety data sheets

Hazard description:**WHMIS classification****Classification system****HMIS ratings (scale 0-4)**

(Hazardous Materials Identification System)

HEALTH	2
FIRE	0
REACTIVITY	1

Health (acute effects) = 2
Flammability = 0
Reactivity = 1

Other hazards**Results of PBT and vPvB assessment**

PBT: Not applicable.

vPvB: Not applicable.

3 Composition/information on ingredients

Chemical characterization: Substances**(CAS#) Description:**

Nickel thiocyanate (CAS# 13689-92-4)

Identification number(s):

EINECS Number: 237-205-1

Index number: 028-046-00-7

4 First aid measures

Description of first aid measures**After inhalation**

Supply fresh air and to be sure call for a doctor.
Supply fresh air. If required, provide artificial respiration. Keep patient warm.
Seek immediate medical advice.

After skin contact

Immediately wash with water and soap and rinse thoroughly.
Seek immediate medical advice.

After eye contact

Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing Seek immediate medical advice.

5 Firefighting measures

Extinguishing media**Suitable extinguishing agents**

Product is not flammable. Use fire fighting measures that suit the surrounding fire.

Special hazards arising from the substance or mixture

In case of fire, the following can be released:

Carbon monoxide and carbon dioxide

Sulfur oxides (SOx)

Nitrogen oxides (NOx)

Hydrogen cyanide (HCN)

Toxic metal oxide fume

Advice for firefighters**Protective equipment:**

Wear self-contained respirator.

Wear fully protective impervious suit.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Environmental precautions:

Do not allow material to be released to the environment without proper governmental permits.

Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

Handling

Precautions for safe handling

Keep container tightly sealed.

Store in cool, dry place in tightly closed containers.

Ensure good ventilation at the workplace.

Information about protection against explosions and fires: The product is not flammable

Conditions for safe storage, including any incompatibilities

Storage

Requirements to be met by storerooms and receptacles: No special requirements.

Information about storage in one common storage facility:

Do not store together with acids.

Store away from oxidizing agents.

Store away from water/moisture.

Further information about storage conditions:

Keep container tightly sealed.

Store in cool, dry conditions in well sealed containers.

8 Exposure controls/personal protection

Additional information about design of technical systems:

Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Control parameters

Components with limit values that require monitoring at the workplace:

Nickel and inorganic compounds, as Ni

	mg/m ³
ACGIH TLV	1.5, A5-inhalable particulate (metal) 0.2, A1-inhalable particulate (insoluble compounds) 0.1, A4-inhalable particulate (soluble compounds)
Austria	Carcinogen
Denmark TWA	0.5
Finland TWA	0.1 (skin) Carcinogen
France VME	1; C3-Carcinogen
Germany	Carcinogen
Hungary	0.005-STEL; Carcinogen (insoluble compounds)
Japan	1; 2B-Carcinogen
Korea TLV	1.5
Netherlands MAC-TGG	1; Carcinogen 1 (insoluble compounds)
Norway TWA	0.05
Poland TWA	0.25
Russia	0.05-STEL
Sweden NGV	0.5 (dust)
Switzerland MAK-W	0.5; Carcinogen
United Kingdom TWA	0.1
USA PEL	1

Additional information: No data

Exposure controls

Personal protective equipment

General protective and hygienic measures

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Remove all soiled and contaminated clothing immediately.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Breathing equipment: Use suitable respirator when high concentrations are present.

Protection of hands: Impervious gloves

Eye protection: Safety glasses

Body protection: Protective work clothing.

9 Physical and chemical properties

Information on basic physical and chemical properties	
General Information	
Appearance:	
Form:	Lump
Formula:	Ni (SCN) 2
Weight:	174.86
pH-value:	Not applicable.
Change in condition	
Melting point/Melting range:	Not determined
Boiling point/Boiling range:	Not determined
Sublimation temperature / start:	Not determined
Flash point:	Not applicable
Flammability (solid, gaseous)	Not determined.
Ignition temperature:	Not determined
Decomposition temperature:	Not determined
Auto igniting:	Not determined.
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined
Upper:	Not determined
Vapor pressure:	Not applicable.
Density:	
Relative density	Not determined.
Vapour density	Not applicable.
Evaporation rate	Not applicable.
Solubility in / Miscibility with	
Water at 21°C (70 °F):	1393 g/l
Segregation coefficient (n-octanol/water):	
Not determined.	
Viscosity:	
dynamic:	Not applicable.
kinematic:	Not applicable.
Other information	No further relevant information available.

10 Stability and reactivity

Reactivity

Chemical stability

Thermal decomposition / conditions to be avoided:

Decomposition will not occur if used and stored according to specifications.

Possibility of hazardous reactions

Contact with acids liberates very toxic gas.

May react with strong acids to produce very toxic hydrogen sulfide gas.

Incompatible materials:

Oxidizing agents

Acids

Hazardous decomposition products:

Carbon monoxide and carbon dioxide

Hydrogen sulfide

Sulfur oxides (SOx)

Nitrogen oxides (NOx)

Toxic metal oxide fume

Hydrogen cyanide (prussic acid)

11 Toxicological information

Information on toxicological effects

Acute toxicity:

Primary irritant effect:

on the skin: May cause irritation

on the eye: May cause irritation

Sensitization:

Sensitization possible through inhalation.

Sensitization possible through skin contact.

Subacute to chronic toxicity:

Nickel and nickel compounds may cause a form of dermatitis known as nickel itch. They may also cause intestinal disorders, convulsions and asphyxia. Airborne nickel contaminated dusts are regarded as carcinogenic to the respiratory tract.

Subacute to chronic toxicity:

Thiocyanates have variable toxicity. They are not normally dissociated into cyanide.

Prolonged absorption may produce skin eruptions, running nose, and occasionally dizziness, cramps, nausea, vomiting and mild or severe disturbances of the nervous system. Thiocyanates emit cyanide on contact with acids.

Additional toxicological information:

To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

May cause harm to the unborn child.

IARC-1: Carcinogenic to humans: sufficient evidence of carcinogenicity.

NTP-2: Reasonably anticipated to be a carcinogen: limited evidence from studies in humans or sufficient evidence from studies in experimental animals.

ACGIH A1: Confirmed human carcinogen: Agent is carcinogenic to humans based on epidemiologic studies of, or convincing clinical evidence in, exposed humans.

12 Ecological information

Toxicity

Aquatic toxicity: No further relevant information available.

Persistence and degradability No further relevant information available.

Behavior in environmental systems:

Bioaccumulative potential No further relevant information available.

Mobility in soil No further relevant information available.

Ecotoxicological effects:

Remark: Very toxic for aquatic organisms

Additional ecological information:

General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Also poisonous for fish and plankton in water bodies.

Do not allow material to be released to the environment without proper governmental permits.

Very toxic for aquatic organisms

Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

Other adverse effects No further relevant information available.

13 Disposal considerations

Waste treatment methods

Recommendation Consult state, local or national regulations to ensure proper disposal.

Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations.

14 Transport information

DOT regulations:



Hazard class:

9

Identification number:

UN3077

Packing group:

III

Proper shipping name (technical name): ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Nickel thiocyanate)

Label

9

Land transport ADR/RID (cross-border)



ADR/RID class:

9 (M7) Miscellaneous dangerous substances and articles

Danger code (Kemler):

90

UN-Number:

3077

Packaging group:

III

Special marking:

Symbol (fish and tree)

UN proper shipping name:


3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Nickel thiocyanate)

Maritime transport IMDG:



IMDG Class: 9
UN Number: 3077
Label 9
Packaging group: III
EMS Number: F-A, S-F
Marine pollutant: No
Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
(Nickel thiocyanate)

Air transport ICAO-TI and IATA-DGR:



ICAO/IATA Class: 9
UN/ID Number: 3077
Label 9
Special marking: Symbol (fish and tree)
Packaging group: III
Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
(Nickel thiocyanate)

UN "Model Regulation": UN3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S., 9, III
Special precautions for user Warning: Miscellaneous dangerous substances and articles
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

Product related hazard informations:

Hazard symbols:

T Toxic

N Dangerous for the environment

Risk phrases:

49 May cause cancer by inhalation.

61 May cause harm to the unborn child

32 Contact with acids liberates very toxic gas.

42/43 May cause sensitization by inhalation and skin contact.

48/23 Also toxic: danger of serious damage to health by prolonged exposure through inhalation.

68 Possible risk of irreversible effects.

50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment

Safety phrases:

53 Avoid exposure - obtain special instructions before use.

45 In case of accident or if you feel unwell, seek medical advice immediately.

60 This material and its container must be disposed of as hazardous waste.

61 Avoid release to the environment. Refer to special instructions/Safety data sheets

National regulations

This product is not listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical Substance Inventory. Use of this product is restricted to research and development only.

This product contains a chemical known to the state of California to cause cancer or reproductive toxicity.

Some or all of the components of this product are not listed on the Canadian Domestic Substances List (DSL) or the Canadian Non-Domestic Substances List (NDSL).

Information about limitation of use:

For use only by technically qualified individuals.

This product contains nickel and is subject to the reporting requirements of section 313 of the Emergency Planning and Community Right to Know act of 1986 and 40CFR372.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information:

The above information is believed to be correct but does not purport to be complete and should be used only as a guide. The burden of safe use of this material rests entirely with the user.