



NUTRAMAX LABORATORIES, INC.

946 QUALITY DRIVE, LANCASTER, SC, 29720

Telephone: 803-289-6000

Toll-Free: 800-925-5187

Fax: 803-289-6001

Website: www.nutramaxlabs.com



Every effort has been made to ensure the accuracy of the information published. However, it remains the responsibility of the readers to familiarize themselves with the product information contained on the USA product label or package insert.

DENOSYL®

Nutramax Labs.

(S-Adenosylmethionine)

Sold only through veterinarians

Denosyl, a nutritional supplement, is the pure and stabilized salt of S-Adenosylmethionine for veterinary use only. It is the only brand researched in U.S. trials for veterinary use in dogs and cats. Denosyl is available in three strengths: as an enteric-coated 90 mg, 225 mg, and 425 mg tablet of active S-Adenosylmethionine. Because S-Adenosylmethionine is extremely sensitive to moisture, tablets are individually sealed in specialized moisture-resistant blister packs.

Background

S-Adenosylmethionine is an endogenous molecule synthesized by cells throughout the body and is formed from the amino acid methionine and ATP. It is an essential part of three major biochemical pathways: transmethylation, transsulfuration and aminopropylation. As part of these pathways, S-Adenosylmethionine is essential to all cells and is particularly important in hepatocytes because of their central role in metabolism. A deficiency of S-Adenosylmethionine, therefore, may initiate or contribute to abnormalities of cellular structure and function in the liver as well as many other body tissues, including the brain.¹⁻⁴

Conversely, exogenous administration of S-Adenosylmethionine has been shown to result in improvements in hepatocellular function in both *in vivo* and *in vitro* studies, without cytotoxicity or significant side effects.^{1-3,5-10} Precursors of S-Adenosylmethionine do not have similar effects.

Administration of methionine to animals with decreased liver function may not increase hepatic S-Adenosylmethionine levels and may be toxic.² The best way to increase S-Adenosylmethionine levels in the body is by direct supplementation with S-Adenosylmethionine.

Purpose

Denosyl has been shown to increase hepatic glutathione levels in cats and dogs.^{1,3} Glutathione is a potent antioxidant that protects hepatic cells from toxins and death. A study found that low liver glutathione concentrations are common in dogs and cats with decreased hepatobiliary function.¹¹

Denosyl is recommended to improve hepatic glutathione levels in patients to help maintain and protect liver function. Denosyl may also be used in other areas of tissue oxidant injury and RBC fragility caused by certain toxins or drugs which are related to reduced glutathione concentrations.²

Denosyl, however, goes beyond increasing glutathione levels and has been shown to protect liver cells from cell death^{5,9} and may be useful in cell regeneration.² A study has also shown that Denosyl may improve bile flow in cats.⁸

In addition to supporting liver health, Denosyl may also support brain health as S-Adenosylmethionine has been shown to function as a neuroprotective agent.^{4,12,13}

Pharmacokinetics

In a pharmacokinetic study with fasted dogs given Denosyl, peak plasma levels were recorded within 4 hours of administration.¹ A pharmacokinetic study in fasted cats showed peak plasma levels at 2-4 hours post Denosyl administration.¹⁴

Safety

Denosyl demonstrates an exceptionally wide margin of safety. Oral acute toxicity studies with S-Adenosylmethionine in rats indicated an LD₅₀ greater than 4,650 mg/kg.² Clinically healthy dogs administered 20 mg/kg/day of Denosyl for 6 weeks and clinically healthy cats administered Denosyl at 2 times the recommended daily amount for 113 days remained healthy with no adverse effects from administration of Denosyl.^{1,3}

Administration as a Nutritional Supplement

Because the tablet must be kept intact to prevent destruction by moisture, administration range is based on the nearest whole-tablet. The chart below is provided as a guide for administration. Daily administration may also be calculated based on 20 mg/kg of body weight and rounded to the closest tablet size or combination of sizes.

For optimal absorption, tablets should be given on an empty stomach, at least one hour before feeding, as the presence of food decreases the absorption of S-Adenosylmethionine. For those owners who have difficulty administering tablets to their pets, Denosyl® tablet(s) may be disguised in a

small bite of food. Studies have shown that, in many cases, tablets or capsules given as a “dry swallow” do not pass into the stomach in cats but may become lodged in the esophagus. It is recommended for pet owners to administer 3-6 cc of water immediately following any tablet administration to speed passage of the tablet into the stomach.^{15,16} Denosyl 90 mg tablets are ideal for cats because of their small size. If the pet is to receive more than one tablet daily, the total number of tablets may be divided between morning and evening for ease of administration. For example, a daily administration of three tablets could be divided into two tablets in the morning and one tablet in the evening.

FELINE AND CANINE DENOSYL DAILY* ADMINISTRATION GUIDE

For Cats

Body Weight		90 mg Denosyl
Pounds	Kilograms	
Up to 12	Up to 5.5	One Tablet
>12	> 5.5	One Tablet Twice Daily

For Small Dogs

Body Weight		90 mg Denosyl
Pounds	Kilograms	
Up to 12	Up to 5.5	One Tablet

For Medium Dogs

Body Weight		225 mg Denosyl
Pounds	Kilograms	
13 to 34	6 to 15.5	One Tablet

For Large Dogs

Body Weight		425 mg Denosyl
Pounds	Kilograms	
35 to 65	16 to 29.5	One Tablet
66 to 120	30 to 54.5	Two Tablets
Over 120	Over 54.5	Three Tablets

*The number of tablets can be gradually reduced or increased at any time depending on the pet’s needs.

Many pets are maintained long-term on every-other-day or every-third-day administration.

Storage

Store in a cool dry place. Keep tablets in original blister pack until used.

Tablets are sensitive to moisture and extreme heat and should not be split or crumbled.

Also available in chewable tablets for dogs.

Contact your veterinarian or go to nutramaxlabs.com to learn more.

REFERENCES

1. Center SA, Warner K, Hoffman WE, et al. *Am J Vet Res* 2005;66(2):330-341.
2. Center SA. In *Proceedings*. 18th Annual ACVIM Forum 2000;550-552.
3. Center SA, Randolph JF, Warner K, et al. *J Vet Intern Med* 2005;19:303-314.
4. Tchanchou F, Graves M, Ortiz D, et al. *J Nutr Health Aging* 2006;10(6):541-544.
5. Webster CRL, Boria P, Usechak P, Anwer MS. *Vet Therapeutics* 2002;3(4):474-484.
6. Wallace KP, Center SA, Hickford FH, et al. *J Am Anim Hosp Assoc* 2002;38:246-254.
7. Webb CB, Twedt DC, Fettman MJ, Mason G. *J Fel Med & Surg* 2003;5:69-75.
8. Center SA, Warner KL. In *Proceedings*. 22nd Annual ACVIM Forum 2004;867-868.
9. McCool J, Johnston A, Webster CRL. In *Proceedings*. 21st Annual ACVIM Forum 2003; abstract #134.
10. Watson PJ, Scott L, Smith N, Marlin DJ. In *Proceedings*. ECVIM-CA/ESVIM 2002;178.
11. Center SA, Warner KL, Erb HN. *Am J Vet Res* 2002;63(8):1187-1197.
12. Tchanchou F, Graves M, Falcone D, Shea TB. *J Alzheimers Dis* 2008;14:323-328.
13. Shea TB, Chan A. *J Alzheimers Dis* 2008;13:67-70.
14. Center SA, Warner KL. World Veterinary Congress, 2002.
15. Westfall DS, Twedt DC, Steyn PF, et al. *J Vet Intern Med* 2001;15(5):467-470.

16. Graham JP, Lipman AH, Newell SM, Roberts GD. *Am J Vet Res* 2000;61(6):655-657.

Visit nutramaxlabs.com for current specials and promotions.

Any questions or comments?

Call toll-free 1-888-886-6442

nutramax LABORATORIES, INC., 946 Quality Drive, Lancaster, SC 29720

nutramaxlabs.com

1-888-886-6442

02-1001-11

FOR CATS and SMALL DOGS	90 mg - 30 stabilized tablets	01-1007-07
FOR MEDIUM DOGS	225 mg - 30 stabilized tablets	01-1008-06
FOR LARGER DOGS	425 mg - 30 stabilized tablets	01-1014-08

NAC No.: 1291012.3

By using this site, you agree to the [Terms of Service](#) and [Privacy Policy](#).

Copyright 2015 - North American Compendiums