# Dynactin 6 (B-6): sc-398694



The Power to Question

## **BACKGROUND**

Dynactin is a multisubunit complex that functions as a binding partner for the Dynein microtubule motor. Dynactin-Dynein binding may be required for most, if not all, cytoplasmic Dynein-driven activities and is thought to contribute to the functional diversity of Dynein. Dynactin 6, also known as protein WS-3, is an evolutionarily conserved component of the pointed-end-binding subcomplex of the Dynactin shoulder complex. This cytoplasmic protein is ubiquitously expressed in all tissues, suggesting that its function is essential for all organs. The pointed-end-binding subcomplex also consists of Dynactin 5, Dynactin p62 and ACTR10. Dynactin 6, along with Dynactin p62 and Dynactin 5, is believed to function in the regulation of Dynactin-membranous cargo interactions.

### **REFERENCES**

- 1. Ichikawa, K., et al. 1997. Cloning and characterization of a novel gene, WS-3, in human chromosome 8p11-p12. Gene 189: 277-287.
- Eckley, D.M., et al. 1999. Analysis of Dynactin subcomplexes reveals a novel Actin-related protein associated with the arp1 minifilament pointed end. J. Cell Biol. 147: 307-320.
- Lee, I.H., et al. 2001. Null mutants of the neurospora Actin-related protein 1 pointed-end complex show distinct phenotypes. Mol. Biol. Cell 12: 2195-2206.

# **CHROMOSOMAL LOCATION**

Genetic locus: DCTN6 (human) mapping to 8p12; Dctn6 (mouse) mapping to 8 A4.

## **SOURCE**

Dynactin 6 (B-6) is a mouse monoclonal antibody specific for an epitope mapping between amino acids 18-46 near the N-terminus of Dynactin 6 of human origin.

## **PRODUCT**

Each vial contains 200  $\mu g \ lgG_1$  kappa light chain in 1.0 ml of PBS with < 0.1% sodium azide and 0.1% gelatin.

Dynactin 6 (B-6) is available conjugated to agarose (sc-398694 AC), 500  $\mu g/0.25$  ml agarose in 1 ml, for IP; to HRP (sc-398694 HRP), 200  $\mu g/ml$ , for WB, IHC(P) and ELISA; to either phycoerythrin (sc-398694 PE), fluorescein (sc-398694 FITC), Alexa Fluor\* 488 (sc-398694 AF488), Alexa Fluor\* 546 (sc-398694 AF546), Alexa Fluor\* 594 (sc-398694 AF594) or Alexa Fluor\* 647 (sc-398694 AF647), 200  $\mu g/ml$ , for WB (RGB), IF, IHC(P) and FCM; and to either Alexa Fluor\* 680 (sc-398694 AF680) or Alexa Fluor\* 790 (sc-398694 AF790), 200  $\mu g/ml$ , for Near-Infrared (NIR) WB, IF and FCM.

Blocking peptide available for competition studies, sc-398694 P, (100  $\mu$ g peptide in 0.5 ml PBS containing < 0.1% sodium azide and 0.2% stabilizer protein).

Alexa Fluor® is a trademark of Molecular Probes, Inc., Oregon, USA

#### **RESEARCH USE**

For research use only, not for use in diagnostic procedures.

# **APPLICATIONS**

Dynactin 6 (B-6) is recommended for detection of Dynactin 6 of mouse, rat and human origin by Western Blotting (starting dilution 1:100, dilution range 1:100-1:1000), immunoprecipitation [1-2 µg per 100-500 µg of total protein (1 ml of cell lysate)], immunofluorescence (starting dilution 1:50, dilution range 1:50-1:500) and solid phase ELISA (starting dilution 1:30, dilution range 1:30-1:3000).

Suitable for use as control antibody for Dynactin 6 siRNA (h): sc-77642, Dynactin 6 siRNA (m): sc-143205, Dynactin 6 shRNA Plasmid (h): sc-77642-SH, Dynactin 6 shRNA Plasmid (m): sc-143205-SH, Dynactin 6 shRNA (h) Lentiviral Particles: sc-77642-V and Dynactin 6 shRNA (m) Lentiviral Particles: sc-143205-V.


Molecular Weight of Dynactin 6: 21 kDa.


Positive Controls: Dynactin 6 (h): 293T Lysate: sc-113306, COLO 320DM cell lysate: sc-2226 or HeLa whole cell lysate: sc-2200.


## **RECOMMENDED SUPPORT REAGENTS**

To ensure optimal results, the following support reagents are recommended: 1) Western Blotting: use m-lgG $\kappa$  BP-HRP: sc-516102 or m-lgG $\kappa$  BP-HRP (Cruz Marker): sc-516102-CM (dilution range: 1:1000-1:10000), Cruz Marker<sup>TM</sup> Molecular Weight Standards: sc-2035, UltraCruz\* Blocking Reagent: sc-516214 and Western Blotting Luminol Reagent: sc-2048. 2) Immunoprecipitation: use Protein A/G PLUS-Agarose: sc-2003 (0.5 ml agarose/2.0 ml). 3) Immunofluorescence: use m-lgG $\kappa$  BP-FITC: sc-516140 or m-lgG $\kappa$  BP-PE: sc-516141 (dilution range: 1:50-1:200) with UltraCruz\* Mounting Medium: sc-24941 or UltraCruz\* Hard-set Mounting Medium: sc-359850.

## **DATA**







Dynactin 6: sc-398694. Western blot analysis of Dynactin 6 expression in HeLa (A), Neuro-2A (B) and C6 (C) whole cell lysates.

# **SELECT PRODUCT CITATIONS**

 Saito, K., et al. 2020. Conformational diversity of Dynactin sidearm and domain organization of its subunit p150. Mol. Biol. Cell 31: 1218-1231.

## **STORAGE**

Store at 4° C, \*\*DO NOT FREEZE\*\*. Stable for one year from the date of shipment. Non-hazardous. No MSDS required.