# SANTA CRUZ BIOTECHNOLOGY, INC.

# FAS CRISPR/Cas9 KO Plasmid (h2): sc-400481-KO-2



## BACKGROUND

The Clustered Regularly Interspaced Short Palindromic Repeats (CRISPR) and CRISPR-associated protein (Cas9) system is an adaptive immune response defense mechanism used by archea and bacteria for the degradation of foreign genetic material (4,6). This mechanism can be repurposed for other functions, including genomic engineering for mammalian systems, such as gene knockout (KO) (1,2,3,5). CRISPR/Cas9 KO Plasmid products enable the identification and cleavage of specific genes by utilizing guide RNA (gRNA) sequences derived from the Genome-scale CRISPR Knock-Out (GeCKO) v2 library developed in the Zhang Laboratory at the Broad Institute (3,5).

## REFERENCES

- 1. Cong, L., et al. 2013. Multiplex genome engineering using CRISPR/Cas systems. Science 339: 819-823.
- 2. Mali, P., et al. 2013. RNA-guided human genome engineering via Cas9. Science 339: 823-826.

#### **CHROMOSOMAL LOCATION**

Genetic locus: FAS (human) mapping to 10q23.31.

#### **PRODUCT**

FAS CRISPR/Cas9 KO Plasmid (h2) is designed to disrupt gene expression by causing a double-strand break (DSB) in a 5' constitutive exon within the FAS (human) gene.

FAS CRISPR/Cas9 KO Plasmid (h2) consists of a pool of 3 plasmids, each encoding the Cas9 nuclease and a target-specific 20 nt guide RNA (gRNA) designed for maximum knockout efficiency. Each vial contains 20 µg of lyophilized CRISPR/Cas9 Plasmid DNA. Suitable for up to 20 transfections. Also see FAS HDR Plasmid (h2): sc-400481-HDR-2 for selection of cells containing a DSB induced by FAS CRISPR/Cas9 KO Plasmid (h2).

## STORAGE AND RESUSPENSION

Store lyophilized plasmid DNA at 4° C with desiccant. Stable for at least one year from the date of shipment. Once resuspended, store at 4° C for short term storage or -20° C for long-term storage. Avoid repeated freeze thaw cycles.

Resuspend lyophilized plasmid DNA in 200 µl of the provided ultrapure, sterile, DNase-free water. Resuspension of the plasmid DNA makes a 0.1 µg/µl solution in a 10 mM TRIS EDTA, 1 mM EDTA buffered solution.

#### **APPLICATIONS**


FAS CRISPR/Cas9 KO Plasmid (h2) is recommended for the disruption of gene expression in human cells.

## **SUPPORT REAGENTS**

For optimal reaction efficiency with CRISPR/Cas9 KO Plasmids, Santa Cruz Biotechnology's UltraCruz® Transfection Reagent: sc-395739 (0.2 ml) and Plasmid Transfection Medium: sc-108062 (20 ml) are recommended. Control CRISPR/Cas9 Plasmid: sc-418922 (20 µg) negative control is also available.

## **GENE EXPRESSION MONITORING**

FAS (B-10): sc-8009 is recommended as a control antibody for monitoring of FAS (human) gene expression prior to and after knockout by Western blotting (starting dilution 1:200, dilution range 1:100-1:1000) or immunofluorescence (starting dilution 1:50, dilution range 1:50-1:500).



#### SELECT PRODUCT CITATIONS

1. Zhong, C., et al. 2024. The tubulin polymerization inhibitor gambogenic acid induces myelodysplastic syndrome cell apoptosis through upregulation of Fas expression mediated by the NFkB signaling pathway. Cancer Biol. Ther. 25: 2427374.

#### **RESEARCH USE**

The CRISPR/Cas9 KO Plasmids are considered "Licensed Products" and are to be used in accordance with the Limited License stated on www.scbt.com/limitedlicense.

The purchase of this product conveys to the buyer the nontransferable right to use the purchased amount of the product and all replicates and derivatives for research purposes conducted by the buyer in his laboratory only (whether the buyer is an academic or for-profit entity). The buyer cannot sell or otherwise transfer (a) this product (b) its components or (c) materials made using this product or its components to a third party, or otherwise use this product or its components or materials made using this product or its components for Commercial Purposes.

## **PROTOCOLS**

See our web site at www.scbt.com for detailed protocols and support products.