

Dynactin 6 (G-10): sc-515525

BACKGROUND

Dynactin is a multisubunit complex that functions as a binding partner for the Dynein microtubule motor. Dynactin-Dynein binding may be required for most, if not all, cytoplasmic Dynein-driven activities and is thought to contribute to the functional diversity of Dynein. Dynactin 6, also known as Protein WS-3, is an evolutionarily conserved component of the pointed-end-binding subcomplex of the Dynactin shoulder complex. This cytoplasmic protein is ubiquitously expressed in all tissues, suggesting that its function is essential for all organs. The pointed-end-binding subcomplex also consists of Dynactin 5, Dynactin p62 and ACTR10. Dynactin 6, along with Dynactin p62 and Dynactin 5, is believed to function in the regulation of Dynactin-membranous cargo interactions.

REFERENCES

1. Ichikawa, K., et al. 1997. Cloning and characterization of a novel gene, WS-3, in human chromosome 8p11-p12. *Gene* 189: 277-287.
2. Eckley, D.M., et al. 1999. Analysis of dynactin subcomplexes reveals a novel actin-related protein associated with the arp1 minifilament pointed end. *J. Cell Biol.* 147: 307-320.
3. Lee, I.H., et al. 2001. Null mutants of the neurospora actin-related protein 1 pointed-end complex show distinct phenotypes. *Mol. Biol. Cell* 12: 2195-2206.
4. Hodgkinson, J.L., et al. 2005. Three-dimensional reconstruction of the dynactin complex by single-particle image analysis. *Proc. Natl. Acad. Sci. USA* 102: 3667-3672.
5. Levy, J.R. and Holzbaur, E.L. 2006. Cytoplasmic dynein/dynactin function and dysfunction in motor neurons. *Int. J. Dev. Neurosci.* 24: 103-111.
6. Dixit, R., et al. 2008. Regulation of dynactin through the differential expression of p150^{Glued} isoforms. *J. Biol. Chem.* 283: 33611-33619.
7. Yang, J.S., et al. 2008. Dynein-dynactin complex is essential for dendritic restriction of TM1-containing *Drosophila* Dscam. *PLoS ONE* 3: e3504.
8. Moore, J.K., et al. 2008. Dynactin function in mitotic spindle positioning. *Traffic* 9: 510-527.

CHROMOSOMAL LOCATION

Genetic locus: DCTN6 (human) mapping to 8p12; Dctn6 (mouse) mapping to 8 A4.

SOURCE

Dynactin 6 (G-10) is a mouse monoclonal antibody raised against amino acids 1-190 representing full length Dynactin 6 of human origin.

PRODUCT

Each vial contains 200 µg IgG₁ kappa light chain in 1.0 ml of PBS with < 0.1% sodium azide and 0.1% gelatin.

STORAGE

Store at 4° C, **DO NOT FREEZE**. Stable for one year from the date of shipment. Non-hazardous. No MSDS required.

APPLICATIONS

Dynactin 6 (G-10) is recommended for detection of Dynactin 6 of mouse, rat and human origin by Western Blotting (starting dilution 1:100, dilution range 1:100-1:1000), immunoprecipitation [1-2 µg per 100-500 µg of total protein (1 ml of cell lysate)], immunofluorescence (starting dilution 1:50, dilution range 1:50-1:500) and solid phase ELISA (starting dilution 1:30, dilution range 1:30-1:3000).

Suitable for use as control antibody for Dynactin 6 siRNA (h): sc-77642, Dynactin 6 siRNA (m): sc-143205, Dynactin 6 shRNA Plasmid (h): sc-77642-SH, Dynactin 6 shRNA Plasmid (m): sc-143205-SH, Dynactin 6 shRNA (h) Lentiviral Particles: sc-77642-V and Dynactin 6 shRNA (m) Lentiviral Particles: sc-143205-V.


Molecular Weight of Dynactin 6: 21 kDa.

Positive Controls: WI-38 whole cell lysate: sc-364260, COLO 320DM cell lysate: sc-2226 or T24 cell lysate: sc-2292.


RECOMMENDED SUPPORT REAGENTS

To ensure optimal results, the following support reagents are recommended: 1) Western Blotting: use m-IgGκ BP-HRP: sc-516102 or m-IgGκ BP-HRP (Cruz Marker): sc-516102-CM (dilution range: 1:1000-1:10000), Cruz Marker™ Molecular Weight Standards: sc-2035, UltraCruz® Blocking Reagent: sc-516214 and Western Blotting Luminol Reagent: sc-2048. 2) Immunoprecipitation: use Protein A/G PLUS-Agarose: sc-2003 (0.5 ml agarose/2.0 ml). 3) Immunofluorescence: use m-IgGκ BP-FITC: sc-516140 or m-IgGκ BP-PE: sc-516141 (dilution range: 1:50-1:200) with UltraCruz® Mounting Medium: sc-24941 or UltraCruz® Hard-set Mounting Medium: sc-359850.

DATA



Dynactin 6 (G-10): sc-515525. Western blot analysis of Dynactin 6 expression in WI-38 (A), COLO 320DM (B) and T24 (C) whole cell lysates.



Dynactin 6 (G-10): sc-515525. Western blot analysis of Dynactin 6 expression in A549 (A), COLO 205 (B) and NIH/3T3 (C) whole cell lysates.

RESEARCH USE

For research use only, not for use in diagnostic procedures.

PROTOCOLS

See our web site at www.scbt.com for detailed protocols and support products.