TNFα (AS1): sc-52791



The Power to Overtio

BACKGROUND

Tumor necrosis factor β (TNF β), also known as lymphotoxin, is a pleiotropic cytokine. TNF α , also known as cachectin, is a smaller cytokine that binds to the same receptors, producing a vast array of effects similar to those of TNF β . TNF β and TNF α share 30% amino acid homology and have similar biological activities. TNF β is produced by activated lymphocytes, including CD4+ T helper cell type 1 lymphocytes, CD8+ lymphocytes and certain B lymphoblastoid cell lines. TNF α is produced by several different cell types, which include lymphocytes, neutrophils and macrophages. TNF α and TNF β can modulate many immune and inflammatory functions, while having the ability to inhibit tumor growth. Target tumor cells must express TNF receptors 1 and 2 to be killed, with the p55 receptor mediating the cytotoxic response.

REFERENCES

- Nedwin, G.E., et al. 1985. Human lymphotoxin and tumor necrosis factor genes: structure, homology and chromosomal localization. Nucleic Acids Res. 13: 6361-6373.
- 2. Aggarwal, B.B., et al. 1985. Human tumor necrosis factor. Production, purification, and characterization. J. Biol. Chem. 260: 2345-2354.
- 3. Vilcek, J., et al. 1991. Tumor necrosis factor. New insights into the molecular mechanisms of its multiple actions. J. Biol. Chem. 266: 7313-7316.
- 4. Tartaglia, L.A., et al. 1993. Tumor necrosis factor's cytotoxic activity is signaled by the p55 TNF receptor. Cell 73: 213-216.
- De Togni, P., et al. 1994. Abnormal development of peripheral lymphoid organs in mice deficient in lymphotoxin. Science 264: 703-707.
- Qin, Z., et al. 1995. Tumor growth inhibition mediated by lymphotoxin: evidence of B lymphocyte involvement in the antitumor response. Cancer Res. 55: 4747-4751.
- Sarin, A., et al. 1995. Cytotoxic effect of TNF and lymphotoxin on T lymphoblasts. J. Immunol. 155: 3716-3718.
- 8. Pandey, J.P., et al. 1999. TNF $\!\alpha$ and TNF $\!\beta$ gene polymorphisms in systemic sclerosis. Hum. Immunol. 60: 1128-1130.

CHROMOSOMAL LOCATION

Genetic locus: TNF (human) mapping to 6p21.33.

SOURCE

 $\mathsf{TNF}\alpha$ (AS1) is a mouse monoclonal antibody raised against $\mathsf{TNF}\alpha$ of human origin.

PRODUCT

Each vial contains 100 $\mu g \; lg G_1$ in 1.0 ml of PBS with < 0.1% sodium azide and 0.1% gelatin.

STORAGE

Store at 4° C, **DO NOT FREEZE**. Stable for one year from the date of shipment. Non-hazardous. No MSDS required.

APPLICATIONS

 $TNF\alpha$ (AS1) is recommended for detection of $TNF\alpha$ of human origin by Western Blotting (starting dilution 1:200, dilution range 1:100-1:1000), immunoprecipitation [1-2 μg per 100-500 μg of total protein (1 ml of cell lysate)] and solid phase ELISA (starting dilution 1:30, dilution range 1:30-1:3000); non cross-reactive with human TNF β or a panel of other human cytokines.


Suitable for use as control antibody for TNF α siRNA (h): sc-37216, TNF α shRNA Plasmid (h): sc-37216-SH and TNF α shRNA (h) Lentiviral Particles: sc-37216-V.

Molecular Weight of transmembrane TNFα: 26 kDa.

Molecular Weight of soluble TNFα: 17 kDa.

Positive Controls: HeLa whole cell lysate: sc-2200.

DATA



TNFα (AS1): sc-52791. Western blot analysis of

SELECT PRODUCT CITATIONS

- Taurone, S., et al. 2015. Immunohistochemical profile of cytokines and growth factors expressed in vestibular schwannoma and in normal vestibular nerve tissue. Mol. Med. Rep. 12: 737-745.
- 2. Han, K., et al. 2018. Ghrelin improves pilocarpine-induced cerebral cortex inflammation in epileptic rats by inhibiting NF κ B and TNF α . Mol. Med. Rep. 18: 3563-3568.
- 3. Li, W., et al. 2021. Papaverine perfusion via the aortic root before heart re-beating alleviates myocardial injury after heart valve replacement. Arch. Med. Res. 52: 405-413.

RESEARCH USE

For research use only, not for use in diagnostic procedures.

PROTOCOLS

See our web site at www.scbt.com for detailed protocols and support products.



See **TNF** α (C-4): sc-133192 for TNF α antibody conjugates, including AC, HRP, FITC, PE, and Alexa Fluor[®] 488, 546, 594, 647, 680 and 790.